Transport And Erection Of	Girders   SAFE WORK ME	THOD STATEMENT (SWMS)							
TASK OR A	CTIVITY: Transport And Erection	n Of Girders							
Business Name:		ABN:	SWMS#						
Business Address:									
Contact Person:	Phone:	E fil:							
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY								
THIS SAFE WORK METHOD STATEMENT IS APPROX OD BY THE PC. Y OF THE ROJECT         Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under the group of (Pourly) is required to enume that a safe work method statement (SWMS) is prepared before the proposed work starts.									
Full Name:									
Signature:	NK	Title:	Date:						
Details of the person(s) responsible for ensuring implementation, monitoring	opliance the VMS a well as review	s and modifications of the SWMS.							
Full Name:		Title:	Phone:						
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAKE HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE						
Safety meetings or toolbox talks will be sched ed in account with gislative requirements to first identify any site hazards, such a companie those hazards and then to further take steps to either eliminate or contineach hazard.									
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.									
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.									
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.									



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



	RISK MATRIX												
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	000DF			HEIRARCHY OF CONTROLS				
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	SCORE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution				
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.				
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard				
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.				

	PERS_VAL TECTIVE EQUIPMENT (PPE) Select the appropriate PPL about suitable for the equipment used or the job task being performed (if applicable).										
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
Permit or Licenses Requirements			Mandatory Qualifications and Training								




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Unsecured equipment, lack of training	зн	<ul> <li>Ensure all equipment is secured and inspected prior to use.</li> <li>Conduct thorough training sessions for work is on becauge and securing equipment.</li> <li>Develop a checklist to confirm all necessary to enable equipment are available and in good condition.</li> <li>Implement a buddy system were workers verify useh other equipment setup.</li> <li>Provide personal protective equipment (PPE) such uselmets, gloves, and safety boots to all workers.</li> <li>Establish clean ommunication protectors using and signals or radios to ensure effective teamwork.</li> <li>Post warning signs around the work of a altert all personnel of potential hazards.</li> <li>Assum quality as previsor to oversee the preparation activities and intervene if unsafe practices are observed.</li> <li>Performs the specific razard assessments before beginning any work to identify additional risks.</li> <li>Keep moords utraining and ensure only certified personnel are assigned tasks related to the operation.</li> <li>Ku shar review and update safety procedures to incorporate lessons learned from previous projects.</li> <li>Set up on usion zones with barriers to prevent unauthorized access during the preparation phase.</li> </ul>	2M
2. Loading girders onto transport	Inadequate load stability, untrained operators 3H		<ul> <li>Conduct a risk assessment prior to loading to identify potential hazards and implement appropriate controls.</li> <li>Ensure all operators involved in loading are fully trained and competent in the use of lifting equipment and load restraint techniques.</li> <li>Verify that the lifting equipment is regularly inspected, maintained, and suitable for the task.</li> <li>Use appropriately rated slings, chains, or other lifting devices suitable for the weight and type of girders being handled.</li> <li>Ensure girders are secured on the transport vehicle using appropriate load restraint systems in accordance with Australian standards.</li> <li>Position girders to distribute weight evenly across the transport vehicle to prevent instability.</li> <li>Operate lifting equipment slowly and carefully to avoid sudden movements that could destabilise the load.</li> <li>Appoint a person responsible for overseeing the loading process to ensure compliance with safety procedures.</li> <li>Implement exclusion zones around the loading area to keep unauthorised personnel clear of the hazards.</li> <li>Use spotters to provide guidance and communication between the crane operator and ground crew.</li> </ul>	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE RISK		SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Conduct a pre-use inspection of the transport vehicle to ensure it is roadworthy and capable of carrying the load safely.	
			- Provide adequate lighting for loading operations and ucted during low-light conditions to enhance visibility.	
			- Install signage and barriers to clearly many pading areas and inform personnel of potential hazards.	
			- Conduct a pre-transport risk assessment to ide or y potential betrards and implement appropriate controls.	
			- Ensure all personnel involved bading and unload the trained and competent in load management and securing processes	
			- Use appropriate lifting equipment, which as cruces or forklifts, operated by licensed and experienced operators to low ligitders on bitransport of transport of the second seco	
			- Sec to be load off using the National Transport Commission Load Restraint Guide to prevent movel and furing to sit.	
			- Inspers and maintak mehicles regularly to ensure they are roadworthy and suitable for transporting large girders.	
			- pure e drive holds a valid heavy vehicle driver's licence and is familiar with the route to be taken.	
3. Transport to site	Vehicle accidents, unsecured load fall		Plan a pute carefully, avoiding areas with low bridges, narrow roads, or other obstacles that may pose risk to the transport of large loads.	2M
			- Communicate the transport schedule and route to all relevant parties, including local traffic authorities, where necessary.	
			- Conduct a pre-trip meeting with all personnel involved to review safety precautions, emergency protocols, and communication plans.	
			- Implement traffic control measures, such as escort vehicles with flashing lights and signage, to alert other road users.	
			- Limit travel to daylight hours and avoid adverse weather conditions when possible to improve visibility and road conditions.	
			- Monitor load security at regular intervals during transit and re-secure if necessary to prevent shifting.	
			- Equip the vehicle with a designated UHF radio for constant communication between the driver, escort vehicles, and site personnel.	
			- Develop an emergency response plan specific to load transport incidents, ensuring all personnel are aware of their roles and responsibilities.	
4. Unloading girders at	Malfunctioning machinery, resultant			
site	injury from falling load	4A		2M

Version 2.5








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Lifting girders for erection	Malfunctioning lifting equipment, untrained operators	ЗН		1L
7. Positioning girders into place	Inadequate communication, malpositioned supports	4A		2М









JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	RESIDUAL RISK	
9. Final inspection	Inadequate lighting, running pections			1L
	5			
10. Cleanup and disposal of waste material	Slips, trips and falls due to rubbish, improper handling of sharp objects	2M		1L















JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Final site clean up and inspection	Poor housekeeping, ignored safety regulations during final stages			1L 1L



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Orchipational Health all Safety Act and 4 Occupational Health and onfety orgulations 2017 Legis non VIC: <u>https://www.ec.uksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> ordes of chactice VIC <u>cutps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislatic">https://www.safework.nsw.gov.au/legal-obligations/legislatic</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislatic</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weigelace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weigelace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weigelace-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	Model Codes of Practice     Managing noise and preventing hearing loss at work     Confined spaces     Labelling of workplace hazardous chemicals     Managing risks of hazardous chemicals in the workplace     Welding processes     First aid in the workplace
Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	<ul> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>More frequencies of plant in the workplace</li> <li>Construction work</li> </ul>



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.	$\square$	
Any hazards listed in any site risk assessments have been added to the SWMs	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$	
Check control measures added to the SWMS are the most effective selection	$\boxtimes$	
Responsible person is assigned and listed on the property of the importation control measures.	$\boxtimes$	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be use	$\boxtimes$	
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE RE	VIEWED
SIGNATURE	DATE CO	MPLETED