Transporting Goods Internally Bet	ween Premises SAFE WC	RK METHOD STATEMENT (SWMS)
TASK OR ACTIVIT	Y: Transporting Goods Internally	Between Premises	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROX D BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or under the (Pound) is	required to enume that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	poliance the VMS a well as review	vs and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NA 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND C THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, such a companies those hazards and then to further take steps to either eliminate or contract each hazard.			
If an incident or a near miss occurs, all work must sto, an anately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

						TIVE EQUIPM					
	Select the appropriate PPL above suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements Mandatory Qualifications and Training										



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Incorrect manual handling, Exposure to harmful substances	2М	 Conduct a thorough risk assessment to idence potential bazards related to manual handling and exposure to harmful substances. Provide training for workers on correct manufacturing techniques to minimise the risk of injury. Supply appropriate persone protective equipment (PPE), such as gloves and masks, to protect workers from exposure to harmful substances. Implement a safet concedur outlining the stepsue be taken during the preparation phase. Ensure that nequipments led for insporting goods is maintained in good working order and inspected price or mechanical aids, like trolleys or forklifts, to assist with the movement of heavy goods, reducin manual handing. Develot a scientific as a scientific exposure time to hazardous substances, ensuring breaks and rotations to refer to be. Ensure for ible. Ensure the quantity of hazardous substances with the lowest risk profiles for use within the workplace. Until the quantity of hazardous substances stored in the work area to reduce the potential for spills or leaks. Use spill containment systems and kits to promptly manage any accidental releases of harmful substances. Ensure proper labelling of all containers holding hazardous materials in accordance with safety regulations. Instruct employees on emergency procedures, including evacuation and first-aid measures in the event of exposure incidents. 	1L
2. Briefing Team	Miscommunication, Distractions causing accidents	2М	 Use clear and concise language to communicate the plan to all team members. Conduct briefing sessions in a quiet area free from distractions to ensure full attention. Utilize visual aids such as charts or diagrams to illustrate key points effectively. Encourage team members to ask questions for clarification to prevent misunderstandings. Assign specific roles and responsibilities to each team member to avoid confusion. Implement a buddy system to ensure information is received and understood by everyone. Summarise key points at the end of the briefing to reinforce understanding. Provide written materials summarising the briefing for team members to refer back to. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK 3H	 SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS Use hand signals or signs if verbal communication is hindered by noise. Schedule regular breaks during longer briefings to maintain focus and minimise fatigue. Encourage active listening by making eye control and nodding to show understanding. Conduct follow-up sessions to address an ussues or conterns that arise post-briefing. Ensure all electronic communication device are situlated to prevent interruptions during briefings. Ensure all goods are check of or weight limitation before using to prevent overloading. Use appropriate liftic requipments such as forklifts to useful jacks, to handle heavy items and minimise manual handling uses. Train staff to roper manu chandling echnings to reduce the risk of injury when loading goods. Implement a subdard perating proce are for checking and securing loads to prevent shifting or falling during usit. Conduct to ular monitoriation of lifting equipment to ensure it is safe and functioning correct. Clearly brack her kinnum load capacities on all transport vehicles and equipment to guide correct loading. Ensure stods are evenly distributed across the loading area to maintain balance and prevent drop azards. Sovide personal protective equipment (PPE) like gloves and steel-toed boots for workers involved in the loading process. Use straps, nets, or other restraints to secure goods once loaded, reducing the risk of movement and drops. 	RESIDUAL RISK 2M
4. Secure Goods	Unsecured items falling, Accidental release of goods	ЗН	- Establish a communication protocol among team members during loading operations to coordinate actions and enhance safety.	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Transporting Goods	Vehicle accidents, Injuriscom sudden stops or turns			2M
6. Unload Goods	Falling objects, Incorrect unloading techniques	ЗН		2M

Version 2.5

Date of Issue:


























JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Emergency Procedure Review	Unpreparedness for emergencies, Miscommunication during emergencies	ЗН		2M
15. End of Shift Debrief	Incomplete handover, Staff fatigue leading to mistakes	ЗН		2M

Version 2.5








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Pre-Shift Checklist Review	Overlooking crucial steps, Missed hazards due to inattentiveness	ЗН		2M
18. Loading Dock Safety Checks	Accidents at the loading dock, Mistreated equipment leading to mechanical failures	4A		ЗН

Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
20. Hazardous Goods Handling Training	Exposure to hazardours states, Inadequate safety rour			ЗН

Version 2.5

Date of Issue:









EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REI	ERENCES					
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health all Safety Act and Occupational Health and onfetro egulations 2017 Legis non VIC: <u>https://www.ecuxsafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> ordes of mactice VIC <u>cuttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-servelaws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediatestations</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/word Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Consequential Provisions Work Health and Safety (Transitional and Consequential Provisions) Work Health and Safety (Transitional Act 2012)	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces - Hazardous manual tasks - Managing the risk of falls in housing construction					
Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> Details of permits, licenses or access required by regulatory bodies (add or delete as required):	 Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks 					
 Permits from local council Authorisation to commence work Any required documents. 	- Managing risks of plant in the workplace - Construction work					



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\square		
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selection	\boxtimes		
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COMPLETED		