

Tree Care Handler | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: Tree Care Handler

Business Name:	ABN:	SWMS#
Business Address:		
Contact Person:	Phone:	Email:

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring compliance of the SWMS as well as reviews and modifications of the SWMS.		
Full Name:	Title:	Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.

If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.

Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.

The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

NAME OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

- | | |
|--|--|
| ☐ involves a risk of a person falling more than 2 meters | ☐ is carried out on or near pressurised gas mains or piping |
| ☐ is carried out on a telecommunication tower | ☐ is carried out on or near chemical, fuel or refrigerant lines |
| ☐ involves demolition of an element of a structure that is load-bearing | ☐ is carried out on or near energised electrical installations or services |
| ☐ involves demolition of an element related to the physical integrity of a structure | ☐ is carried out in an area that may have a contaminated or flammable atmosphere |
| ☐ involves, or is likely to involve, disturbing asbestos | ☐ involves tilt-up or precast concrete |
| ☐ involves structural alteration or repair that requires temporary support to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| ☐ is carried out in or near a confined space | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant |
| ☐ is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. |
| ☐ is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE			Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED	Substitution Replace the hazard.	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	Isolation Isolate People from the hazard	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Engineering Isolate the hazard.	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	Monitor and keep records	Administrative Change the work.	
Notes on Hierarchy of Controls: Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.									

PERSONAL PROTECTIVE EQUIPMENT (PPE)											
Select the appropriate PPE below suitable for the equipment used or the job task being performed (if applicable).											
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	EYE PROTECTION	RESPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
											
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Other PPE Required:											
Permit or Licenses Requirements						Mandatory Qualifications and Training					

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Poor work area setup, incorrect PPE	2M	- Properly assess and inspect the work area before commencing tree care activities to identify any potential hazards, such as trip hazards or overhead power lines, and take appropriate steps to address them. - Establish a designated and well-organised work space with a clear access path for workers, equipment, and vehicles to minimise congestion and potential tripping. - Implement a site-specific safety plan detailing procedures and protocols to follow in case of an emergency, including clear instructions on evacuation routes, assembly points, and communication channels. - Ensure all tree care handlers are properly trained and have received up-to-date Workplace Health and Safety (WHS) information relevant to their tasks, including correct use of equipment and safe working practices. - Supply adequate Personal Protective Equipment (PPE) to all tree care handlers based on specific risk assessments, including gloves, high-visibility clothing, hard hats, eye protection, hearing protection, and appropriate footwear. - Enforce strict adherence to PPE use through regular monitoring and supervision, providing proper training on how to wear, maintain, and dispose of it. - Regularly inspect and maintain all tools, equipment, and machinery to ensure they are in safe working condition, eliminating risks associated with malfunctioning or faulty equipment. - Develop and implement a system for reporting hazards or incidents, encouraging open communication among team members, and prompt responses to identified hazards. - Conduct regular toolbox talks and safety briefings to reinforce the importance of following safe work practices and using appropriate PPE, allowing for open discussions and questions regarding any uncertainties or concerns. - Provide ongoing education, training, and support to tree care handlers to keep them informed of the latest industry standards and best practices, ensuring compliance with relevant WHS legislation and regulations.	1L
2. Machine inspection	Undetected defects, loose components	2M	- Conduct a pre-operational inspection before each shift or daily to identify any issues with the machinery, ensuring that all components are in good working condition. - Develop and implement a regular maintenance schedule for the tree care machine, including inspections by qualified technicians to ensure all parts are functioning correctly and securely fastened. - Train all machine operators in proper inspection procedures, emphasising the importance of identifying potential hazards associated with undetected defects and loose components. - Keep up-to-date records of all inspections and maintenance activities, providing documentation of control measures taken to prevent hazards related to machine defects and loose components.	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Install visual and audible warning systems on the machinery to alert operators and nearby workers in case of any detected abnormalities, such as unusual vibration or noise levels. - Design and provide comprehensive inspection checklists to guide operators in their identification of potential risks linked to undetected defects and loose components. - Regularly update the tree care operator's training based on new best practices, equipment upgrades, and lessons learned from previous incidents involving machine malfunctions. - Establish a process for reporting and addressing identified issues promptly, such as tagging out a malfunctioning machine until the necessary repairs have been made. - Implement a system for conducting random spot checks on machines during operation to monitor adherence to inspection and maintenance protocols. - Utilise personal protective equipment (PPE) for operators and nearby workers, reducing the impact of any sudden hazardous events resulting from undetected defects or loose components. - Encourage open communication and collaboration among team members when it comes to identifying, assessing, and controlling machine-related hazards. This can be achieved through regular toolbox talks, planning sessions, and debriefings after incidents. - Continuously review and improve current processes surrounding machine inspection and hazard control, using both internal and external sources like industry guidelines, research, and incident reports to ensure the optimisation of available prevention strategies.	
3. Machine startup	Unauthorised access, accidental activation	3H	- Clear communication: Ensure that all workers on site are informed about the tree care handling operation and the potential hazards associated with unauthorised access and accidental activation of machinery. - Training and competency: All machine operators must be properly trained, competent, and certified to use the specific tree care handling equipment to minimise unauthorised access, misuse, and potential accidents. - Lockout/tagout procedures: Before starting the machine, implement lockout/tagout procedures to isolate the equipment from energy sources, preventing equipment startup during maintenance or inspection tasks. - Key control system: Establish a key control system for the access and distribution of machine keys to authorised personnel only, reducing the risk of unauthorised access or accidental machine startup. - Machine guarding: Install and maintain effective guards on operating parts and control switches of machinery to reduce the risk of accidental contact and unintended machine activation. - Signage and barrier installation: Place visible warning signs indicating hazardous areas around the workplace, and install physical barriers to restrict access to the machines, reducing the likelihood of unauthorised access and accidental activation. - Emergency stop mechanisms: Equip tree care handling machinery with clearly marked emergency stop buttons or switches. Train all personnel on how to use these in case of an emergency. - Pre-start checks: Implement a routine pre-start check procedure for all tree care handling equipment to ensure its safety before use. Operators should visually inspect the machinery and its controls, remove any	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			debris or obstructions, and verify the functionality of safety features such as brakes, guards, and emergency stops. - Supervision and monitoring: Regularly monitor operators' performance while using tree care handling machinery to identify any unsafe practices, correct them promptly, and provide ongoing feedback and support to prevent unauthorised access or accidental activation.	
4. Operating machine	Collision, overturning	3H	[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]	2M
5. Tree cutting	Falling branches, kickback	3H	[REDACTED] [REDACTED]	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			SAMPLE [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]	
6. Tree handling	Crushing, pinching	3H	[REDACTED] [REDACTED] [REDACTED]	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Machine shutdown	Hot surfaces, hydraulic leaks	2M		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Maintenance	Improper servicing, chemical exposure	3H		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Emergency response	Inadequate evacuation, injury	4A		2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Site cleanup	Slips, trips, and falls, unsecured loads	2M		1L
11. Material disposal	Improper waste handling, environmental hazards	2M		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Transporting machine	Traffic accidents, unsecured loads	3H		2M

[illegible]

[illegible]

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Working near power lines	Electrocution, contact with live wires	4A		2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Working on uneven terrain	Machine instability, slips and falls	3H	[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]	2M
18. Working in adverse weather	Reduced visibility, slippery surfaces	3H	[REDACTED] [REDACTED] [REDACTED]	1L

[illegible]

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
20. Communication	Miscommunication, lack of coordination	2M		1L

A large, light blue rectangular area with a faint grid pattern, overlaid with a large, semi-transparent 'SAMPLE' watermark. The watermark is oriented diagonally from the bottom-left towards the top-right. The background consists of a light blue square on the left and a white area on the right, separated by a vertical line. The white area contains a series of horizontal black bars, suggesting a barcode or a data visualization.

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/lis>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety/laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/for-and-resource/codes-of-practice>

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and sub-contractors) who may be affected by the operation of the SWMS and their health and safety representatives who represent that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.	☒	
All relevant personnel consulted during the development of the SWMS.	☒	
Name, signature, position and date signed of the person approving the SWMS.	☐	
Specific personnel and qualifications, experience is noted in the SWMS.	☒	
Provides a step-by-step process of tasks required to carry out the activity or task.	☒	
Adequate risk assessment of any identified hazards has been completed.	☒	
Foreseeable hazards are identified and documented for each step.	☒	
Any hazards listed in any site risk assessments have been added to the SWMS.	☒	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	☒	
Check control measures added to the SWMS are the most effective selected.	☒	
Responsible person is assigned and listed on the SWMS for the implementation of control measures.	☒	
Permit or licenses requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.	☒	
SWMS identifies plant and equipment to be used.	☒	
Details of inspection checks required for any equipment listed are noted on the SWMS.	☒	
Describes any mandatory qualifications, experience, training or skills required to perform the work.	☒	
Applicable personal protective equipment is selected on the SWMS.	☒	
Reflects and documents any legislative references and/or Australian Standards.	☒	
Identifies any hazardous substances used with specific control measures in line with any SDS.	☒	
REVIEWED BY		DATE REVIEWED
SIGNATURE		DATE COMPLETED