Tyre Changing - Tractor and	Off-Road SAFE WORK M	ETHOD STATEMENT (SWMS)
TASK OR AC	TIVITY: Tyre Changing - Tractor	and Off-Road	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E nil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en the that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ppliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NAME OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched and in according with gislative requirements to first identify any site hazards, such a computer discount to compare the hazards and then to further take steps to either eliminate or continue acch hazard.			
If an incident or a near miss occurs, all work must store provide the provide the provide the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS							
Client:	SCOPE OF WORKS						
Project Name:							
Project Address:							
Project Manager:							
Contact Phone:							
Date SWMS supplied to Project Manager:							
ANY HIGH-RISK CONSTRUC							
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping						
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines						
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services						
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere						
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete						
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor						
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant						
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.						
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.						
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY						



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Permit or Licenses Requirements Mandatory Qualifications and Training										



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Inadequate workspace layout, Insufficient lighting	2М	 Ensure the workspace layout is spacious on well-organised, allowing for easy movement around the equipment and sufficient clearance betweet workers and carby objects. Install proper lighting systems in the workplan of ouring all areas are well-lit to prevent accidents due to poor visibility. Conduct regular inspections of the designated woorpace pensure it remains clear from any obstructions or clutter that could neate safety hazaro. Provide adeence signage and makings to iden by designated work areas, ensuring workers are aware of potential means within othir work wirone and. Estatish a system for any ing tools, experiment, and other necessary items in a neat and organised manned minime areas to signal the pazards. Trainerm, wees the alintain and tidy up their workspace throughout the day to improve overall safety and red by this work shaps. Maplem at an energency response plan to address potential incidents resulting from inadequate worpace layout or insufficient lighting, including steps for evacuating the area and notifying the approximate and lighting, allowing timely action to be taken. Consider providing personal protective equipment (PPE) such as headlamps or portable light sources for workers who may need additional lighting during specific tasks. Regularly review and update the Safe Work Method Statement (SWMS) for tyre changing, incorporating feedback from workers to continuously improve safety measures in relation to workspace layout and lighting. 	1L
2. Equipment inspection	Faulty equipment, Incorrect tools for the job	ЗН	 Conduct a thorough visual inspection of all equipment and tools before use, checking for any signs of damage, wear or malfunction. Ensure that all operators have been trained in the correct use of equipment and tools specific to tyre changing tasks, including the identification and reporting of any issues. Verify that all equipment complies with relevant safety standards and manufacturer guidelines. Develop and enforce a preventative maintenance schedule for all equipment and tools used in the tyre changing process, as well as ensuring regular servicing by qualified technicians. Implement a system of tagging and logging faulty equipment to prevent accidental use and promote prompt repairs or replacements. Establish a clear protocol for workers to follow when handling and storing equipment and tools after use, keeping them protected from environmental factors that may cause deterioration. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Encourage open communication between workers and supervisors if they note any issues or concerns with available equipment, fostering a proactive culture of safety and continuous improvement.	
			- Provide personal protective equipment (PPE) appropriate to the task at hand, including gloves, safety goggles, and steel-capped boots, reducing potential injury from faulty equipment.	
			- Clearly outline the approved list of tools are equipment each tyre-changing task, restricting workers from improvising or using non-compliant altered tives	
			- Set up training refreshers on regular intervals ansure all workers are familiar with the proper use of tools and equipment, keepin, their knowledge up, date april alls sharpened.	
			- Routinely audit equipment inversory and condition and utify patterns of wear or recurrent malfunctions, prompting further include one and corrective actions if needed.	
			- Prepare are ernative seal equip, ont and cuts available onsite as a backup for cases where any item becomes unspiceable, a uding delater pressure to work with defective tools.	
			- Ensurbat equation used for lifting and supporting heavy machinery during tyre changes is rated according the work of each specific vehicle, minimising the risk of collapse or failure.	
			- Implement of sear recording system for any incidents or near misses involving faulty equipment, encourating vertices to oport all instances for analysis, investigation, and continuous improvement in fety minisure, within the workplace.	
			Prior to plating the tyre, ensure all necessary personnel have received adequate training on proper tyre ation and deflation procedures, specific to tractors and off-road vehicles.	
			- Conduct a thorough visual inspection of the tyre, valve stem, and surrounding area before initiating the deflation process to mitigate the risks posed by over-inflation or potential damage to the equipment.	
			- Utilise appropriate personal protective equipment (PPE) such as safety glasses, gloves, and steel-toed boots for all personnel involved in the deflation procedure to reduce the risk of injury.	
			- Implement an exclusion zone around the tyre during deflation to prevent unauthorised access and minimise potential harm to bystanders.	
		011	- Verify that the correct pressure gauge is accessible and functioning properly to accurately assess tyre pressure levels throughout the deflation process.	014
3. Tyre deflation	Over-inflation, Inadequate safety gear	3H	- Always follow manufacturer guidelines concerning recommended tyre pressures and thoroughly review tractor and off-road vehicle specifications to determine the proper psi levels for tires.	2M
			- Before removing the valve core, gradually release air from the tyre using a suitable tool or device, such as an air chuck, ensuring a controlled reduction in pressure to avoid sudden over-inflation incidents.	
			- Regularly maintain and inspect tools and tyre-deflation equipment to ensure proper functionality and increase safety measures during use.	
			- Clearly communicate with all team members throughout the tyre-deflation process to maintain situational awareness and quickly address any safety concerns or issues.	
			 As a standard precaution, minimise the time workers spend directly in front or behind the tyre during deflation, positioning them to the side whenever possible to lower the risk of injury should unexpected events occur. 	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- After completing the deflation process, promptly document and record tyre-pressure readings and other relevant information to develop a consistent track record and help identify any patterns of concern.	
			- Implement and consistently enforce clear safety encocols and guidelines for all steps in the deflation process, including regular reviews and update accommodate new industry best practices and equipment advancements.	
4. Vehicle stabilization	Unstable jacks, Vekus slipping			2М



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
PECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
. Wheel removal	Incorrect lifting technique, Projectiles d debris	RISK		2M
5. Tyre inspection	Exposed cords, Uneven wear, Damaged sidewalls	2M		1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Tyre selection	Wrong tyre size, Incorrect load capacity	3H		1L


























JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE RE	EFERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGIS	SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health and Safety Acta 24 Occupational Health and Safety Acta 24 Descriptional Health and Safety - gulations 2017 Legis from VIC: https://www.worksafe.vic.gov.au/cocupational-health-and-safety-act-and- safety - safety - safe
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workslate-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workslate-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 Weiding processes First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work Any required documents	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work

- Any required documents.



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMS	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selections	\boxtimes		
Responsible person is assigned and listed on the part the importation control measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COM	DATE COMPLETED	