

## Using Open Flame Grills | SAFE WORK METHOD STATEMENT (SWMS)

### TASK OR ACTIVITY: Using Open Flame Grills

|                   |        |        |
|-------------------|--------|--------|
| Business Name:    | ABN:   | SWMS#  |
| Business Address: |        |        |
| Contact Person:   | Phone: | Email: |

### THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

|   |        |        |
|---|--------|--------|
| Full Name:  |        |        |
| Signature:  | Title: | Date:  |
| Details of the person(s) responsible for ensuring implementation, monitoring compliance of the SWMS as well as reviews and modifications of the SWMS. |        |        |
| Full Name:  | Title: | Phone: |

### ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.

If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.

Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.

The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

### NAME OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

### CLIENT OR PRINCIPAL CONTRACTOR DETAILS

|  |                |
|--|----------------|
| Client:                                | SCOPE OF WORKS |
| Project Name:                          |                |
| Project Address:                       |                |
| Project Manager:                       |                |
| Contact Phone:                         |                |
| Date SWMS supplied to Project Manager: |                |

### ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

- |  |  |
|--|--|
| <input type="checkbox"/> involves a risk of a person falling more than 2 meters  | <input type="checkbox"/> is carried out on or near pressurised gas mains or piping                                     |
| <input type="checkbox"/> is carried out on a telecommunication tower   | <input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines                                 |
| <input type="checkbox"/> involves demolition of an element of a structure that is load-bearing                         | <input type="checkbox"/> is carried out on or near energised electrical installations or services                      |
| <input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure            | <input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere                |
| <input type="checkbox"/> involves, or is likely to involve, disturbing asbestos  | <input type="checkbox"/> involves tilt-up or precast concrete  |
| <input type="checkbox"/> involves structural alteration or repair that requires temporary support to prevent collapse  | <input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| <input type="checkbox"/> is carried out in or near a confined space  | <input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant  |
| <input type="checkbox"/> is carried out in/near a shaft or trench deeper than 2m or tunnel involving use of explosives | <input type="checkbox"/> is carried out in areas with artificial extremes of temperature.                              |
| <input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning.             | <input type="checkbox"/> involves diving work.   |

### ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

| RISK MATRIX    |               |               |               |            |              |                |                                   |  |  |
|----------------|---------------|---------------|---------------|------------|--------------|----------------|-----------------------------------|--|--|
| LIKELIHOOD     | INSIGNIFICANT | MINOR         | MODERATE      | MAJOR      | CATASTROPHIC | SCORE          | ACTION                            | HEIRARCHY OF CONTROLS  |  |
| ALMOST CERTAIN | 3<br>HIGH     | 3<br>HIGH     | 4<br>ACUTE    | 4<br>ACUTE | 4<br>ACUTE   |                |                                   |  <p><b>Elimination</b><br/>Remove the hazard.</p> <p><b>Substitution</b><br/>Replace the hazard.</p> <p><b>Isolation</b><br/>Isolate People from the hazard</p> <p><b>Engineering</b><br/>Isolate the hazard.</p> <p><b>Administrative</b><br/>Change the work.</p> <p><b>PPE</b></p> |  |
| LIKELY         | 2<br>MODERATE | 3<br>HIGH     | 3<br>HIGH     | 4<br>ACUTE | 4<br>ACUTE   | 4A<br>ACUTE    | DO NOT PROCEED                    |  |  |
| POSSIBLE       | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH     | 4<br>ACUTE | 4<br>ACUTE   | 3H<br>HIGH     | Review before work starts.        |  |  |
| UNLIKELY       | 1<br>LOW      | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH  | 4<br>ACUTE   | 2M<br>MODERATE | Ensure control measures in place. |  |  |
| RARE           | 1<br>LOW      | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH  | 3<br>HIGH    | 1L<br>LOW      | Monitor and keep records          |  |  |

**Notes on Hierarchy of Controls:** Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

| PERSONAL PROTECTIVE EQUIPMENT (PPE)   |  |  |  |  |   |  |  |  |  |  |  |
|---|--|--|--|--|---|--|--|--|--|--|--|
| Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable). |  |  |  |  |   |  |  |  |  |  |  |
| FOOT PROTECTION   | HAND PROTECTION  | HEAD PROTECTION  | HEARING PROTECTION   | EYE PROTECTION   | RESPIRATORY PROTECTION  | FACE PROTECTION  | HIGH-VIS CLOTHING  | PROTECTIVE CLOTHING  | FALL PROTECTION  | SUN PROTECTION   | HAIR/JEWELLERY SECURED   |
|                                 |  |  |  |  |  |  |  |  |  |  |  |
| <input type="checkbox"/>  | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>  | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   |
| Other PPE Required:   |  |  |  |  |   |  |  |  |  |  |  |
| Permit or Licenses Requirements   |  |  |  |  |   | Mandatory Qualifications and Training  |  |  |  |  |  |
|   |  |  |  |  |   |  |  |  |  |  |  |

| JOB STEP              | POTENTIAL HAZARDS                                  | IR           | CONTROL MEASURES  | RR            |
|-----------------------|--|--------------|---|---------------|
| SPECIFIC WORK STEPS   | HAZARDS THAT MAY ARISE                             | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL RISK |
| 1. Preparation        | Inadequate cleaning, improper handling of raw food | 2M           | <ul style="list-style-type: none"> <li>- Conduct regular training sessions for all staff on proper cleaning procedures and food handling guidelines.</li> <li>- Develop a comprehensive checklist for grill preparation that includes thorough inspection and cleaning of equipment before use.</li> <li>- Use appropriate personal protective equipment (PPE), such as gloves, when handling cleaning chemicals and raw food.</li> <li>- Assign a designated area for storing raw food to prevent cross-contamination during preparation.</li> <li>- Implement a strict cleaning schedule to ensure that grills and surrounding areas are sanitised after each use.</li> <li>- Ensure adequate ventilation in the grilling area to minimise the accumulation of fumes and smoke.</li> <li>- Provide clear signage around the grill area indicating hot surfaces and potential hazards.</li> <li>- Ensure cleaning agents are correctly labelled and stored away from food preparation areas.</li> <li>- Regularly inspect gas connections and hoses for leaks or damage before use.</li> <li>- Maintain an organised kitchen space to avoid slipping or tripping while carrying raw food to the grills.</li> <li>- Encourage the frequent washing of hands among employees, especially after handling raw ingredients.</li> <li>- Reinforce the importance of maintaining the correct temperature settings for both the grill and refrigerators.</li> <li>- Schedule periodic audits to verify compliance with health and safety procedures in food handling and grill preparation.</li> <li>- Encourage immediate reporting of any malfunctioning equipment or hazards related to grill operation.</li> </ul> | 1L            |
| 2. Lighting the Grill | Gas leaks, burns from flame                        | 3H           | <ul style="list-style-type: none"> <li>- Ensure all staff are trained in proper grill lighting procedures.</li> <li>- Conduct a pre-operation inspection to check for gas leaks using a soap and water solution on connections and hoses.</li> <li>- Ensure the area is well-ventilated to prevent accumulation of gas fumes.</li> <li>- Use personal protective equipment such as heat-resistant gloves and long sleeves to protect against burns.</li> <li>- Install gas detectors near the grill area to monitor for any leakage.</li> <li>- Maintain a safe distance from the grill when igniting it to minimise exposure to open flame.</li> <li>- Keep flammable materials and liquids away from the grill to reduce fire risk.</li> <li>- Use long-handled ignition tools to safely light the grill without getting too close to the flames.</li> </ul>  | 2M            |

| JOB STEP                      | POTENTIAL HAZARDS                     | IR           | CONTROL MEASURES   | RR            |
|-------------------------------|---------------------------------------|--------------|--|---------------|
| SPECIFIC WORK STEPS           | HAZARDS THAT MAY ARISE                | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL RISK |
|                               |                                       |              | <ul style="list-style-type: none"> <li>- Ensure the grill is situated on a stable, non-combustible surface to prevent tipping and potential hazards.</li> <li>- Clearly label and regularly maintain all gas control valves to ensure they function correctly.</li> <li>- Display emergency contact numbers and safety instructions prominently near the grilling area.</li> <li>- Ensure that the gas cylinder is securely fastened to prevent tipping or movement during grilling.</li> <li>- Educate workers about the emergency shut down procedure in case a gas leak or fire occurs.</li> <li>- Keep a fire extinguisher rated for gas fires within reach and ensure staff know how to use it effectively.</li> </ul>  |               |
| 3. Cooking on the grill       | Burns from hot surfaces, fire hazards | 3H           | <ul style="list-style-type: none"> <li>- Wear heat-resistant gloves and long-sleeved, flame retardant clothing to reduce the risk of burns.</li> <li>- Maintain a clear area around the grill; remove any combustible materials such as paper, oil, or unnecessary tools.</li> <li>- Use long-handled tools specifically designed for grilling to maintain a safe distance from hot surfaces.</li> <li>- Always keep a fire extinguisher nearby, ensuring it is appropriate for grease fires and regularly checked for functionality.</li> <li>- Monitor grill temperatures with a reliable thermometer to prevent overheating and potential flare-ups.</li> <li>- Regularly clean the grill to remove grease buildup that can ignite and cause a fire.</li> <li>- Ensure regular maintenance checks on gas hoses and connections to prevent leaks that could lead to fires.</li> <li>- Do not leave the grill unattended while in use to quickly address any safety concerns that arise.</li> <li>- Equip cooks with first aid training to address minor burns promptly and efficiently.</li> <li>- Set up cooking stations away from walkways to avoid accidental contact with the hot grill.</li> </ul> | 2M            |
| 4. Handling raw food on grill | Cross contamination, food poisoning   | 2M           | <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>  | 1L            |

| JOB STEP                     | POTENTIAL HAZARDS                   | IR           | CONTROL MEASURES   | RR            |
|------------------------------|-------------------------------------|--------------|--|---------------|
| SPECIFIC WORK STEPS          | HAZARDS THAT MAY ARISE              | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL RISK |
|                              |                                     |              | [REDACTED]   |               |
|                              |                                     |              | [REDACTED]   |               |
|                              |                                     |              | [REDACTED]   |               |
|                              |                                     |              | [REDACTED]   |               |
|                              |                                     |              | [REDACTED]   |               |
|                              |                                     |              | [REDACTED]   |               |
|                              |                                     |              | [REDACTED]   |               |
|                              |                                     |              | [REDACTED]   |               |
| 5. Turning and flipping food | Burn hazards, undercooked food risk | 2M           | [REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED] | 1L            |
| 6. Removing food from grill  | High heat exposure, utensil hazards | 2M           | [REDACTED]   | 1L            |



sh detergents, burn k 2M



| JOB STEP                 | POTENTIAL HAZARDS                                      | IR           | CONTROL MEASURES   | RR            |
|--------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS      | HAZARDS THAT MAY ARISE                                 | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
|                          |  |              |  |               |
| 9. Gas Cylinder changing | Explosive risks, poor lifting techniques               |              |  | 2M            |
| 10. Near Miss Reporting  | Ignorance of potential hazards, unsafe work conditions | 2M           |  | 1L            |

[illegible]

[illegible]



| JOB STEP                                | POTENTIAL HAZARDS   | IR           | CONTROL MEASURES   | RR            |
|---|---|--------------|--|---------------|
| SPECIFIC WORK STEPS                     | HAZARDS THAT MAY ARISE  | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
|   |   |              |  |               |
| 15. Implementing Emergency procedures   | Lack of knowledge about procedures, panic behavior during emergencies | 2M           |  | 1L            |
| 16. Using Personal Protective Equipment | Incorrect use of PPEs, inadequate protection from hazards             | 2M           |  | 1L            |

| JOB STEP                       | POTENTIAL HAZARDS                                  | IR           | CONTROL MEASURES   | RR            |
|--------------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE                             | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL RISK |
|                                |  |              | <div>SAMPLE</div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> |               |
| 17. Communicating task changes | Miscommunication leads to safety protocol breaches | 2M           | <div>SAMPLE</div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>                         | 1L            |

| JOB STEP                               | POTENTIAL HAZARDS                                  | IR           | CONTROL MEASURES  | RR            |
|--|--|--------------|---|---------------|
| SPECIFIC WORK STEPS                    | HAZARDS THAT MAY ARISE                             | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL RISK |
|  |  |              | <div></div> <div></div> <div></div>   |               |
| 18. Verifying Equipment Safety         | Skipped checks lead to unresolved hazards          |              | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | 1L            |
| 19. Practising safe lifting techniques | Poor lifting behaviours leading to strain injuries | 2M           | <div></div> <div></div> <div></div> <div></div>   | 1L            |

[illegible]



| JOB STEP            | POTENTIAL HAZARDS      | IR           | CONTROL MEASURES   | RR            |
|---------------------|------------------------|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
|                     |                        |              |  |               |
|                     |                        |              |  |               |
|                     |                        |              |  |               |

SAMPLE

## EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

## LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

### Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

### Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

### New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

### Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

### Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

## SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |

## SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

**The SWMS must be reviewed regularly** to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are revised. The review must be carried out in consultation with workers (including contractors and sub-contractors) who may be affected by the operation of the SWMS and their health and safety representatives who represent that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

**The SWMS must be monitored regularly** for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |

### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS   | COMPLETED                           | COMMENTS              |
|--|-------------------------------------|-----------------------|
| The company details have been entered, including the project name and address.                       | <input checked="" type="checkbox"/> |                       |
| All relevant personnel consulted during the development of the SWMS.                                 | <input checked="" type="checkbox"/> |                       |
| Name, signature, position and date signed of the person approving the SWMS.                          | <input type="checkbox"/>            |                       |
| Specific personnel and qualifications, experience is noted in the SWMS.                              | <input checked="" type="checkbox"/> |                       |
| Provides a step-by-step process of tasks required to carry out the activity or task.                 | <input checked="" type="checkbox"/> |                       |
| Adequate risk assessment of any identified hazards has been completed.                               | <input checked="" type="checkbox"/> |                       |
| Foreseeable hazards are identified and documented for each step.                                     | <input checked="" type="checkbox"/> |                       |
| Any hazards listed in any site risk assessments have been added to the SWMS.                         | <input checked="" type="checkbox"/> |                       |
| SWMS initial risk (IR) column as well as residual risk (RR) column completed.                        | <input checked="" type="checkbox"/> |                       |
| Check control measures added to the SWMS are the most effective selected.                            | <input checked="" type="checkbox"/> |                       |
| Responsible person is assigned and listed on the SWMS for the implementation of control measures.    | <input checked="" type="checkbox"/> |                       |
| Permit or licenses requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.   | <input checked="" type="checkbox"/> |                       |
| SWMS identifies plant and equipment to be used.  | <input checked="" type="checkbox"/> |                       |
| Details of inspection checks required for any equipment listed and noted on the SWMS.                | <input checked="" type="checkbox"/> |                       |
| Describes any mandatory qualifications, experience, training or skills required to perform the work. | <input checked="" type="checkbox"/> |                       |
| Applicable personal protective equipment is selected on the SWMS.                                    | <input checked="" type="checkbox"/> |                       |
| Reflects and documents any legislative references and/or Australian Standards.                       | <input checked="" type="checkbox"/> |                       |
| Identifies any hazardous substances used with specific control measures in line with any SDS.        | <input checked="" type="checkbox"/> |                       |
|  |                                     |                       |
| <b>REVIEWED BY</b>   |                                     | <b>DATE REVIEWED</b>  |
| <b>SIGNATURE</b>   |                                     | <b>DATE COMPLETED</b> |