



| Using Trolleys, Lifters, Jac   | ks Etc.   SAFE WORK MET                                      | HOD STATEMENT (SWMS)                     |                                     |
|--|--|--|-------------------------------------|
| TASK OR A  | ACTIVITY: Using Trolleys, Lifters                            | , Jacks Etc.                             |                                     |
| Business Name:   |  | ABN:                                     | SWMS#                               |
| Business Address:  |  |  |                                     |
| Contact Person:  | Phone:   | E fil:                                   |                                     |
|  |  |  |                                     |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROVED BY                                     | THE PCL OF THE ROJECT                    |                                     |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or under o (PC 1) is                        | required to en that a safe work method s | statement (SWMS) is prepared before |
| Full Name:   |  |  |                                     |
| Signature:   |  | Title:                                   | Date:                               |
| Details of the person(s) responsible for ensuring implementation, monitoring   | apliance the VMS a well as review                            | es and modifications of the SWMS.        |                                     |
| Full Name:   |  | Title:                                   | Phone:                              |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS S /MS M HAVE THE FOLLOWING COMMUNICATED  | NA, 2 OF ALL RELEVANT PERSONNI<br>EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO        | OMMUNICATED TO IN THE               |
| Safety meetings or toolbox talks will be sched ed in accomply with gislative requirements to first identify any site hazards, hazards and then to further take steps to either eliminate or continuate hazard.   |  |  |                                     |
| If an incident or a near miss occurs, all work must sto, an attely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.  |  |  |                                     |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |  |  |                                     |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |  |  |                                     |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





| CLIENT OR PRINCIPAL  | CONTRACTOR DETAILS  |
|--|---|
| Client:  | SCOPE OF WORKS  |
| Project Name:  |   |
| Project Address:   |   |
| Project Manager:   |   |
| Contact Phone:   |   |
| Date SWMS supplied to Project Manager:   |   |
| ANY HIGH BIOK CONSTRUCTOR  | NAME OF THE POLIT   |
| ANY HIGH-RISK CONSTRUCTOR  | N WC & BEIN C ARIED OUT   |
| ☐ involves a risk of a person falling more than 2 meters                                     | is carried out on or near pressurised gas mains or piping                                       |
| ☐ is carried out on a telecommunication tower  | carried out on or near chemical, fuel or refrigerant lines                                      |
| ☐ involves demolition of an element of a structure that is load-bearing                      | $\square$ is carried out on or near energised electrical installations or services              |
| ☐ involves demolition of an element related to the physical integral of a functure           | ☐ is carried out in an area that may have a contaminated or flammable atmosphere                |
| ☐ involves, or is likely to involve, disturbing asb  | ☐ involves tilt-up or precast concrete  |
| ☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| ☐ is carried out in or near a confined space   | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant  |
| ☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives   | ☐ is carried out in areas with artificial extremes of temperature.                              |
| $\square$ is carried out in or near water or other liquid that involves a risk of drowning.  | ☐ involves diving work.   |
| ANY HIGH-RISK MACHINER   | Y OR EQUIPMENT NEARBY   |
|  |   |
|  |   |
|  |   |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



| RISK MATRIX       |  |                    |                 |                  |                    |                |   |         |                                      |  |
|-------------------|--|--------------------|-----------------|------------------|--------------------|----------------|---|---------|--------------------------------------|--|
| LIKELIHOOD        | INSIGNIFICANT  | MINOR              | MODERATE        | MAJOR            | CATASTROPHIC       | SCORE          | ACTION  | HEI     | RARCHY OF CONTROLS                   |  |
| ALMOST<br>CERTAIN | 3<br>HIGH  | 3<br>HIGH          | 4<br>ACUTE      | 4<br>ACUTE       | 4<br>ACUTE         | SCORE          | ACTION  |         | Elimination Remove the hazard.       |  |
| LIKELY            | 2<br>MODERATE  | 3<br>HIGH          | 3<br>HIGH       | 4<br>ACUTE       | 4<br>ACUTE         | 4A<br>ACUTE    | DO NOT<br>PROCE                                 |         | Substitution                         |  |
| POSSIBLE          | 1<br>LOW   | 2<br>MODERATE      | 3<br>HIGH       | 4<br>ACUTE       | 4<br>ACUTE         | 3H<br>HIGH     | Review before work starts.                      |         | Replace the hazard.                  |  |
| UNLIKELY          | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH        | 4<br>ACUTE         | 2M<br>MODERATE | Ensure control measures in place.               | Isolate | e People from the hazard             |  |
| RARE              | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH        | 3<br>HIGH          | 1L<br>LOW      | nitor and                                       |         | Engineering Isolate the hazard.      |  |
| is the second m   | rchy of Controls:<br>ost effective metho<br>nging the work is th | d of controlling a | hazard. Enginee | ering by isolati | on is the in ost e | en 'ive, while | rd. Substitution<br>Administrative<br>effective |         | Administrative Change the work.  PPE |  |

|                    |                    |                    |                  | PERS        |                | TIVE EQUIPM        |                      |                        |                    |                   |                           |
|--------------------|--------------------|--------------------|------------------|-------------|----------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                    | Select the app     | ropriate PPŁ     | abo. auitab | le or the equi | pment used or      | the job task         | being perforr          | ned (if applica    | ıble).            |                           |
| FOOT<br>PROTECTION | HAND<br>PROTECTION | HEAD<br>PROTECTION | HEARING<br>ETION | P ECTION    | PROTECTION     | FACE<br>PROTECTION | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|                    |                    |                    |                  |             |                |                    |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |                |                    |                      |                        |                    |                   |                           |
| Other PPE R        | Required:          |                    |                  |             |                |                    |                      |                        |                    |                   |                           |
|                    | Pe                 | ermit or Licen     | ses Requirem     | ents        |                |                    | Ma                   | andatory Qual          | ifications and     | Training          |                           |
|                    |                    |                    |                  |             |                |                    |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |                |                    |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |                |                    |                      |                        |                    |                   |                           |



| JOB STEP                   | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|----------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
| 1. Preparation             | Incorrect handling of equipment, Inadequate personal protective equipment (PPE) | 2M              | <ul> <li>Conduct a pre-operational check of all equition to ensure it is in good working condition, following manufacturer guidelines and workplace processes.</li> <li>Ensure that all operators are fully trained and the present in the use of trolleys, lifters, jacks, etc., including understanding their specific safety features.</li> <li>Clearly mark and identify any immaged or faulty entipped, and remove it from use until repaired or replaced.</li> <li>Review the local apacity of each secency of equitions of and remove it from use until repaired or replaced.</li> <li>Implicated a local second expective of equitions to prevent overloading beyond recommended limits.</li> <li>Implicated a local second expective equipment (PPE) such as gloves, safety boots, and high visibility clothing and obsure to alloyees wear them when operating equipment.</li> <li>Proving power peace and instructions on safe operation attached to the equipment and throughout the work second each visible locations.</li> <li>Establicatesignated routes for moving loads to avoid unnecessary interaction with pedestrians and varies in the work area.</li> <li>Exphasise proper manual handling techniques in training sessions, including correct posture and lifting methods.</li> <li>Conduct regular safety audits and assessments of the equipment and procedures to identify potential issues before they lead to incidents.</li> <li>Use buddy systems or team approaches for handling particularly heavy or awkward goods to distribute the workload and reduce individual strain.</li> <li>Maintain clear communication channels between workers to coordinate movements and alert colleagues of approaching equipment transporting loads.</li> <li>Allocate appropriate time for preparation and execution of tasks involving manual handling aids to ensure tasks are completed safely without rushing.</li> </ul> | 1L               |
| 2. Equipment<br>Inspection | Faulty equipment, Lack of training  | ЗН              | <ul> <li>Conduct regular maintenance checks on trolleys, lifters, and jacks to ensure they are in proper working condition.</li> <li>Implement a pre-operation inspection checklist for all equipment before each use.</li> <li>Remove any damaged or faulty equipment from service immediately until repairs are made.</li> <li>Clearly label equipment with inspection date and next due date to ensure accountability.</li> <li>Provide comprehensive training programs for employees on the safe use of each type of equipment.</li> <li>Ensure only authorised and trained personnel operate the equipment.</li> </ul>  | 1L               |



| JOB STEP                | POTENTIAL HAZARDS                                  | IR              | CONTROL MEASURES   | RR               |
|-------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS     | HAZARDS THAT MAY ARISE                             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
|                         |  |                 | - Equip all machinery with up-to-date safety manuals and operational guides.   |                  |
|                         |  |                 | - Encourage workers to report any equipment malfunctions immediately without fear of reprimand.  |                  |
|                         |  |                 | - Display clear instructional signage and hazard mings near equipment storage and operation areas.                                       |                  |
|                         |  |                 | - Develop a schedule for periodic safety at to ensure compliance with safety standards.  |                  |
|                         |  |                 | - Require operators to wear appropriate personal productive equipment, such as gloves and steel-capped boots.                            |                  |
|                         |  |                 | - Implement a buddy system onew operators or one se unforced ar with specific equipment types.   |                  |
|                         |  |                 | - Regularly review and undate to sting materials in linear an equipment advancements and regulatory changes.                             |                  |
|                         |  |                 | - Keep a det de logbook coull inspections. For a found, and maintenance or repair actions taken.   |                  |
|                         |  |                 | - Ens Il loads ecured properly to prevent shifting or falling during movement.   |                  |
|                         |  |                 | - Use a plantiate remaints or straps to secure uneven or awkwardly shaped loads.   |                  |
|                         |  |                 | - Condula to pugh in section of the surface area beforehand to identify any potential trip hazards or seven a rface.                     |                  |
|                         |  |                 | - Ch. se lutes that avoid uneven surfaces, steep gradients, or obstacles to reduce the risk of accidents.                                |                  |
|                         |  | '               | Clear pactways of any debris or obstructions to minimise the risk of slips, trips, and falls.  |                  |
|                         |  |                 | - ar appropriate non-slip footwear to provide additional grip and stability.   |                  |
| 3. Moving Trolley/Jacks | Unsecured load, Une see e, Slips, trips, and falls | off             | Ensure adequate lighting in all areas where trolleys, lifters, and jacks will be used to enhance visibility and recognition of hazards.  | 1L               |
|                         |  |                 | - Perform regular maintenance checks on trolleys, lifters, and jacks to ensure they are in good working condition and free from defects. |                  |
|                         |  |                 | - Employ the correct trolley or jack for the load size and weight to maintain balance and control.                                       |                  |
|                         |  |                 | - Provide training for employees on the safe use of equipment to increase awareness and proficiency.                                     |                  |
|                         |  |                 | - Implement warning signs or barriers around hazardous areas to alert workers to potential dangers and guide safe practices.             |                  |
|                         |  |                 | - Establish and enforce speed limits for moving equipment to regain control and prevent collisions or loss of load.                      |                  |
|                         |  |                 |  |                  |
|                         | peration Procedure Overloading, Untrained staff    |                 |  |                  |
| 4. Operation Procedure  |  | 3H              |  | 1L               |
|                         |  |                 |  |                  |
|                         |  |                 |  |                  |
|                         |  |                 |  |                  |



| JOB STEP                 | POTENTIAL HAZARDS                       | IR              | CONTROL MEASURES   | RR               |
|--------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS      | HAZARDS THAT MAY ARISE                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                          |   |                 |  |                  |
| 5. Lifting Heavy Objects | Manual handling injuries, Back injuries | 4A              |  | 2M               |



7

| JOB STEP                     | POTENTIAL HAZARDS                 | IR              | CONTROL MEASURES   | RR               |
|------------------------------|-----------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS          | HAZARDS THAT MAY ARISE            | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 6. Transporting Goods        | Falling objects, Cottoons         | зн              |  | 2M               |
| 7. Lowering Heavy<br>Objects | Dropping loads, Crushing injuries | 4A              |  | 2M               |



| JOB STEP             | POTENTIAL HAZARDS                        | IR              | CONTROL MEASURES   | RR               |
|----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      | •  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
| 8. Parking Equipment | Incorrect parking, Equipment obstruction | 2M              |  | 1L               |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |
|                      |  |                 |  |                  |



| JOB STEP                    | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|-----------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS         | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 9. Maintenance Actions      | Contact with moving parts, Improper lockout/tagout procedures        | 4A              |  | 2M               |
| 10. Emergency<br>Procedures | Inadequate emergency procedures, Ignorance to alarms/safety warnings | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
| 11. Staff Training  | Unqualified operators, Absence of safety awareness training | 4A              |  | 2M               |
|                     |   |                 |  | `                |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |



| JOB STEP                           | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|------------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS                | HAZARDS THAT MAY ARISE                                     | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 12. Hazardous Material<br>Handling | Contact with hazardous materials, Inadequate PPE           | 3H              |  | 2M               |
| 13. Housekeeping activity          | Poor working environment, Ignoring housekeeping procedures | 3H              |  | 1L               |



| JOB STEP             | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                      |  |                 |  |                  |
| 14. Post Work Review | Negligence in assessing penormance, Ignoring safety review feedbacks | 2M              |  | 1L               |



| JOB STEP               | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 15. Incident Reporting | Failure to report, Inadequate records e.g., injury, accident data etc. | ЗН              |  | 2M               |
| 16. Equipment Storage  | Poor storage practices, Improper securement of equipment               | 4A              |  | 2M               |



| JOB STEP                           | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS                | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                    |   |                 |  |                  |
|                                    |   |                 |  |                  |
|                                    |   |                 |  |                  |
|                                    |   |                 |  |                  |
|                                    |   |                 |  |                  |
|                                    |   |                 |  |                  |
|                                    |   |                 |  |                  |
|                                    |   |                 |  |                  |
| 17. Dealing with Unexpected Issues | Route changes or on the strong Mechanical failure, sudden downpor | 3H              |  | 2M               |
|                                    | etc.  |                 |  | 1                |
|                                    |   |                 |  |                  |
|                                    |   |                 |  |                  |
|                                    |   |                 |  |                  |
|                                    |   |                 |  |                  |



| JOB STEP                                | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|---|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS                     | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 18. Decommissioning and Disposal        | Inadequate decommissioning procedures, improper waste disposal         | ЗН              |  | 2M               |
| 19. Personal Health &<br>Safety Measure | Physical exhaustion, dehydration, ignoring personal wellbeing measures | ЗН              |  | 1L               |



| JOB STEP              | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|-----------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS   | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 20. Compliance Checks | Non-compliance to safety protocols of regulations, Inability to whatade so by compliances as per lates. | ЗН              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR |
|---------------------|------------------------|-----------------|--|----|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS |    |
|                     |                        |                 |  |    |





#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatide

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/wor">https://www.safework.sa.gov.au/wor</a> aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health at Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.csafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |

#### SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 19





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED    | COMMENTS |
|---|--------------|----------|
|   |              |          |
| The company details have been entered, including the project name and address.                  |              |          |
| All relevant personnel consulted during the development of the SWMS.                            |              |          |
| Name, signature, position and date signed of the person approving the SWMS.                     |              |          |
| Specific personnel and qualifications, experience is noted in the SWMS.                         | 7            |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.            |              |          |
| Adequate risk assessment of any identified hazards has been completed.                          |              |          |
| Foreseeable hazards are identified and documented for each step.                                |              |          |
| Any hazards listed in any site risk assessments have been added to the SWMS                     |              |          |
| SWMS initial risk (IR) column as well as residual risk (RR) column pleted.                      |              |          |
| Check control measures added to the SWMS are the most effective selections                      |              |          |
| Responsible person is assigned and listed on the part the important control measures.           |              |          |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc. |              |          |
| SWMS identifies plant and equipment to be us  |              |          |
| Details of inspection checks required for any equipment listed a noted on the SWMS.             |              |          |
| Describes any mandatory qualifications, experience, and or skills required to perform the work. |              |          |
| Applicable personal protective equipment is selected on the SWMS.                               |              |          |
| Reflects and documents any legislative references and/or Australian Standards.                  |              |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.   |              |          |
|   |              |          |
| REVIEWED BY   | DATE REVIEWE | D        |
| SIGNATURE   | DATE COMPLET | ED       |