Utilise A Metal Shea	r SAFE WORK METHOD S	STATEMENT (SWMS)	
TAS	K OR ACTIVITY: Utilise A Metal S	Shear	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en the that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	ppliance i the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS PHAVE THE FOLLOWING COMMUNICATED	NATE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched red in account with gislative requirements to first identify any site hazards, such a companie those hazards and then to further take steps to either eliminate or contact each hazard.			
If an incident or a near miss occurs, all work must stop an attactive Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements						Ма	andatory Qual	ifications and	Training	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Incorrect use of personal protective equipment, Insufficient training	2М	 Conduct a pre-work safety briefing to ensure all workers understand the correct use of metal shear equipment. Ensure that all personnel involved in this procene we completed required training and competency assessments specific to operating metal shears. Provide and mandate the use of appropriate personal procedure equipment, including safety goggles, gloves, steel-toed boot and here g protection. Regularly instructed personal protection equipment for wear and tear, replacing items as necessary to maintain efficiency protectio. Deverse and here any other standard operating procedures near the metal shear, outlining proper operate at technical and safety precautions. Assign a realified conservisor to monitor adherence to procedures during preparation and use of the metal shear. Stabilit a lobe ut/tagout protocol to safely disable equipment for maintenance or if improper use is interval. Instant workspace around the metal shear is clean and free from obstructions to prevent slips, trips, di falls. Invall emergency stop buttons on the metal shear within easy reach of operators to quickly halt operations if needed. Conduct regular safety audits to assess compliance with safety standards and identify areas needing improvement. Limit the number of workers in close proximity to the metal shear to reduce the risk of injury from accidental operation. Maintain up-to-date training records and qualifications for all employees authorised to operate metal shears. Implement a system for reporting and reviewing incidents or near misses to continually improve safety practices. 	1L
2. Positioning machine	Pinch points and sharp edges, Heavy lifting	ЗН	 Conduct a risk assessment prior to positioning the machine to identify potential hazards and determine necessary controls. Provide training for workers on safe manual handling techniques to minimise the risk of musculoskeletal injuries during heavy lifting tasks. Use appropriate personal protective equipment (PPE), such as gloves and safety footwear, to protect against pinch points and contact with sharp edges. 	2M
			- Employ mechanical aids, such as trolleys or hoists, to assist in the movement and positioning of heavy components to reduce manual lifting requirements.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	
			- Clearly mark and illuminate work areas to ensure visibility and awareness of potential pinch points and sharp edges during machine positioning.		
			- Ensure that all workers involved in the task have been used runderstanding of communication signals to be used during the positioning process.		
			- Maintain proper posture and use team lift. practices y never manual handling of heavy items is unavoidable.		
			- Inspect the area for obstructions or trip hazard, efore commercing the positioning task to avoid accidental slips or falls.		
			- Establish exclusion zones around the work area to the that unauthorised personnel do not enter during the machine user, sing process.		
			- Regularly in sect and man ain all single guid sent and accessories to ensure they are in good working condition and simply with sevant sales and address.		
			- Impound admost ove controls, such as rotating tasks among workers, to minimize fatigue and reduce the sisk of the ry from repeated heavy lifting.		
			- Ensul first id facilities and trained personnel are readily available on-site to provide immediate assistance in the event of an incident.		
	1		- Convert thorough inspection of the machine before each use for any signs of wear, damage, or alfunct		
			- sure that all safety guards and devices are correctly fitted and functioning as intended.		
			Verify that emergency stop mechanisms are accessible and in full working order.		
			- Check that power supply cables and connections are intact and not damaged.		
			- Confirm that all machine controls, including start and stop buttons, are clearly labelled and easily reachable.		
	Poor condition of machine	0.11	- Maintain a clean and clutter-free workspace around the machine to avoid tripping hazards and obstructed access.		
3. Pre-operation checks	start-up	3H	- Implement lockout/tagout procedures before performing maintenance, cleaning, or adjustments on the machine.	2M	
			- Train all operators on proper machine use, recognising warning signs of machine failure, and emergency protocols.		
			- Limit machine operation to authorised and experienced personnel only, ensuring oversight by a supervisor if necessary.		
			- Establish standard operating procedures (SOPs) that detail steps to safely operate the machine.		
			- Use appropriate personal protective equipment (PPE), such as safety glasses, gloves, and steel-toed boots, while operating machinery.		
			- Conduct regular maintenance schedules in accordance with the manufacturer's guidelines.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Place visible signage near the machine reinforcing safe operation practices and potential risks associated with its misuse.	
			- Install a protective barrier or railing around the mountee to prevent accidental contact by passersby.	
4. Materials loading	Struck by material, Manual handling injuries	2М		1L
5. Operating metal shear	Noise exposure, Contact with moving parts	4A		ЗН

Version 2.5


Date of Issue:





Version 2.5








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Shear cutting adjustments	Trapped fingers, Noise exposure	ЗН		2М
10. Cleaning and maintenance	Chemical exposure, Slip or trip hazard	ЗН		2M

Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Dealing with waste materials	Punctures from offcuts, Handling hazardous material	ЗН		2M
13. Machine shut-down	Unplanned start-up, Burn hazards from hot parts	2M		1L

Date of Issue:








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL
15. Reporting	Incorrectly completed documentation, Overlooking a hazard	21.		1L
16. Emergency procedures	Inadequate response to fire or injury, Panic in a crisis	4A		ЗН

Version 2.5





Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health at Safety Act and 4 Occupational Health and an effective gulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> of the source VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediateserve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legulation Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs Tasmania Work Health and Safety Act 2012	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces
Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	 Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3 Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the part the importation ontrol measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	