| Vehicle Key Extractio | ns SAFE WORK METHOD | STATEMENT (SWMS) | |
|--|---|--|------------------------------------|
| TASK | OR ACTIVITY: Vehicle Key Extra | ctions | |
| Business Name: | | ABN: | SWMS# |
| Business Address: | | | |
| Contact Person: | Phone: | E ail: | |
| | STATEMENT IS APPROVED BY | | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | | required to en that a safe work method s | tatement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | NK | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring a | opliance the VMS a well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED | NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS | DMMUNICATED TO IN THE |
| Safety meetings or toolbox talks will be sched and in account with egislative requirements to first identify any site hazards, such to compare hicas those hazards and then to further take steps to either eliminate or contact each hazard. | | | |
| If an incident or a near miss occurs, all work must stop an attactive Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |



| CLIENT OR PRINCIPAL | CONTRACTOR DETAILS |
|---|---|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date SWMS supplied to Project Manager: | |
| ANY HIGH-RISK CONSTRUC | |
| ☐ involves a risk of a person falling more than 2 meters | I is carried out on or near pressurised gas mains or piping |
| □ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines |
| ☐ involves demolition of an element of a structure that is load-bearing | □ is carried out on or near energised electrical installations or services |
| □ involves demolition of an element related to the physical integ. Y of a sucture | \square is carried out in an area that may have a contaminated or flammable atmosphere |
| □ involves, or is likely to involve, disturbing asb | ☐ involves tilt-up or precast concrete |
| involves structural alteration or repair that quires terminary supart to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| □ is carried out in or near a confined space | \Box is carried out in an area of a workplace where there is any movement of powered mobile plant |
| is carried out in/near a shaft or trench deeper that tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. |
| ☐ is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |
| ANY HIGH-RISK MACHINER | RY OR EQUIPMENT NEARBY |
| | |
| | |
| | |



| RISK MATRIX | | | | | | | | | | |
|--|---------------|---------------|---------------|------------|--------------|----------------|---|--|------------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | | | HEIRARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE | ACTION | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | | Substitution | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review befor work starts. | | Replace the hazard. | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | | Isolate People from the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and k⊾ records | | Engineering Isolate the hazard. | |
| INNE LOW LOW MODERATE HIGH HIGH LOW koverecords Isolate the hazard. Notes on Hierarchy of Controls: Elimination methods are the most effective and preferre usen con miles a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the increase the five, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective Administrative Change the work. PPE PPE PPE PPE PPE PPE | | | | | | | | | | |

| | | | | | | TIVE EQUIPM | | | | | |
|---------------------|---------------------------------|--------------------|---------------|-------------|----------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | Select the ap | propriate PPL | abo, ruitab | i or the equi | oment used or | the job task | being perform | ned (if applica | able). | |
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | | P ECTION | R⊾ ⇒PIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE Required: | | | | | | | | | | | |
| | Permit or Licenses Requirements | | | | | | Ма | andatory Qual | ifications and | Training | |
| | | | | | | | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------|------------------------------------|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Tripping, Falling objects | 2М | Ensure the workspace is tidy and free from unecessary items to minimise tripping hazards. Mark and securely cover any cables or core that runnacess the floor in the work area. Use proper storage racks and equipment to plot at falls of stored materials or tools. Conduct a safety briefing we call personnel before commence work, focusing on hazard identification. Use appropriate signal to all comployees of potents uripping areas. Wear suitable corsonal projective support and as steel-toed boots and gloves during preparation activities. Arrow works clones are equipment stategically to maintain clear walkways. Implement routine necks to ensure that all tools and equipment are stored correctly when not in use. Use betries or cause tape around areas where there is a heightened risk of falling objects. Instructor mpletes to follow a clean-as-you-go policy to limit clutter in the work area. Ensure to report any hazards immediately to supervisors to facilitate prompt action. | 1L |
| 2. Pre-Operation Checks | Vehicle backfire, Leaks and spills | 2М | Conduct a thorough inspection of the vehicle to identify any signs of engine damage or malfunction that could lead to backfire, ensuring all systems are in working order before beginning work. Ensure the vehicle is situated on a flat and stable surface to prevent rolling or movement during the key extraction process. Use drip pans or absorbent materials under the vehicle to catch any potential leaks or spills, particularly around the fuel system components. Equip personnel with appropriate personal protective equipment (PPE) such as gloves and safety goggles to protect against hazardous substances that may be released. Verify that all fuel lines, oil lines, and other fluid conduits are securely fastened and free from any visible wear or damage prior to work commencement. Ensure adequate ventilation in the work area to dissipate any harmful fumes that might be released, minimising inhalation risks. Maintain an operational fire extinguisher within immediate reach to swiftly handle any fire hazards related to vehicle ignition or fuel leaks. Train staff on emergency procedures specific to vehicle backfire incidents, including how to shut down the vehicle quickly and safely. Use only explosion-proof tools and equipment to mitigate risks associated with sparks or electrical malfunctions when working near flammable fluids. | 1L |




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------------|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Implement a spill response plan, equipped with necessary containment and clean-up materials, to address any unintentional releases promptly and effectively. | |
| 3. Positioning Vehicle | Collision, Falling materials | 2М | Ensure the vehicle is parked on a stable, flat enace to minimise the risk of movement. Engage the handbrake and place wheel backs behinder tyres to prevent accidental rolling. Confirm that the area surrounding the vehicle of any obstructions or materials that might fall during work. Use hazard cones or warning bignage around the whicle collect others of ongoing work and maintain a safe buffer zone. Assign a spotter of assists the guident the vehicle collect others of ongoing work and maintain a communication during work. Instruct works to wear agh-visibility conting to enhance their visibility to other drivers and workers on site. Implementation of the work area is near active roadways, including temporary road clouure of require. Inspecting work the for disecured loads before positioning to reduce the risk of falling materials. The static mergency response procedures in case of unexpected vehicle movement or collision. Regular, neview and update safety protocols based on site-specific conditions and feedback from team is mbers. | 1L |
| 4. Assembling Extraction Tools | Manual handling injuries, Struck by tools | ЗН | | 2M |




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------------|-----------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 5. Visual Inspection of Key Slot | Bright light exposure; Eye strain | 2М | | 1L |
| 6. Probe Insertion | Puncture wound, Swarf in eye | ЗН | | 2M |

Version 2.5












| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------|-------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| 9. Verify Operation | Electrical shock, Burns | ЗН | | 2M |
| 10.Clean Up Work Area | Slips, trips, falls | 2М | | 1L |

Version 2.5

Date of Issue:








| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------------|----------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | • |
| 12.Secure Tools/Equipment | Back injuries, Trip hazards | | | 1L |
| 13.Hazardous Material Disposal | Chemical burns, Fumes inhalation | 4A | | ЗН |

Version 2.5


Date of Issue:





Version 2.5








| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 17.End of Day Tasks | Manual handling it dies and and falls | ЗН | | 2M |
| TT.LIN OF Day Tasks | falls | | | 2101 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 18.Site Security/Final Checks | Unauthorized access, Theft | 2M | | 1L |
| 19.Documentation and Compliance | Data breach, Non-compliance penalties | ЗН | | 2M |







EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REF | ERENCES |
|---|---|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL | ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> | Victoria Occupational Health at Safety Act and Occupational Health and orfety orgulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> ordes of mactice VIC <u>autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes rach. Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-ou rach. | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/we_place-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/f</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> | Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work |



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS |
|---|----------------|----------|
| | | |
| The company details have been entered, including the project name and address. | | |
| All relevant personnel consulted during the development of the SWMS. | | |
| Name, signature, position and date signed of the person approving the SWMS. | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | |
| Adequate risk assessment of any identified hazards has been completed. | \boxtimes | |
| Foreseeable hazards are identified and documented for each step. | \boxtimes | |
| Any hazards listed in any site risk assessments have been added to the SWMs | \boxtimes | |
| SWMS initial risk (IR) column as well as residual risk (RR) column mpleted. | \boxtimes | |
| Check control measures added to the SWMS are the most effective selection | \boxtimes | |
| Responsible person is assigned and listed on the property of the importation control measures. | \boxtimes | |
| Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc. | \boxtimes | |
| SWMS identifies plant and equipment to be use | \boxtimes | |
| Details of inspection checks required for any equipment listed protection on the SWMS. | \boxtimes | |
| Describes any mandatory qualifications, experience, and g or skills required to perform the work. | \boxtimes | |
| Applicable personal protective equipment is selected on the SWMS. | \boxtimes | |
| Reflects and documents any legislative references and/or Australian Standards. | \boxtimes | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | \boxtimes | |
| | | |
| REVIEWED BY | DATE REVIEWED | |
| SIGNATURE | DATE COMPLETED | |