Water Jetter | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: Water Jetter

Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	Email:	

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS as well as reviews and modifications of the SWMS.

Full Name:	Title:	Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED	NAME OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS
Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.	
If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.	
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.	
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.	

CLIENT OR PRINCIPAL CONTRACTOR DETAILS	
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT	
☐ involves a risk of a person falling more than 2 meters	☐ is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	☐ is carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integrity of a structure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asbestos	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that requires temporary support to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper than or tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

RISK MATRIX

LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEE
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befo work starts.
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k records

Notes on Hierarchy of Controls: Elimination methods are the most effective and preferre en co lli a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the ost ef ve, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Eq ment) he least effective method.

HEIRARCHY OF CONTROLS



PERS NAL P TECTIVE EQUIPMENT (PPE)

Select the appropriate PPE bov uitable or the equipment used or the job task being performed (if applicable).

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING TECTION	EY CTION	RESPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
											
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Other PPE Required:

Permit or Licenses Requirements	Mandatory Qualifications and Training

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Trip and fall hazards, electrical hazards	2M	- Conduct a thorough hazard identification and risk assessment before commencing work to identify potential trip and fall hazards such as uneven surfaces, obstructions or slippery areas. - Clearly mark any designated walkways and pathways, ensuring they are free from obstacles and debris. - Install appropriate warning signs and barriers around the work area to caution workers and other site personnel about the potential trip and fall hazards. - Provide proper training to all workers operating the water jetter on the safe use of equipment, correct working techniques to mitigate trip and fall hazards, and reporting procedures for incidents and hazards. - Inspect and maintain the water jetter equipment regularly to ensure all components are in good working condition – this includes checking cords, hoses and connections for any damage that could pose a trip and fall hazard. - Store tools, equipment and materials neatly away from walkways and operational areas when not in use to avoid creating additional trip and fall hazards. - Ensure adequate lighting is provided throughout the work area to enable workers to identify any potential trip and fall hazards. - Regularly inspect electrical cables and equipment for any visible damages, frayed wires or loose connections that may pose an electrical hazard. Promptly repair or replace damaged electrical components. - Use waterproof or weather-resistant electrical equipment, including sockets and extension cords, specifically designed for outdoor use to minimise the risk of electrical hazards during operation. - Implement a lockout-tagout system where necessary to eliminate any unexpected energization or start-up of machines and equipment, reducing the risk of electrical hazards. - Encourage the use of appropriate personal protective equipment (PPE) for workers, such as non-slip footwear, gloves, and safety glasses, to provide additional protection against trip and fall hazards and electrical incidents. - Establish an emergency response plan for the worksite, including clear reporting procedures and first aid provision for handling any incidents related to trip and fall or electrical hazards. - Regularly communicate with workers to foster a safe work environment by encouraging them to report any hazards and take necessary precautions to avoid accidents. Review and update the Safe Work Method Statement (SWMS) as required, to reflect any changes in hazards, risks or control measures.	1L
2. Equipment Setup	Incorrect setup, high-pressure water jet injuries	3H	- Provide thorough training and supervision: Ensure that all personnel involved in the equipment setup process are given proper training, understand the manufacturer's instructions, and are appropriately supervised to prevent incorrect setups. - Personal Protective Equipment (PPE): Mandate the use of appropriate PPE for all workers, including safety glasses, gloves, hearing protection, and high-visibility clothing, to protect themselves from high-pressure water jet injuries during the setup process.	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Inspect the equipment regularly: Conduct regular inspections of the water jetting equipment to identify any potential issues or defects that could lead to malfunction or injury during operation. - Safety switches and guards: Verify that all necessary safety switches and guards are installed correctly and functional before commencing the equipment setup. - Follow manufacturer's guidelines: Ensure that all workers adhere to the manufacturer's recommended procedures and protocols for setting up the water jetter, which should include specific steps for assembling, connecting, and testing components. - Plan the work area layout: Designate a safe and efficient work zone for the equipment setup process to minimise the risk of trips, slips, and falls while arranging hoses, connections, or other parts. - Implement lockout/tagout procedures: Establish lockout/tagout procedures to control hazardous energy sources and prevent unauthorised access to the equipment during the setup process. - Leak and pressure testing: Perform leak and pressure testing on the water jetting equipment prior to usage, ensuring that connections are secure and there are no leaks that could lead to high-pressure water jet injuries. - Use appropriate signage: Clearly display warning signs and hazard identification marks around the work area to alert workers and visitors of the potential risks involved during the equipment setup process. - Emergency response plan: Develop and communicate an emergency response plan to all workers, detailing measures to be taken in case of an incident or accident involving incorrect setup or high-pressure water jet injuries. - Adequate lighting and ventilation: Ensure proper lighting is available in the work area to avoid mistakes during equipment setup, and provide ample ventilation to dissipate spray mist or airborne contaminants generated by the water jetting process. - Communication between team members: Establish effective communication practices among team members, ensuring clear instructions are relayed and followed throughout the equipment setup, thus minimising the likelihood of errors leading to hazards.	
3. Area Inspection	Slippery surfaces, unsecured objects	2M	- Conduct a thorough pre-work inspection of the area to identify any potential hazards and ensure the area is free of obstructions, unsecured objects, and slippery surfaces. - Mark off or barricade the work area with appropriate signage and warning devices to alert workers and pedestrians of the ongoing activities. - Implement proper housekeeping practices by cleaning spills, removing litter, and organising tools and equipment to minimise slip and trip hazards. - Provide suitable non-slip footwear for all workers operating the water jetter to improve traction on potentially wet surfaces. - Ensure that all hoses, cables, and related equipment are properly managed and secured to avoid creating additional trip hazards. - Place non-slip mats or absorbent materials around the water jetter to contain excess water and reduce the risk of slippery surfaces.	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Use cones or other warning devices to indicate areas where water or other slippery substances may have been discharged during the operation. - Train workers in proper lifting techniques and organization practices to avoid the accumulation of clutter and unsecured objects in the work area. - Regularly monitor weather conditions (if working outdoors) to identify and mitigate hazards caused by rain, wind, or other environmental factors that could create slippery surfaces or unsecured objects. - Hold regular tool box talks and safety meetings to maintain open communication between workers and supervisors regarding hazard identification, reporting procedures, and implementing control measures for maintaining a safe work environment while using the water blaster.	
4. Pump Start-up	Unexpected equipment starting, noise hazards	3H	[redacted]	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
5. Jetter Deployment	Manual handling injuries, flying debri	3H	[redacted]	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
6. Monitoring Work Area	Slips, trips, falls, visibility issues	[redacted]	[redacted]	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
7. Jetter Operation	High-pressure injuries, backflow of wat	3[redacted]	[redacted]	1L
8. Re-Positioning Jetting Hose	Hand and finger injuries, heavy lifting	2M		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
9. Equipment Shut Down	Burns from hot surfaces, electrical hazards	2M	[redacted]	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
10. Hose Coil Up	Manual handling injuries, slip, trip and fall hazards	2M	[redacted]	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
11. Decontamination	Exposure to hazardous materials, skin contact	3H	[redacted]	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
12. Clean up and Site Restoration	Manual handling injuries, poor waste management	2M	[redacted]	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES FOR ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory
Work Health and Safety Act 2011
Work Health and Safety Regulations 2011
Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws
Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice
Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations
Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales
Work Health and Safety Act 2011
Work Health and Safety Regulations 2017
Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislation
Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/list-of-codes-of-practice

Northern Territory
Work Health and Safety (National Uniform Legislation) Act 2011
Work Health and Safety (National Uniform Legislation) Regulations 2011
Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws
Codes of Practice NT: https://worksafe.nt.gov.au/forms-and-resources/codes-of-practice

South Australia
Work Health and Safety Act 2012 (SA)
Work Health and Safety Regulations 2012 (SA)
Legislation for SA: https://www.safework.sa.gov.au/resources/legislation
Codes of Practice for SA: https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs

Tasmania
Work Health and Safety Act 2012
Work Health and Safety (Transitional and Consequential Provisions) Act 2012
Work Health and Safety Regulations 2012
Work Health and Safety (Transitional) Regulations 2012
Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations
Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria
Occupational Health and Safety Act 2004
Occupational Health and Safety Regulations 2017
Legislation VIC: https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations
Codes of Practice VIC: https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia
Work Health and Safety Act 2020
Work Health and Safety Regulations 2022
Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation
Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links
Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation
Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and sub-contractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.	☒	
All relevant personnel consulted during the development of the SWMS.	☒	
Name, signature, position and date signed of the person approving the SWMS.	☐	
Specific personnel and qualifications, experience is noted in the SWMS.	☒	
Provides a step-by-step process of tasks required to carry out the activity or task.	☒	
Adequate risk assessment of any identified hazards has been completed.	☒	
Foreseeable hazards are identified and documented for each step.	☒	
Any hazards listed in any site risk assessments have been added to the SWMS.	☒	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	☒	
Check control measures added to the SWMS are the most effective selection.	☒	
Responsible person is assigned and listed on the SWMS for the implementation of control measures.	☒	
Permit or licenses requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.	☒	
SWMS identifies plant and equipment to be used.	☒	
Details of inspection checks required for any equipment listed are noted on the SWMS.	☒	
Describes any mandatory qualifications, experience, training or skills required to perform the work.	☒	
Applicable personal protective equipment is selected on the SWMS.	☒	
Reflects and documents any legislative references and/or Australian Standards.	☒	
Identifies any hazardous substances used with specific control measures in line with any SDS.	☒	

REVIEWED BY		**DATE REVIEWED**	
SIGNATURE		**DATE COMPLETED**	