Wire Mesh Inclusion	s   SAFE WORK METHOD	STATEMENT (SWMS)	
TASI	K OR ACTIVITY: Wire Mesh Inclu	sions	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E gil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	poliance the VMS a vell as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS PHAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, such to compare hicas those hazards and then to further take steps to either eliminate or control each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.		
is the second me	RARE       1 LOW       1 LOW       2 MODERATE       3 HIGH       1 HIGH       LOW       Inition and k a recorde       Isolate the hazard.         otes on Hierarchy of Controls:       Elimination methods are the most effective and preferre       HIGH       LOW       K a recorde       Isolate the hazard.         otes on Hierarchy of Controls:       Elimination methods are the most effective and preferre       Isolate the hazard.       Administrative         the second most effective method of controlling a hazard.       Engineering by isolation is the second most effective, while Administrative       Change the work.         pontrols by changing the work is the fourth most effective method.       PPE (Personal Protective Equipment), the least effective       PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Pe	ermit or Lice	nses Requirem	ients			Mandatory Qualifications and Training				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Improper use of safety gear, Exposure to hazardous materials	2M, 3H	<ul> <li>Conduct a comprehensive risk assessment before commencing work to identify specific hazards related to the site.</li> <li>Ensure all workers are trained in proper use to havintenance of personal protective equipment (PPE) specific to wire mesh handling and hazardous mutrial exposure.</li> <li>Provide appropriate PPE success gloves, safety go gless repiratory masks, and protective clothing to all workers involved in or metation liks.</li> <li>Implement statistic access protocols to limit the number of personnel in hazard-prone areas during preparation.</li> <li>Develop and the mutrice a detailed to rik plan that includes emergency procedures to all staff before startil to rik.</li> <li>Store the cals all other hazardous materials in clearly labelled, secure containers away from high traffic at as.</li> <li>Use proterly to brated and maintained tools to minimise the risk of spills or accidents that could expose where is thazard as materials.</li> <li>Establic and maintain good ventilation systems in enclosed work sites to reduce airborne contaminants.</li> <li>Ingularly inspect PPE for defects or wear and replace any items as necessary before allowing their use or order.</li> <li>Provide clear signage to mark hazardous areas and equipment that require special precautions.</li> <li>Set up washing stations or provide hand sanitisers at multiple locations to enable quick decontamination.</li> <li>Assign a qualified safety officer to oversee compliance with health and safety protocols during the preparation stage.</li> </ul>	1L, 2M
2. Equipment Check	Faulty equipment, Accidental start-up	3H, 2M	<ul> <li>Conduct regular equipment inspections to identify and replace any faulty components before use.</li> <li>Use lockout/tagout procedures to ensure that all equipment is properly shut down and cannot be accidentally started during maintenance or inspection.</li> <li>Ensure all workers are trained in the proper operation of the equipment and familiar with emergency shut-off protocols.</li> <li>Implement a pre-start equipment checklist that must be completed by operators before each use to verify equipment condition.</li> <li>Label and secure all control panels and buttons to prevent accidental activation during inspection or maintenance.</li> <li>Maintain and update a register of all equipment, noting the last inspection date and any maintenance performed or required.</li> </ul>	2M, 1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR		
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK		
			- Establish a formal reporting system for equipment faults, ensuring quick communication with the maintenance department.			
			- Regularly review and update safety procedures by ed on equipment manufacturer guidelines and industry best practices.			
			- Encourage workers to report any unusual tises or vibroons immediately, as these could indicate potential equipment failures.			
			- Provide appropriate personal protective equip. It (PPE) to workers handling equipment checks, including gloves and safety grosses.			
			- Schedule routine maintenance uring low activity process to minimise the risk of interference or rush leading to oversight			
			- Conduct a through inducion program for all workers to familiarise them with the specific tasks and poter phazarc classe used with wire mesh inclusions.			
			- Ensure person t involved have completed necessary training modules relevant to their roles, includit the king sale with tools and equipment.			
			<ul> <li>Assignt any unperience and qualified personnel to operate specialised equipment or perform high-risk tivities</li> </ul>			
	1		- Reg. reconduct competency assessments to confirm individual capability in handling tools correctly nd under anding safety protocols.			
					- tablish and maintain a register of trained personnel authorised to work on tasks involving wire mesh to track validation of their expertise.	
			- Schedule regular refresher courses and workshops to keep everyone updated on the latest standards and regulations concerning wire mesh handling.			
3. Trained Personnel Only	Misuse of tools, Law mng	3H, 2M	- Provide clear, detailed work instructions and procedure documents accessible at the worksite for correct interpretation and execution of tasks.	2M, 1L		
			- Display visual aids or signs at the worksite highlighting the importance of proper tool use and identifying authorised personnel.			
			- Implement a buddy system wherein workers can oversee one another's work practices to ensure continued compliance with safety guidelines.			
			- Facilitate toolbox talks to review and discuss appropriate tool usage and common hazards regularly before commencing work.			
			- Require supervisors to routinely inspect work activities to prevent and rectify any unapproved methods or misuse of tools promptly.			
			- Encourage immediate reporting of observed unsafe practices or incidents without the fear of reprisal for continuous safety monitoring and improvement.			
			- Conduct incident simulations or drills periodically to test response actions and reinforce the practical application of learned skills.			



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
4. Handling and Storage	Inadequate storage, Improper manual handling	3Н, 2М	- Collaborate with industry experts or professional bodies to provide external training sessions or certifications to enhance skillsets and knowledge further.	2M, 1L
5. Cutting Wire Mesh	Contact with sharp edges, Flying debris	4A, 3H		2M, 1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Attaching Mesh to Frames	Improper fixture, Overexertion	3H, 2M		2M, 1L
8. Inspection of Mesh	Overlooking defects, Ergonomic issues	2M, 2M		1L, 1L

Version 2.5








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10.Transportation of Mesh	Vehicle related accidents, Manual lifting	4A, 3H		3H, 2M
11.Installation of Mesh	Falls from height, Tripping over objects	3Н, ЗН		2M, 1L

Version 2.5

Date of Issue:











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15.Continuity of Production	Workplace disruption, Delay in schedule	3H, 2M		2M, 1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17.Training and Refreshers	Information overload, Training deficiencies	z 2M		1L, 1L
18.Final Site Clearance	Not properly cleared site, Risk of injuries	3H, 2M		2M, 1L

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19.Customer Feedback	Incomplete feedback, Misinterpretation of feedback	2M, 2M		<ul> <li>1L, 1L</li> </ul>







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	C			



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES					
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE					
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health an Safety Act and 4 Occupational Health and a fetver gulations 2017 Legis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulatures</u> Index of mactice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>				
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati">https://www.safework.nsw.gov.au/legal-obligations/legislati</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>				
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/webplace-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/ferver.gov.gov.gov.au/ferver.gov.au/ferver.gov.a</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice				
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> Tasmania	<ul> <li>Managing noise and preventing hearing loss at work</li> <li>Confined spaces</li> <li>Labelling of workplace hazardous chemicals</li> <li>Managing risks of hazardous chemicals in the workplace</li> <li>Welding processes</li> <li>First aid in the workplace</li> </ul>				
Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	<ul> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>				
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>				



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the SWMs	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$	
Check control measures added to the SWMS are the most effective selection	$\boxtimes$	
Responsible person is assigned and listed on the property of the importation control measures.	$\boxtimes$	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be use	$\boxtimes$	
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE RE	VIEWED
SIGNATURE	DATE CO	MPLETED