Working Around Rotating Ec	uipment   SAFE WORK ME	THOD STATEMENT (SWMS)	
TASK OR AC	TIVITY: Working Around Rotatin	g Equipment	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVID BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en the that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	voliance i the VMS a vell as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SIMS MANY HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in account with gislative requirements to first identify any site hazards, such a company nical those hazards and then to further take steps to either eliminate or contract each hazard.			
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



					RISK	MATRIX				
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
LOW       LOW       MODERATE       HIGH       HIGH       LOW       ke records       Isolate the hazard.         Iotes on Hierarchy of Controls:       Elimination methods are the most effective and preferrement on the value of the network of controlling a hazard. Engineering by isolation is the virtue ost enditive, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective       Substitution       Administrative         PPE       PPE       PPE       PPE       PPE       PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Slips, trips and falls, contact with moving parts	2М	<ul> <li>Conduct a site risk assessment to identify any potential trip hazards and ensure they are removed or marked.</li> <li>Ensure all workers are wearing appropriate procent protective equipment, including non-slip footwear and high-visibility clothing.</li> <li>Keep the work area clean an organised, with too and enterials stored in designated areas to prevent tripping.</li> <li>Use barriers analety taple o dente cate areas of th rotating equipment to keep unauthorised personnel away.</li> <li>Instructed equal lighting of the work area of enhance visibility and reduce the risk of accidents.</li> <li>Post its warmloungs around rotating equipment to alert workers of the potential dangers.</li> <li>Train if proponel with especific risks associated with rotating equipment and the importance of staying alert.</li> <li>Poplem it a low ut/tagout procedure for maintenance activities to ensure equipment is properly shut down effer any work begins.</li> <li>Conduct egular inspections of equipment guards to ensure they are secure and functioning correctly.</li> <li>In the workers daily on the tasks to be performed and any updates to safety procedures before commencing work.</li> <li>Provide escape routes free from obstacles to allow for quick evacuation in case of an emergency.</li> <li>Appoint a trained safety observer to oversee operations around rotating equipment and intervene if unsafe conditions arise.</li> </ul>	1L
2. Machine Operation	Machinery entanglement, mechanical injury	ЗН	<ul> <li>Conduct a pre-start check to ensure all safety features are operational and guarding is in place before starting the equipment.</li> <li>Ensure all workers operating the machinery have received adequate training and hold proper certifications or licenses as required by Australian standards.</li> <li>Implement and enforce a lockout/tagout procedure to ensure the machine is properly de-energised during maintenance or servicing.</li> <li>Maintain clear communication protocols, such as using two-way radios, to keep operators informed about work progress and potential issues.</li> <li>Display clear signage around the machinery alerting workers to wear appropriate personal protective equipment (PPE) such as gloves, goggles, and high-visibility clothing.</li> <li>Ensure all machine guards and barriers are secured and in good condition to prevent any part of the body from coming into contact with moving parts.</li> </ul>	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Establish a safe working distance from rotating equipment for non-essential personnel to minimise the risk of entanglement or injury.	
			- Regularly inspect and maintain machinery according to the manufacturer's specifications to reduce the risk of mechanical failure.	
			- Provide emergency stop mechanisms that the easily accessible to operators for immediate shut down in case of an incident.	
			- Use mirrors, cameras, or other visual aids to iterase operator visibility around blind spots on machinery.	
			- Limit loose clothing, iewellery, d tie up long hair to event items from being caught in spinning components.	
			- Restrict access to operational areas to authorized personnel only to control who can interact with the equipment.	
			- Development and plantic comergency response procedures tailored to incidents involving rotating machinery, ensure the staff a committee with them.	
			- Scheele hereilar same briefings and drills focused on responding to mechanical risks encountered with rotating quip, ont operaions.	
			- Con sturisk assessment prior to maintenance and cleaning to identify all potential hazards.	
			Insure an rotating equipment is shut down and locked out before commencement of maintenance or c, uning activities.	
			Use only appropriate personal protective equipment (PPE) such as gloves, goggles, and protective clothing to minimise exposure to harmful substances.	
			- Provide proper ventilation in the work area to dissipate any hazardous fumes or dust generated during cleaning.	
			- Use the correct tools specifically designed for the task to reduce the risk of cuts and bruises.	
3. Maintenance and Cleaning	Exposure to harmful sub-	ЗН	- Maintain a clean and organised workspace to prevent accidental contact with sharp or hazardous materials.	1L
	5		- Implement and follow a comprehensive safety training program for workers handling rotating equipment.	
			- Regularly inspect and maintain tools to ensure they are in good working condition and suitable for use.	
			- Clearly label and store harmful substances safely and adequately handle them following Material Safety Data Sheets (MSDS).	
			- Establish communication procedures to promptly report any health and safety concerns during maintenance activities.	
			- Assign only qualified personnel to perform maintenance tasks around rotating equipment.	
			- Develop an emergency response plan in case of accidental exposure to harmful substances or incidents involving cuts and bruises.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
4. Slowing or Shutting Down Equipment	Potential machinery malfunction, unexpected starting of the machine	ЗН	- Conduct regular reviews and updates to the Safe Work Method Statement (SWMS) to incorporate new safety measures and tools.	2M
5. Emergency Stop Execution	Electric shock, fires due to short circuits	ЗН		2М





Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. System Checks	Electrical hazards, succups and fa	ZM		1L
10. Parts Replacement	Manual handling injuries, trapped fingers/toes	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Equipment Testing	Noise and vibration, electrical hazards	2М		1L





Date of Issue:








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL
15. Decommissioning	Hazardous materials leaks, poor visiblev			3Н
16. Waste Disposal	Exposure to hazardous waste, sharp objects	ЗН		1L

Version 2.5

Date of Issue:











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Temperature Checks	Burns from hot machinery, frostbite from cold machinery			1L
20. Final Sign Off	Risk of unauthorised use, missed safety checks	ЗН		2M







#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REI	FERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health are Safety Actioned Occupational Health and Infetive guilations 2017 Legis from VIC: https://www.euroksafe.vic.gov.au/occupational-health-and-safety-act-and- guilations Colles on Practice VICountps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati-codes">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes</a> of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes</a> of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes</a> of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/resource-library/lis</a> <a acts-and-regulations"="" href="https://www.safework.nsw.gov.gov.gov.gov.gov.gov.gov.gov.gov.gov&lt;/td&gt;&lt;td&gt;Western Australia&lt;br&gt;Work Health and Safety Act 2020&lt;br&gt;Work Health and Safety Regulations 2022&lt;br&gt;Legislation Western Australia: &lt;u&gt;https://www.commerce.wa.gov.au/worksafe/legislation&lt;/u&gt;&lt;br&gt;Codes of Practice WA: &lt;u&gt;https://www.commerce.wa.gov.au/worksafe/codes-practice&lt;/u&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Northern Territory&lt;br&gt;Work Health and Safety (National Uniform Legislation) Act 2011&lt;br&gt;Work Health and Safety (National Uniform Legislation) Regulation 2015&lt;br&gt;Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/weiplace-servelaws&lt;br&gt;Codes of Practice NT: https://worksafe.nt.gov.au/formed-resources/compliance/weiplace-servelaws&lt;/td&gt;&lt;td&gt;Safe Work Australia Links&lt;br&gt;Law and Regulation (All States): &lt;u&gt;https://www.safeworkaustralia.gov.au/law-and-regulation&lt;/u&gt;&lt;br&gt;Model Codes of Practice: &lt;u&gt;https://www.safeworkaustralia.gov.au/resources-publications/model-&lt;/u&gt;&lt;br&gt;&lt;u&gt;codes-of-practice&lt;/u&gt;&lt;br&gt;Model Codes of Practice&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;South Australia&lt;br&gt;Work Health and Safety Act 2012 (SA)&lt;br&gt;Work Health and Safety Regulations 2012 (SA)&lt;br&gt;Legislation for SA: &lt;u&gt;https://www.safework.sa.gov.au/resources/legislation&lt;/u&gt;&lt;br&gt;Codes of Practice for SA: &lt;u&gt;https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs&lt;/u&gt;&lt;/td&gt;&lt;td&gt;&lt;ul&gt; &lt;li&gt;Managing noise and preventing hearing loss at work&lt;/li&gt; &lt;li&gt;Confined spaces&lt;/li&gt; &lt;li&gt;Labelling of workplace hazardous chemicals&lt;/li&gt; &lt;li&gt;Managing risks of hazardous chemicals in the workplace&lt;/li&gt; &lt;li&gt;Welding processes&lt;/li&gt; &lt;/ul&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: &lt;a href=" https:="" laws-and-compliance="" topics="" worksafe.tas.gov.au="">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a>	<ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the SWMs	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$	
Check control measures added to the SWMS are the most effective selection	$\boxtimes$	
Responsible person is assigned and listed on the property of the importation control measures.	$\boxtimes$	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be use	$\boxtimes$	
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	