

Working Near Cranes And Othe	er Machines SAFE WORK	METHOD STATEMENT (SWM	IS)
TASK OR ACTI	VITY: Working Near Cranes And	Other Machines	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	ppliance i the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched and in account with egislative requirements to first identify any site hazards, such a company hicas those hazards and then to further take steps to either eliminate or contained hazard.			
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

	PERS_VAL 1TECTIVE EQUIPMENT (PPE)										
	Select the appropriate PPL above suitable or the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
Permit or Licenses Requirements Man					andatory Qual	ifications and	Training				




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Tripping, Falling Objects, Noise Exposure	ЗН	 Conduct a thorough site assessment to identify potential tripping hazards and clear any obstacles from the work area before commencing operation. Use clearly visible signage to alert workers are not or of areas where cranes and heavy machinery are operating, minimising the risk of entry into hazarous zones. Install physical barriers or same fencing to deline as safe alloways and prevent unauthorised access to operational zones. Ensure all personnel in the vicinity near approache personal protective equipment (PPE), such as hard hats and high sibility clothing, at allowes. Implement a comprehensive induction or ogram for all workers, detailing specific risks associated with worklewar cransmond other machinery and the importance of adhering to safety protocols. Sche nie quiar nontenance and inspections of machinery to prevent malfunctioning, which could result in alline objects is other hazards. Utilise is otters in dedicated safety personnel to guide machinery movement and monitor surrounding activities, insuring no obstructions or individuals are in the immediate vicinity. Enforce particle exclusion zone around crane operations, permitting only essential personnel in close syminity, while others maintain a safe distance. Provide hearing protection to workers who are exposed to excessive noise levels and conduct regular monitoring to ensure compliance with workplace noise regulations. Develop an effective communication system, such as two-way radios or hand signals, to facilitate clear and concise instructions among workers and operators to mitigate miscommunication risks. 	2M
2. Pre-Operational Check	Uncontrolled Movement of Crane, Mechanical Failure	ЗН	 Conduct a thorough inspection of the crane by a qualified operator to ensure all parts are in working order before commencing operations. Verify that daily and weekly maintenance checks have been completed and documented according to manufacturer guidelines. Ensure all safety devices such as alarms, lights, and emergency stop functions are tested and fully operational. Check hydraulic systems for leaks and ensure proper fluid levels to prevent uncontrolled movements. Examine wire ropes, hooks, and chains for wear and tear or damage; replace if necessary. Ensure all control panels and operating systems are functioning correctly and free from defects. Confirm that communication systems between crane operators and ground personnel, like radios, are working efficiently. Implement a barricade around the crane's swing radius and establish exclusion zones to prevent uncuthorised access. 	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Train all personnel involved in crane operations to recognise potential mechanical failures and respond appropriately.	
			- Review load charts for weight capacity compliance and verify they are visibly displayed within the crane cabin.	
			- Apply regular testing and tagging of lifting, ruipment to sure adherence to Australian Standards.	
			- Verify electrical components and connection are sure and insulated to mitigate the risk of electrical failure.	
			- Ensure weather conditions a passessed as part the risk assessment to avoid operations during unsafe conditions like high wind	
			- Designate a competent suffer of uppal person the can guide operations and quickly identify hazards.	
			- Ensy thorous training of all person won safe operational procedures and awareness around mach	
			- Implement a strict wout/tagout procedure to secure machines whenever maintenance or inspections are carried o	
			Conduc regulation and comprehensive safety audits to identify potential hazards and rectify them in the rediation.	
	7	hery	Mainture ear signage and barriers around the working area to prevent unauthorised access and inform rkers about operational zones.	
3. Operational Checks	Caught In Between or Machinery		- the spotters or signal personnel to guide crane operations and communicate effectively with machine operators.	ЗH
	i ulto		- Equip all machinery with emergency stop buttons that are easily accessible in case of an incident.	
			- Regularly inspect and maintain machinery to ensure that all safety features are functional and up-to- date.	
			- Establish and enforce a minimum exclusion zone around machinery for non-essential personnel.	
			- Ensure all machinery parts are properly guarded to prevent accidental contact during operations.	
			- Provide appropriate personal protective equipment (PPE) such as helmets, high-visibility clothing, and safety boots to all workers in proximity to machinery.	
			- Implement a clear communication system using radios or hand signals to coordinate movements and emergency instructions.	
4. Lift Planning	Poorly Arranged Load, Overloading	4A		2M












JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Moving Loads Around	Struck by Swinging or Falling of Loads	βH		2M
8. Setting Down Loads	Crushed by Poorly Stacked Materials	ЗН		1L

Version 2.5






Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
0. Wind Down and hutdown	Faulty or Damaged Equipment Left Operational	ЗН		2M
	G			
1. Equipment /aintenance	Injury from Sharp Edge or Protruding Part	3H		1L
	i an			

Date of Issue:






Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Incident & Emergency Response	Inadequate Evacuation Procedures, Lack of First Aid Knowledge	ЗН		2М
14. Clean up and Storage	Slips, Trips and Falls, Incorrect Manual Handling	ЗН		1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		-		
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES					
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health au Safety Act 204 Occupational Health and onfety or gulations 2017 Legis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> or tes on mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-sector-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-sector-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes 					
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 					



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selection	\boxtimes		
Responsible person is assigned and listed on the part the importation ontrol measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COMPLETED		