

Working On Slopes And Uneve	en Grounds SAFE WORK	METHOD STATEMENT (SWN	IS)
TASK OR ACT	VITY: Working On Slopes And U	Ineven Grounds	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to enume that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ppliance the VMS a well as review	vs and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with egislative requirements to first identify any site hazards, such to come hical those hazards and then to further take steps to either eliminate or contral each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

	PERS_VAL N_TECTIVE EQUIPMENT (PPE)										
	Select the appropriate PPL above suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
Permit or Licenses Requirements Mandatory Qualifications and Training					Training						




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Uneven working terrain, Slip and fall hazards	2М	 Conduct a thorough site assessment to ideally the gradient and condition of the terrain. Provide workers with appropriate footwear of thas one a grip and is suitable for uneven surfaces. Clearly mark any particularly hazardous areas one signage or barriers. Plan work tasks to minimise one spent on the storest one ost uneven sections of the site. Arrange for experied concersor of to guide less exponenced workers around risky areas. Ensure good consekeepin opractions by remoting obstacles and debris from pathways. Use portable communication devices of one store take breaks away from hazards. Regularly neview workfor conditions and suspend work during adverse conditions like rain. Equiption or with progonal protective equipment such as helmets and high-visibility vests, especially if pechan all equipment is in use. 	1L
2. Equipment check	Faulty equipment, Manual handling injuries	ЗН	 Conductingular maintenance and inspections of all equipment to ensure they are in good working ndition. Explace or repair any faulty equipment immediately to prevent potential accidents. Use only suitable equipment designed for working on slopes and uneven grounds. Train all personnel on proper equipment usage specific to working on uneven terrain. Implement a pre-operational checklist to identify and rectify any equipment issues before use. Store equipment securely to avoid damage and maintain operational integrity. Ensure all equipment has up-to-date safety certifications and compliance with industry regulations. Provide mechanical aids, such as trolleys or hoists, to reduce manual handling tasks where possible. Use ergonomically designed tools and machinery that minimise the risk of manual handling injuries. Adopt correct lifting techniques through training and encourage team lifting for heavier loads. Limit the manual transport of equipment by optimising the worksite layout to reduce unnecessary movement. Evaluate the work area to determine the safest locations for setting up equipment, avoiding excessively steep or unstable areas. Equip workers with personal protective equipment (PPE) such as gloves and steel-toed boots to enhance safety during manual handling tasks. Schedule regular breaks and rotate tasks among workers to prevent fatigue-related incidents during handling and equipment operation. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
3. Accessing the slope	Trip hazards, Falling from height	ЗН	 Conduct a pre-job site inspection to identify and assess trip hazards such as loose rocks, roots, or debris. Implement clear access paths marked with bit wisibility tape or signs to guide workers safely on uneven ground. Ensure all personnel are equipped with appenriate u sonal protective equipment, including sturdy nonslip footwear. Use harnesses and fall arreneystems when working near map edges or on elevated slopes to protect against falls from height. Limit the number diverse access paths marked with protectial trip hazards and techniques for maintaining balance and prevent overcrowding. Provide propertraining graine recognise or potential trip hazards and techniques for maintaining balance in uneversion. Utilities atters to to sist workers navigating challenging sections of the slope, providing guidance and addition if a sety assignee. Utilities atters to conditions regularly and halt work activities on slopes if rain, ice, or other adverse and information increase the sisk of slipping. Insult the porary safety barriers or guardrails along the most hazardous areas of the slope to ensure orders on the codentially approach dangerous edges. Maintain clear communication among team members regarding identified hazards and implement a budy system to watch for potential safety incidents. Maintain clear communication among team members regarding identified hazards and implement a budy system to watch for potential safety incidents. Regularly monitor and maintain access routes to prevent the accumulation of new hazards such as mud build-up or erosion. Establish an emergency response plan specific to the nature of the slope, ensuring quick reaction capabilities in case of a slip, trip, or fall incident. Rotate tasks frequently to minimise fatigue, which can increase the likelihood of missteps or loss of footing on uneven terrain. 	2М
4. Clearing uneven ground	Risks of cuts or abrasions, Strains and sprains	ЗН		2M







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Moving across slope	Slip hazards, Roll-over from machine	4A		2M
7. Conducting work on slope	Falling tools or equipment, Physical stress due to awkward positions	ЗН		1L





Version 2.5


Date of Issue:




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Finishing work	Risk of leaving hazards behind (forgotten tools etc.)			11.
10. Cleaning up worksite	Manual handling injuries, Slips, trips or falls, Exposure to hazardous substances	2M		1L
rsion 2.5	Authorised by		Review # Date of Issue: Review Date:	

Date of Issue:










Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Equipment pack up	Risks of cuts or abrasions	2M		1L
14. Departure from slope	Fall from height, Trips or slips on unstable/uneven surfaces	2M		1L

Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE							
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health at Safety Act and Occupational Health and Safety Act and Occupational Health and Safety Safe						
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes rach. Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-ou rach.	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulations 2015 Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/weiplace-super-laws Codes of Practice NT: https://worksafe.nt.gov.au/formed-resourcestorestorestorestorestorestorestorestor	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice						
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes 						
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and cafety consultation, construction and coordination 						
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 						



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMS	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selections	\boxtimes		
Responsible person is assigned and listed on the part the importation control measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COM	DATE COMPLETED	