



Working in Gullies or Mar	nholes   SAFE WORK METH	HOD STATEMENT (SWMS)	
TASK OR	ACTIVITY: Working in Gullies or	Manholes	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E 111:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PCL OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	eting a business or under the (PC 1) is	required to en ethat a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	apliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS & (MS IN HAVE THE FOLLOWING COMMUNICATED	NA, 2 OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched and in account with a gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.			
If an incident or a near miss occurs, all work must ste, an atately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH BIOK CONSTRUCTOR	NAME OF THE POLIT
ANY HIGH-RISK CONSTRUCTOR	N WC & BEIN C ARIED OUT
☐ involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	$\square$ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integral of a functure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
$\square$ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEI	RARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate	e People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and		Engineering Isolate the hazard.	
is the second m	otes on Hierarchy of Controls: Elimination methods are the most effective and preferrence on concluding a hazard. Substitution the second most effective method of controlling a hazard. Engineering by isolation is the virtuost entire, while Administrative ontrols by changing the work is the fourth most effective method. PPE (Personal Protective Equament), the least effective									

				PERS		TIVE EQUIPM					
		Select the app	ropriate PPŁ	abo v uitab	cor the equi	pment used or	the job task	being perforr	ned (if applica	ıble).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING ETION	P ECTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ents		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Uneven surface, inadequate lighting	ЗН	<ul> <li>Conduct a site assessment to identify uner a surfaces and plan safe access routes.</li> <li>Use temporary lighting solutions to illuminate the work as effectively.</li> <li>Wear high-visibility clothing to enhance worke a hollity in low-light conditions.</li> <li>Utilise non-slip mats or boars on uneven surface to ensure stable footing.</li> <li>Implement a buddward on to seport workers in carbon accidents due to poor visibility.</li> <li>Ensure all wrouns have the lergon straining incomt-time operations and hazard awareness.</li> <li>Deploy ported a lights wit packup procedures for consistent lighting during operations.</li> <li>Ere to raining some bound hazardous areas to prevent unauthorised access.</li> <li>Regularly espect that maintain all equipment and lighting to prevent malfunctions.</li> <li>Employed corrective maintain all equipment and lighting to prevent malfunctions.</li> <li>Employed erson protective equipment, such as headlamps and reflective tape, to boost visibility.</li> <li>School the egular safety drills to familiarise workers with emergency procedures in low-light settings.</li> <li>Increasing slip habitation.</li> <li>Keep a first aid kit and communication device readily available to respond promptly in case of accidents or health issues.</li> </ul>	2M
2. Site Inspection	Slippery areas, restricted access	ЗН	<ul> <li>Conduct a pre-inspection to identify any slippery surfaces and mark them clearly with signage or barriers.</li> <li>Ensure all personnel wear appropriate footwear with non-slip soles to mitigate the risk of slipping.</li> <li>Utilise portable lighting in areas with dim visibility to improve awareness of potentially slippery spots.</li> <li>Implement buddy systems or communication plans to ensure workers can call for help if accessing restricted or confined areas.</li> <li>Provide safety induction and training on recognizing and handling hazardous conditions specific to gullies and manholes.</li> <li>Install temporary barriers or guards around open gullies or manholes to prevent accidental falls.</li> <li>Use moisture-absorbing materials or mats to reduce slippery conditions, particularly if surfaces are wet due to weather or work activities.</li> <li>Employ access control measures such as safety harnesses and fall arrest systems when entering or exiting confined spaces.</li> </ul>	1L



SPECIFIC WORK STEPS  HAZARDS THAT MAY ARISE  INTIAL RISK  SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  - Establish emergency evacuation procedures tailored to restricted access areas and ensure all s familiar with them Regularly monitor weather conditions and schedus unspections to avoid working in hazardous conditions, rescheduling tasks as necessary.  - Install high-visibility signage in advance to a strapp uning traffic to the work zone Deploy temporary traffic lights or use qualified unit controlleration manage vehicle flow around area Use barrier systems such as sees and railings, to use a clearly defined work perimeter that vehicles at a safe users Ensure all to users wear? In-visible clothing such as reflective vests, to increase visibility to distraffic Soch a work size off-peak hours when traffic volume is lower, reducing the risk of incidents Conditions and anticipate all traffic-related hazards specific to the local positive spot as with a munulication devices to monitor traffic conditions and notify workers of hanges in polyingly darger Insure a speed reduction strategy in the vicinity of the work area to slow down approaching Established safe entry and exit protocol for site vehicles, ensuring minimal disruption to traffic ficility and update the traffic management plan based on evolving traffic conditions a feetback from workers and observers.	
familiar with them.  Regularly monitor weather conditions and schedus prinspections to avoid working in hazardous conditions, rescheduling tasks as necessary.  Install high-visibility signage in advance to and approximate the work zone.  Deploy temporary traffic lights or use qualified cortic controlleratio manage vehicle flow around area.  Use barrier systems, each as ones and railings, to use a clearly defined work perimeter that vehicles at a safe communication.  Ensure allowers wear in n-visible clothing such as reflective vests, to increase visibility to destratific.  School work of off-peak hours when traffic volume is lower, reducing the risk of incidents.  Conduct or re-job defing to assess and anticipate all traffic-related hazards specific to the local position specific to the local po	
conditions, rescheduling tasks as necessary.  - Install high-visibility signage in advance to a stape using traffic to the work zone.  - Deploy temporary traffic lights or use qualified or the controlleration manage vehicle flow around area.  - Use barrier systems such as these and railings, to use a clearly defined work perimeter that vehicles at a safe usine.  - Ensure all to were wear him-visible clothics such as reflective vests, to increase visibility to distraffic.  - Soft a work to soft-peak hours when traffic volume is lower, reducing the risk of incidents.  - Conditions provide all traffic related hazards specific to the local positions and anotify workers of hanges in potential danger.  - Implicate a speed reduction strategy in the vicinity of the work area to slow down approaching Establish as afeignet protocol for site vehicles, ensuring minimal disruption to traffic flow.	IS
- Deploy temporary traffic lights or use qualified a ric controlleratio manage vehicle flow around area.  - Use barrier systems, such as ones and railings, to usue a clearly defined work perimeter that vehicles at a safe a unit.  - Ensure all a ricers wear high-visible clothic such as reflective vests, to increase visibility to distraffic.  3. Traffic Control  Vehicle movement, visibility issues  4A  - School work arid off-peak hours when traffic volume is lower, reducing the risk of incidents  - Condiction re-job of lefting to assess and anticipate all traffic-related hazards specific to the local possible specific specific specific very specific to the local possible specific specific very s	
area.  - Use barrier systems, euch as trues and railings, to true a clearly defined work perimeter that vehicles at a safe come.  - Ensure all coxers wear in n-visible clothic such as reflective vests, to increase visibility to detraffic.  - School work with off-peak hours when traffic volume is lower, reducing the risk of incidents - Conduct one-job defing to assess and anticipate all traffic-related hazards specific to the local - Positic species with immunication devices to monitor traffic conditions and notify workers of hanges in potential danger.  - Income it a speed reduction strategy in the vicinity of the work area to slow down approaching Establish of safe entry and exit protocol for site vehicles, ensuring minimal disruption to traffic flowers.	
traffic.  3. Traffic Control  Vehicle movement, visibility issues  4A  - School work of coff-peak hours when traffic volume is lower, reducing the risk of incidents  - Condoct one-job lefing to assess and anticipate all traffic-related hazards specific to the local conditions and notify workers of hanges or potential danger.  - Import a speed reduction strategy in the vicinity of the work area to slow down approaching Establisher safe entry and exit protocol for site vehicles, ensuring minimal disruption to traffic for a squarry review and update the traffic management plan based on evolving traffic conditions as	at keeps
- Conc ct pre-job refing to assess and anticipate all traffic-related hazards specific to the local Positions are polytical danger.  - Import a speed reduction strategy in the vicinity of the work area to slow down approaching Establisher safe entry and exit protocol for site vehicles, ensuring minimal disruption to traffic for a speed reduction and update the traffic management plan based on evolving traffic conditions as	oncoming
<ul> <li>Positic spec rs with ammunication devices to monitor traffic conditions and notify workers of hanges or poor tial danger.</li> <li>Imported to a speed reduction strategy in the vicinity of the work area to slow down approaching Establisher safe entry and exit protocol for site vehicles, ensuring minimal disruption to traffic floragularly review and update the traffic management plan based on evolving traffic conditions a</li> </ul>	ts. 2M
hanges or potential danger.  In the speed reduction strategy in the vicinity of the work area to slow down approaching  Establisher safe entry and exit protocol for site vehicles, ensuring minimal disruption to traffic flor	
- Impact a speed reduction strategy in the vicinity of the work area to slow down approaching  Established safe entry and exit protocol for site vehicles, ensuring minimal disruption to traffic flor  - unufularly review and update the traffic management plan based on evolving traffic conditions a	of any
- In gularly review and update the traffic management plan based on evolving traffic conditions a	ig vehicles.
	low.
	and
4. Access Equipment Falls from height, equipment failure 3H	2M
	_



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Entry Monitoring	Unauthorized entry, facilities			1L
6. Ventilation Setup	Inadequate ventilation, emission exposure	4A		■ 2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. PPE Selection	Incorrect PPE, PPE damage	ЗН		1 1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Hazardous Gas Check	Toxic fumes, flampoole gases	4A		2M
9. Communication Plan	Signal failure, miscommunication	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Entry Procedure	Falling objects, confined space	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Emergency Protocol	Delayed response availability of exits			2M
12. Task Execution	Manual handling injuries, tool misuse	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
				•
13. Noise Control	Hearing damage, distraction	3H		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Water Management	Drowning risk, slipe nd trip be	4A		2M
15. Electrical Safety	Electric shocks, equipment malfunction	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Confined Space Exit	Panic, rushed exit strategies	ЗН		<b>1</b> L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Waste Disposal	Chemical spills, improper mate handling			1L
18. Tool Storage	Tripping, falling tools	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Final Inspection	Overlooked hazards, incomplete tasks	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
SPECIFIC WORK STEPS  20. De-briefing	Lack of feedback, pure argaps	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		014		
21. Documentation	Inaccurate reporting, loss of data	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health al. Safety Act

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.cksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors as support ractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 19





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SWMS		
SWMS initial risk (IR) column as well as residual risk (RR) column pulleted.	$\boxtimes$	
Check control measures added to the SWMS are the most effective selections	$\boxtimes$	
Responsible person is assigned and listed on the part the important portrol measures.	$\boxtimes$	
Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be us	$\boxtimes$	
Details of inspection checks required for any equipment listed an inoted on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, a g or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.		
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REVIE	WED
SIGNATURE	DATE COMPL	ETED