| Apply Pesticides   SAFE WORK METHOD STATEMENT (SWMS)   |  |   |                                     |  |  |  |  |
|--|--|---|-------------------------------------|--|--|--|--|
| TA   | SK OR ACTIVITY: Apply Pesticio                             | des                                       |                                     |  |  |  |  |
| Business Name:   |  | ABN:                                      | SWMS#                               |  |  |  |  |
| Business Address:  |  |   |                                     |  |  |  |  |
| Contact Person:  | Phone:   | E ail:                                    |                                     |  |  |  |  |
| THIS SAFE WORK METHOD  | STATEMENT IS APPRO   | THE PC. OF THE ROJECT                     |                                     |  |  |  |  |
| Under the Work Health and Safety Regulation (WHS Regulation), a person condution the proposed work starts.   |  | required to entry that a safe work method | statement (SWMS) is prepared before |  |  |  |  |
| Full Name:   |  |   |                                     |  |  |  |  |
| Signature:   |  | Title:                                    | Date:                               |  |  |  |  |
| Details of the person(s) responsible for ensuring implementation, monitorin $\gamma_{\rm e}$   | compliance of the SWI, was well as re                      | eviews and modifications of the SWMS.     |                                     |  |  |  |  |
| Full Name:   |  | Title:                                    | Phone:                              |  |  |  |  |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS  | NALE OF ALL RELEVANT PERSONN<br>EVELOPMENT AND APPROVAL OF | IEL WHO HAVE BEEN CONSULTED AND           | COMMUNICATED TO IN THE              |  |  |  |  |
| Safety meetings or toolbox talks will be scheduled in according with regislative requirements to first identify any site hazards and then to further take steps to either eliminate or configuration. I each hazard.   |  |   |                                     |  |  |  |  |
| If an incident or a near miss occurs, all work must store a parallely. Depending<br>on the severity of the incident, a meeting will be called with all workers to amend<br>the SWMS if required. The meeting may also be an educational opportunity.   |  |   |                                     |  |  |  |  |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |  |   |                                     |  |  |  |  |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |  |   |                                     |  |  |  |  |



| CLIENT OR PRINCIPAL CONTRACTOR DETAILS  |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|
| Client:   | SCOPE OF WORKS   |  |  |  |  |  |  |
| Project Name:   |  |  |  |  |  |  |  |
| Project Address:  |  |  |  |  |  |  |  |
| Project Manager:  |  |  |  |  |  |  |  |
| Contact Phone:  |  |  |  |  |  |  |  |
| Date SWMS supplied to Project Manager:  |  |  |  |  |  |  |  |
|   |  |  |  |  |  |  |  |
| ☐ involves a risk of a person falling more than 2 meters  | d is carried out on or near pressurised gas mains or piping  |  |  |  |  |  |  |
| □ is carried out on a telecommunication tower   | carried out on or near chemical, fuel or refrigerant lines   |  |  |  |  |  |  |
| □ involves demolition of an element of a structure that is load-bearing   | □ is carried out on or near energised electrical installations or services                           |  |  |  |  |  |  |
| □ involves demolition of an element related to the physical integrity structure   | $\Box$ is carried out in an area that may have a contaminated or flammable atmosphere                |  |  |  |  |  |  |
| □ involves, or is likely to involve, disturbing as the set of the | ☐ involves tilt-up or precast concrete   |  |  |  |  |  |  |
| involves structural alteration or repair the requires to prary support to prevent collapse  | $\Box$ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |  |  |  |  |  |  |
| □ is carried out in or near a confined space  | $\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant  |  |  |  |  |  |  |
| □ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives   | $\Box$ is carried out in areas with artificial extremes of temperature.                              |  |  |  |  |  |  |
| $\Box$ is carried out in or near water or other liquid that involves a risk of drowning.  | ☐ involves diving work.  |  |  |  |  |  |  |
| ANY HIGH-RISK MACHINER  | RY OR EQUIPMENT NEARBY   |  |  |  |  |  |  |
|   |  |  |  |  |  |  |  |
|   |  |  |  |  |  |  |  |
|   |  |  |  |  |  |  |  |



|                   | RISK MATRIX  |               |               |            |              |                |   |  |                                    |  |
|-------------------|--|---------------|---------------|------------|--------------|----------------|---|--|------------------------------------|--|
| LIKELIHOOD        | INSIGNIFICANT  | MINOR         | MODERATE      | MAJOR      | CATASTROPHIC | SCORE          | ACTION                                  |  | HEIRARCHY OF CONTROLS              |  |
| ALMOST<br>CERTAIN | 3<br>HIGH  | 3<br>HIGH     | 4<br>ACUTE    | 4<br>ACUTE | 4<br>ACUTE   | SCORE          | ACTION                                  |  | Elimination<br>Remove the hazard.  |  |
| LIKELY            | 2<br>MODERATE  | 3<br>HIGH     | 3<br>HIGH     | 4<br>ACUTE | 4<br>ACUTE   | 4A<br>ACUTE    | DO NOT<br>PROCE                         |  | Substitution                       |  |
| POSSIBLE          | 1<br>LOW   | 2<br>MODERATE | 3<br>HIGH     | 4<br>ACUTE | 4<br>ACUTE   | 3H<br>HIGH     | Review befor<br>work starts.            |  | Replace the hazard.                |  |
| UNLIKELY          | 1<br>LOW   | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH  | 4<br>ACUTE   | 2M<br>MODERATE | Ensure control<br>measures in<br>place. |  | Isolate People from the hazard     |  |
| RARE              | 1<br>LOW   | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH  | 3<br>HIGH    | 1L<br>LOW      | nitor and<br>key recorde                |  | Engineering<br>Isolate the hazard. |  |
| is the second m   | RARE       LOW       LOW       MODERATE       HIGH       HIGH       LOW       ks. records       Isolate the hazard.         Indees on Hierarchy of Controls:       Elimination methods are the most effective and preferrence on control and a hazard.       Substitution       Administrative       Change the work.         Isolate the host of controlling a hazard.       Engineering by isolation is the plan post of the pla |               |               |            |              |                |   |  |                                    |  |

|                    | PERS_NAL TECTIVE EQUIPMENT (PPE)<br>Select the appropriate PPL about suitably for the equipment used or the job task being performed (if applicable). |                    |  |  |                            |                    |                      |                        |                    |                   |                           |
|--------------------|---|--------------------|--|--|----------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| FOOT<br>PROTECTION | HAND<br>PROTECTION  | HEAD<br>PROTECTION |  |  | RL SPIRATORY<br>PROTECTION | FACE<br>PROTECTION | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|                    |   |                    |  |  |                            |                    |                      |                        |                    |                   |                           |
|                    |   |                    |  |  |                            |                    |                      |                        |                    |                   |                           |
| Other PPE R        | Other PPE Required:   |                    |  |  |                            |                    |                      |                        |                    |                   |                           |
|                    | Permit or Licenses Requirements Mandatory Qualifications and Training   |                    |  |  |                            |                    |                      |                        |                    |                   |                           |
|                    |   |                    |  |  |                            |                    |                      |                        |                    |                   |                           |
|                    |   |                    |  |  |                            |                    |                      |                        |                    |                   |                           |
|                    |   |                    |  |  |                            |                    |                      |                        |                    |                   |                           |




| JOB STEP            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
| 1. Preparation      | Exposure to pesticides, incorrect use of safety equipment | ЗН              | <ul> <li>Conduct a thorough risk assessment to i unify potential hazards associated with pesticide exposure and determine appropriate control measu.</li> <li>Provide comprehensive training for all work a name safe handling, application, and storage of pesticides, including emergency procedures.</li> <li>Ensure that all personnel included in pesticide a clication are equipped with the necessary Personal Protective Equipment (PEE), such as gloves, mask ubggles, and coveralls.</li> <li>Ensure all PPIns in good conduct, well-main sinclude, correctly fitted, and used in accordance with manufacture instruction.</li> <li>Implement structly give practices, requiring workers to wash hands, face, and any exposed skin after hand on esticits and before eating, drinking, or smoking.</li> <li>Use that alabelie and properly calibrated equipment to mix and apply pesticides, ensuring accurate measurement and hancing the risk of spills or over-application.</li> <li>Establing a dependent mixing and loading area located away from water sources and high-traffic zones to solve in conta, mation and accidental exposure.</li> <li>Store in a secure, well-ventilated area with restricted access, following manufacturer idelines and local regulations for safe storage.</li> <li>Develop and communicate an emergency response plan that includes procedures for dealing with spills, accidental exposure, and first aid.</li> <li>Schedule pesticide application during suitable weather conditions to minimise drift and ensure the safety of both workers and bystanders.</li> </ul> | 2М               |
| 2. Equipment Set-up | Faulty equipment, pesticide spills                        | 2M              | <ul> <li>Conduct a pre-start inspection of all equipment to ensure they are in good working condition and free from any defects or damage.</li> <li>Calibrate spraying equipment according to manufacturer guidelines to avoid over-application and ensure accurate delivery.</li> <li>Clearly label and store pesticides away from the work area until they are needed to prevent accidental spills during setup.</li> <li>Place spill kits and absorbent materials in easily accessible locations near the worksite for quick response in case of pesticide spills.</li> <li>Ensure that all operators have undergone training in the safe handling and operation of the spraying equipment.</li> <li>Wear appropriate personal protective equipment (PPE), including gloves, masks, goggles, and coverals, to minimise direct contact with pesticides.</li> <li>Set up equipment on stable and level ground to avoid tipping or destabilisation during operation.</li> </ul>  | 1L               |



| JOB STEP               | POTENTIAL HAZARDS                    | IR              | CONTROL MEASURES   | RR               |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|------------------------|--------------------------------------|-----------------|--|------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE               | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Use drip trays or secondary containment under equipment connections that may leak or develop drips during the setup phase.   |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Keep unauthorised personnel away from the set parea to reduce the risk of accidents or interference with equipment.  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Ensure that any faulty equipment is immediately tagger and taken out of service for repair to prevent its use.   |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | <ul> <li>Use personal protective equipment (PPE) such ingloves angles, and masks to minimise direct contact with chemicals.</li> <li>Ensure all PPE incoming an amaintained in good condition before starting the task.</li> </ul> |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Conduct a cassessme prior to ommercing the mixing process to identify potential hazards.   |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Follow manual turer or selines and a sety data sheets (SDS) for the proper handling and mixing of pesti  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Use s, ated h, ing areas with appropriate ventilation to reduce inhalation risks.  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Impleitent to bing programs for workers on the correct procedures for measuring and mixing pesticides.   |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
| 3. Mixing Pesticides   | Chemical contact, improper measuring | ЗН              | risk   | 2M               |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
| 5. Mixing Pesticides   | Chemical contact, improper measure   | ЗП              | Establis procedures for accidental spills or exposure, including eye wash stations and first a kits readily available.   | ZIVI             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 |  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | - Clearly label all containers used for measuring or mixing chemicals to prevent cross-contamination. |  |
|                        |                                      |                 |  |                  |  |  |  |  |  |  |  |  | - Ensure that only trained and authorised personnel are allowed to mix pesticides. |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Maintain an up-to-date inventory of pesticides to monitor usage and avoid overstocking.  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Dispose of pesticide containers and residues according to environmental regulations and organisational protocols.  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Inspect equipment regularly for leaks, damage, or other issues that could lead to unintended chemical exposure.  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 | - Communicate any changes in procedures or chemical usage to all relevant staff promptly.  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 |  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 |  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
| 4. Filling Application |                                      | ЗН              |  | 2M               |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
| Equipment              | Chemical spillage, over exposure     | 31              |  | ZIVI             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 |  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 |  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |
|                        |                                      |                 |  |                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |








| JOB STEP            | POTENTIAL HAZARDS                                    | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                               | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 6. Cleaning Up      | Contact with residue or wastes,<br>improper disposal | ЗН              |  |                  |
| 7. Decontaminating  | Inhalation of fumes, poor ventilation                | ЗН              |  | 1L               |






Version 2.5

Date of Issue:




| JOB STEP                    | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES   | RR               |
|-----------------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS         | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 9. Storage of Pesticides    | Storage fire, leakage, child access   | 4A              |  | 2М               |
| 10. Emergency<br>Procedures | Lack of awareness, slow response time | 4A              |  | ЗН               |









Version 2.5

Date of Issue:




| JOB STEP                                    | POTENTIAL HAZARDS                   | IR              | CONTROL MEASURES   | RR               |
|---|-------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS                         | HAZARDS THAT MAY ARISE              | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|   |                                     |                 |  |                  |
| 14. Use of Personal<br>Protective Equipment | Improper fit, inadequate protection | ЗН              |  | 1L               |

















| JOB STEP                                   | POTENTIAL HAZARDS                             | IR              | CONTROL MEASURES   | RR               |
|--|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS                        | HAZARDS THAT MAY ARISE                        | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|  |   |                 |  |                  |
| 19. Safe Work System<br>Compliance         | Non adherence to guidelines, miscommunication | 2М              |  | 1L               |
| 20. Document Control<br>and Record Keeping | Data loss, non compliance with<br>legislation | 2М              |  | 1L               |

Version 2.5

Date of Issue:





#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REF   |   |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL   | RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. N ANY STACTHAT ARE NOT APPLICABLE   |  |  |  |  |  |  |
| Queensland & Australian Capital Territory<br>Work Health and Safety Act 2011<br>Work Health and Safety Regulations 2011<br>Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u><br>Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u><br>Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u><br>Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>   | Victoria<br>Or opational Health & 1 Safety Acc.004<br>Occupational Health an Safety Acc.004<br>Legismion VIC: <u>https://www.acrksafe.vic.gov.au/occupational-health-and-safety-act-and-<br/>rulations</u><br>des on Factice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>   |  |  |  |  |  |  |
| New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legis">https://www.safework.nsw.gov.au/legal-obligations/legis</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library">https://www.safework.nsw.gov.au/legal-obligations/legis</a>  | Western Australia<br>Work Health and Safety Act 2020<br>Work Health and Safety Regulations 2022<br>Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u><br>Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>   |  |  |  |  |  |  |
| Northern Territory<br>Work Health and Safety (National Uniform Legislation) Act 201<br>Work Health and Safety (National Uniform Legislation) Regulations 20<br>Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplaterefety-la</u><br>Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-reso</u>   | Safe Work Australia Links<br>Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u><br>Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-<br/>codes-of-practice</u>  |  |  |  |  |  |  |
| South Australia<br>Work Health and Safety Act 2012 (SA)<br>Work Health and Safety Regulations 2012 (S.<br>Legislation for SA: <u>https://www.safework.sa.gov.au/resources.ogislation</u><br>Codes of Practice for SA: <u>https://www.safework.sa.gov.au/w_vplaces/codes-of-practice#COPs</u>  | <ul> <li>Model Codes of Practice</li> <li>Managing noise and preventing hearing loss at work</li> <li>Confined spaces</li> <li>Labelling of workplace hazardous chemicals</li> <li>Managing risks of hazardous chemicals in the workplace</li> <li>Welding processes</li> </ul>   |  |  |  |  |  |  |
| Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> | <ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul> |  |  |  |  |  |  |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.   | <ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>   |  |  |  |  |  |  |

#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |

#### SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |

#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED      | COMMENTS |
|---|----------------|----------|
|   |                |          |
| The company details have been entered, including the project name and address.                      |                |          |
| All relevant personnel consulted during the development of the SWMS.                                | $\boxtimes$    |          |
| Name, signature, position and date signed of the person approving the SWMS.                         |                |          |
| Specific personnel and qualifications, experience is noted in the SWMS.                             | 7              |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.                |                |          |
| Adequate risk assessment of any identified hazards has been completed.                              |                |          |
| Foreseeable hazards are identified and documented for each step.                                    | $\boxtimes$    |          |
| Any hazards listed in any site risk assessments have been added to the Sλ. S.                       | $\boxtimes$    |          |
| SWMS initial risk (IR) column as well as residual risk (RR) column completed.                       | $\boxtimes$    |          |
| Check control measures added to the SWMS are the most effective sections.                           | $\boxtimes$    |          |
| Responsible person is assigned and listed on the spiral of the spiral entry of control measures.    | $\boxtimes$    |          |
| Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc. | $\boxtimes$    |          |
| SWMS identifies plant and equipment to be   | $\boxtimes$    |          |
| Details of inspection checks required for any equipment lister are noted on the SWMS.               | $\boxtimes$    |          |
| Describes any mandatory qualifications, experience, ang or skills required to perform the work.     | $\boxtimes$    |          |
| Applicable personal protective equipment is selected on the SWMS.                                   | $\square$      |          |
| Reflects and documents any legislative references and/or Australian Standards.                      | $\boxtimes$    |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.       | $\boxtimes$    |          |
|   |                |          |
| REVIEWED BY   | DATE REVIEWED  |          |
| SIGNATURE   | DATE COMPLETED |          |