Applying Fasteners Manu	ally SAFE WORK METH	OD STATEMENT (SWMS)	
TASK O	R ACTIVITY: Applying Fasteners	Manually	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E qil:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduction the proposed work starts.		required to entry that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWN, as well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	NEL WHO HAVE BEEN CONSULTED AND (THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheduled in according with regislative requirements to first identify any site hazards, and the construction of the those hazards and then to further take steps to either eliminate or constil each hazard.			
If an incident or a near miss occurs, all work must stude under the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integrity structure	\Box is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX								
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.	Replace the hazard.
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde	Engineering Isolate the hazard.
RARE LOW LOW MODERATE HIGH HIGH LOW Korrecord Isolate the hazard. Notes on Hierarchy of Controls: Elimination methods are the most effective and preferrance in columptian a hazard. Engineering by isolation is the number of controlling a hazard. Engineering by isolation is the number of the n								

	PERS_NAL TO TECTIVE EQUIPMENT (PPE) Select the appropriate PPL about suitable for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Required:					_					
	Permit or Licenses Requirements						Mandatory Qualifications and Training				




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Inadequate training, Wrong Personal Protective Equipment (PPE)	2М	 Conduct a comprehensive training session or workers on the correct use of manual fasteners before commencement of the task. Verify that each worker has attended and us on red necessary training sessions related to manual fastening. Provide regular refresher courses to ensure workers' sho and knowledge remain up-to-date. Ensure all worker to comprehension in identifying different types of PPE required for various manual fastening task. Display cleaning age in the workplane the routlines required PPE for applying fasteners manually. Assume qualment encryisor to ensure correct PPE is worn at all times when performing the task. Provide equal Personal Protective Equipment (PPE) to all workers, including gloves, eye protection, and suitate footwear. Implerent at a PE cheak-in and check-out system to track usage and maintenance of protective gear. Conductore-task object PPE for wear and tear and replace damaged items promptly. Create a checklist to confirm that all safety equipment and PPE are readily available before beginning any work. Engage workers in identifying potential hazards and choosing appropriate PPE during job safety analysis meetings. Affix labels or instructions on tools and equipment highlighting required PPE for operations. Develop a corrective action plan to address instances of inadequate training or failure to wear suitable PPE. 	1L
2. Collecting tools and materials	Slips, trips and falls, Incorrect manual handling	ЗН	 Ensure the work area is free from clutter and unnecessary materials to prevent trips and slips. Clearly define and mark walkways and work zones to guide safe movement around the workspace. Use anti-slip mats or wear slip-resistant footwear to reduce the risk of slipping. Store tools and materials in designated areas when not in use to prevent tripping hazards. Arrange for regular housekeeping to keep the worksite tidy and organised. Conduct a manual handling risk assessment before lifting any heavy tools or materials. Use appropriate lifting techniques, keeping a straight back and bending at the knees, to minimise injury risk. Where possible, use mechanical aids such as trolleys or dollies to transport heavy items. 	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Educate workers on proper manual handling techniques through training sessions.	
			- Position frequently used tools and materials within easy reach to reduce the need for unnecessary bending or stretching.	
			- Ensure adequate lighting in all work areas enhance visibility and reduce the likelihood of trips and falls.	
			- Encourage workers to report any hazards to the celly and address them promptly to maintain a safe working environment.	
			- Conduct a pre-work inspection to identify and illuming e poorly lit areas with portable lights or fixed lighting solutions	
			- Ensure that, workers approvide with provinal protective equipment (PPE) such as hard hats with mounted lam, for visibility in low-light antions.	
			- Use -visible the or paint to mark uneven surfaces and potential trip hazards.	
			- Assign takes during daylight hours when possible, or improve general lighting to ensure adequate visibility	
			Implement how excepting measures to keep the work area tidy and free from clutter that may contribute to hopping or slip. If a	
3. Assess the work area	Poor lighting, Uneven surfaces, Overhead obstructions		Concerning sessions for workers on recognising and mitigating risks associated with poor hting and uneven surfaces.	1L
			- A bess the stability of the floor or ground and use temporary flooring or ramps to provide an even surface where necessary.	
			- Install signage alerting workers to the presence of overhead obstructions in critical areas.	
			- Utilise spotters to guide workers around overhead hazards and difficult terrain when moving through the work area.	
			- Review weather forecasts and avoid working under overhead structures during periods of high winds or adverse conditions.	
			- Ensure ladders and step tools are secured and stable to circumvent the need for overreaching under overhead obstructions.	
			- Limit access to high-risk zones with visible barricades or barriers to minimise exposure to areas with multiple hazards.	
4. Secure the material	Incorrect usage of clamping devices,	3H		2M
	Finger/hand injuries			







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Tool Maintenance	Inadequate tool maintenance leading to malfunction, Sharp edges causing cuts and scrapes	2М		 1L
7. Checking the job	Gaps in inspection, Unattended Tools	2M		 1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Clean up	Chemical exposure improper disposal of waste materials	2М		1L
9. Storage	Occupational overuse syndrome from repeated lifting, Falling objects from improper storage	3Н		2M


Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Reporting	Failure to report incidents or non- compliance, wrong logging system	2М		1L






Version 2.5

Date of Issue:











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. End of day wrap up	Unsecured tools and equipment, Unauthorised access to the site	ЗН		 2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Continuous Improvement	Resistance to process changes, Lack of skill or knowledge for improvements	2М		1L
18. Training	Insufficient skills training, Incorrect use of tools	3Н		2M


Version 2.5

Date of Issue:









EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCE IN ANY STOCTHAT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Octupational Health and Safety Acce004 Octupational Health and Safety Acce004 Legistrion VIC: https://www.uorksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations design fractice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplatesterv-la</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplatesterv-la</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/w_cplaces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.	\boxtimes	
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\boxtimes	
Check control measures added to the SWMS are the most effective sections.	\boxtimes	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	\boxtimes	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be	\boxtimes	
Details of inspection checks required for any equipment lister are noted on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\square	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMP	LETED