

Band Saw SA	FE WORK METHOD STATE	EMENT (SWMS)	
	TASK OR ACTIVITY: Band Saw		
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PL OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (I 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions of the cond	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must structured. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1



		CLI	ENT OR PRINCIPAL	CONTRACTOR D	ETAILS			
Client:						SCOPE OF WORKS		
Project Name:					Provide a detailed description of the specific work being carried out (otherwise			
Project Address:					known as cope of works).			
Project Manager:								
Contact Phone:								
Project Manager Sig	nature:							
Date SWMS supplie	d to Project Manager:							
		ANY HIGH-	RISK CON PUCT	N' JRK BEING	CARRIED OUT			
☐ involves a risk of a pe	erson falling more than 2 m	neters.		is carried out on or near pressurised gas mains or piping.				
is carried out on a tel	ecommunication tower.		$H \cap H$	is carried out on	or near chemical, fuel or refrig	erant lines.		
☐ involves demolition o	f an element of a structure	that is load-be n.		☐ is carried out on or near energised electrical installations or services.				
☐ involves demolition o	f an element related to the	physical integrit of a str	3.	is carried out in an area that may have a contaminated or flammable atmosphere.				
☐ involves, or is likely to	o involve, disturbing a	tos.		☐ involves tilt-up or precast concrete.				
involves structural alt	eration or repair that re	upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.				
is carried out in or ne	ar a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.				
is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvin	g use of explosives.	is carried out in a	areas with artificial extremes of	temperature.		
is carried out in or ne	ar water or other liquid tha	t involves a risk of drowning	ng.	☐ involves diving w	vork.			
		ANY HI	IGH-RISK MACHINER	RY OR EQUIPMEN	IT NEARBY			
Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	☐ Boom Lift	☐ EWP	☐ Genie Lift	
☐ Trencher	☐ Drilling Rig ☐ Trucks ☐ Formwork				☐ Flammable Gas	☐ Fuel	☐ Dozer	
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	Other -		

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2





PERL NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PPOTECTION	PROTE	SPIRATORY P STECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
			A								

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Trip hazards, inadequate lighting	2M	 Proper housekeeping: Keep work area clean and tidy at all times to minimise the risk of trip hazards. Ensure that all obstacles or debrit are removed from walking paths and work areas. Implement a high-quality walking surface countain a slip resistant and even walking surface in the workplace, making an necessary spairs immediately. Install adequate lighting: Ensure that work are a cell-lit to reduce trip hazards due to poor visibility. Replace any faulty light fixtures a bulbs as necessary. Mark potential hazards cleans the safety signs, not provings, or hazard tape to draw attention to any collarities or changes in walk as surfaces that could pose a trip hazard. Routinely in sect workspane: Assign ersonal to regularly monitor and review the work as a for the present of trip hazards and implement preventative measures as require. Proving a propriate PPE: Issue suitable personal protective equipment (PPE) such as norn lips thereof a samployees to help prevent accidents caused by slippery floors on new surface. Inductorial raining essions: Hold regular safety meetings and provide training on identified rip hazards, proper use of PPE, and following safe work procedures. Manages ords and hoses effectively: Secure electrical cords, hoses, and cables which the workspace to prevent them becoming a trip hazard. Attach these cords to wais or overhead beams where possible, using cable management systems or clamps. Establish designated walkways: Create well-defined and consistent pathways throughout the workplace, utilising signage and other indicators to maintain orderliness and prevent trip hazards in high-traffic areas. Encourage reporting of potential hazards: Foster an open communication culture among your employees to encourage reporting of any trip hazards they encounter during their work. Address reported issues swiftly to prevent incidents from occurring. 	1L	
2. Equipment Inspection	Electrical hazards, worn-out blade	3Н	 Conduct routine equipment inspection, ensuring all electrical components are in proper working condition and free from any damage. Make sure the power cord is securely and safely connected to a suitable power outlet, including checking for the presence of a Residual Current Device (RCD). Inspect the band saw regularly for wear and tear, especially around the blade guard and other safety features. Replace any worn or damaged parts as required. Verify that all emergency stop buttons and switches are functioning correctly and are easily accessible during operation. 	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Check for worn-out blades, chips, cracks, or excessive build-up on the blade's surface. If necessary, replace the blade with an approved one for the specific task.		
			- Keep the workspace clean and clear of dust, deband trip hazards to reduce the risk of injury due to slips, trips, and falls.		
			- Ensure adequate lighting is provided in the York area to low for easy identification of potential hazards and enable the operator operformer tasks safely.		
			- Utilise appropriate personal protective equipment (PPE), such as safety glasses, hearing protection, and cut-resistant gloves, at all these while perating the band saw.		
			- Follow manufact go lines regular maintenance and servicing of the band saw to prolong affespan of min. Se risk of function.		
			- Train all em, vees on the correct us the aling, and safety procedures of the band to lov the mood of accounts and injuries.		
			- Prove suple stage in the immediate vicinity of the band saw, alerting users to potential vical at mechanical hazards.		
			- Implement a candato lockout/tagout procedure when performing service or sintens ce on the band saw to eliminate the risk of unexpected energising, start-up. The case of stored energy.		
			Report observed or suspected hazards immediately to the relevant supervisor ensure timely assessment and corrective action takes place. - Fester a culture of safety through consistent communication and sharing of		
			knowledge about potential hazards and best practices in the workplace.		
			- Regularly inspect the band saw blade for damage, including broken or missing teeth, ensuring it is suitable for the intended material.		
			- Conduct pre-operation checks on the band saw to identify any issues with the blade assembly and alignment before commencing work.		
			- Ensure only trained and authorised personnel are able to select, mount, and operate the band saw according to the manufacturer's guidelines.		
3. Saw Blade Selection	Inappropriate blade type, incompatible teeth count	3H	- Select an appropriate blade type based on the material being cut and the desired outcome, always adhering to the manufacturer's recommendations.	1L	
			- Choose the correct number of teeth per inch (TPI) for the intended cutting application, taking into account factors such as material hardness, thickness, and surface finish requirements.		
			- Provide clear signage near the band saw outlining blade selection criteria and the required PPE for each type of operation.		
			- Implement a maintenance schedule for the regular replacement and sharpening of blades to maintain optimal cutting performance.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Consult the Safety Data Sheet (SDS) for the material being cut to determine any specific safety precautions related to its composition.		
			- Equip the band saw with appropriate safety device, such as guards, anti-kickback mechanisms, emergency stop buttons, and safe switches to reduce risks during operation.		
			- Utilise adequate ventilation systems and extraction apprent to minimise dust and fume exposure while operating the band saw.		
			- Encourage ongoing communication between works regard a safe work practices and procedures within the desirated work area, in the distribution of band saw blades.		
			- Make relevant auring, in auction, and resources available to all staff for the ongoing impresent of will place so type aurds, especially in relation to the correct blade so oction.		
			- Con the ly review and update risk assessments and Safe Work Method Stater in SWMs to ensure they accurately address potential hazards associated with band so blade election and use, and adequately outline appropriate control measure.		
Material Measurement	Inaccurate measurement, muchal misalignment	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Securing Material	Unstable fixture, pinch p	3H		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Setting Blade Guard	Incorrect height setting, guard tampe og	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Pre-Operation Check	Malfunctioning safety features se parts	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	Unexpected blade in the surface of t				
8. Activate Band Saw	starts	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Cutting Material	Kickback, flying debris	4A		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Re-adjusting Material	Hand injury, sharp edges	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Turn Off Band Saw	Sudden stoppages, trap hazard	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Cleaning Work Area	Slips and falls, dust inhalation	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
13. Detaching Saw Blade	Accidental cuts, improper handling	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
14. Blade Storage	Sharp edges exposure, improper storage	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
15. Maintenance & Servicing	Improper maintenance, unqualified personnel	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	5				



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>Julai.</u>

des of actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Supe	ervisor
				Date:			
				Date			
				L te:			
				Date:			
				Date:			
				Date:			
				Date:			
		SAF WO A	STATEMENT	MONITORING AND R	EVIEW		
The SWMS must be reviewed regularly to racke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are recorded by the operation consultation with workers (including contractors are subcontract as) who may be affected by the operation of the SWMS and their health and safety representatives who recessented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.				effective in reducing the person responsible for memploy a multi-faceted a 1. Spot Checks. 2. Consultation v. 3. Internal audits An approach of continuo followed up by immediate	nitored regularly for the exist of incidents, keeping the onitoring the effectiveness peroach which includes but with workers, contractors at on a continual basis. The improvement, promptly be corrective action and contently developing ever-improvement.	ne workplace safe for all of the Safe Work Method is not limited to: and sub-contractors. recording inconsistencies sultation with all relevan	personnel. The od Statement should statement should so or deficiencies, at personnel ensures
REVIEW NUMBER	□ 1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 20



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWI			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting secutions.			
Responsible person is assigned and listed on the SWMS for the imperent of contameasures.			
Permit requirements specified, such as Hot Work, Electrical Work, Vocat Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed at noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	