


| Belt and Orbital Sand | ler SAFE WORK METHOD | STATEMENT (SWMS) | |
|--|---|---|------------------------------------|
| TASK | OR ACTIVITY: Belt and Orbital S | Sander | |
| Business Name: [Company Name] | | ABN: [ABN] | SWMS# |
| Business Address: [Company Address] | | | |
| Contact Person: | Phone: [Phone] | E 111: | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | THE POST THE PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | cting a business or undertaking (I 3U) is | required to ture at a safe work method s | tatement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring | compliance of the SWMS well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED | N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO | LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND |
| Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions of the cond | NAME | SIGNATURE | DATE |
| If an incident or a near miss occurs, all work must structured. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |



| | | CLI | ENT OR PRINCIPAL | CONTRACTOR E | DETAILS | | |
|-----------------------------|------------------------------|--------------------------------|----------------------|----------------------|------------------------------------|-------------------------------|------------------------|
| Client: | | | | | | SCOPE OF WORKS | |
| Project Name: | | | | | Provide a detailed description | n of the specific work being | carried out (otherwise |
| Project Address: | | | | | known as cope of works). | | |
| Project Manager: | | | | | | | |
| Contact Phone: | | | | | | | |
| Project Manager Sig | nature: | | | | | | |
| Date SWMS supplie | d to Project Manager: | | | | | | |
| | | ANY HIGH- | RISK CON PUCT | N' JRK BEING | CARRIED OUT | | |
| ☐ involves a risk of a pe | erson falling more than 2 m | neters. | | is carried out or | n or near pressurised gas mains | s or piping. | |
| is carried out on a tel | ecommunication tower. | | | is carried out or | n or near chemical, fuel or refrig | gerant lines. | |
| ☐ involves demolition of | f an element of a structure | that is load-be n. | | is carried out on | n or near energised electrical in | stallations or services. | |
| ☐ involves demolition of | f an element related to the | physical integril of a str | Q. | is carried out in | an area that may have a conta | minated or flammable atmo | sphere. |
| ☐ involves, or is likely to | o involve, disturbing a | tos. | | ☐ involves tilt-up o | or precast concrete. | | |
| involves structural alt | eration or repair that re | mporal, upp to p | revent collapse. | is carried out on | n, in or adjacent to a road, railw | ay, shipping lane or other to | raffic corridor. |
| is carried out in or ne | ar a confined space. | | | ☐ is carried out in | an area of a workplace where | there is any movement of p | owered mobile plant. |
| is carried out in/near | a shaft or trench deeper th | nan 1.5m or tunnel involvin | g use of explosives. | is carried out in | areas with artificial extremes o | f temperature. | |
| is carried out in or ne | ar water or other liquid tha | at involves a risk of drowning | ng. | involves diving | work. | | |
| | | ANY HI | GH-RISK MACHINER | RY OR EQUIPME | NT NEARBY | | |
| ☐ Forklift | ☐ Crane/s | ☐ Hoist/s | ☐ Excavator | ☐ Backhoe/Loade | er 🔲 Boom Lift | □ EWP | ☐ Genie Lift |
| ☐ Trencher | ☐ Drilling Rig | Trucks | Formwork | ☐ Bobcat | ☐ Flammable Gas | ☐ Fuel | ☐ Dozer |
| ☐ High Voltage | ☐ Mulcher | ☐ Tilt-up Panels | Roller | ☐ Scissor Lift | ☐ Tractor | Other - | |





PER NAL TECTIVE EQUIPMENT (PPE)

| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING PROTECTION | PROTE | SPIRATORY P TECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
|--------------------|--------------------|--------------------|-----------------------|-------|------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | | A | | | | | | | | |
| | | | | | | | | | | | |

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 1. Preparation | Tripping on cords, Exposure to dust | 2M | Ensure that the work area is free of any debris, clutter, or other trip hazards before starting work, and maintain a clean environment three shout the project. Inspect cords and cables, including extensions and and power boards, to ensure they are in good condition and without any coole damage such as fraying or exposed wires. Use cable organisers, cable cover or cable the recurrely manage loose cords and prevent them from becoming tangled or creating a trip hazard on walking paths. Position cords and equipment way from walkways and an traffic areas to reduce the risk of tripping; or any using emporary barriers undecessary. Ensure that a workers in a ved line a project delive appropriate training and are made aware. Workplace walth any lafet and irrements for using belt and orbital sander. Provide workers an appropriate Personal Protective Equipment (PPE), such as safety that any significant that feature built-in effective dust extraction systems, as safety as a significant that feature built-in effective dust extraction systems, as the last valuum to anners equipped with HEPA filters, to control dust at its source. Use to sand mulpiment that feature built-in effective dust extraction systems, as the last valuum to anners equipped with HEPA filters, to control dust at its source. Use to ontainment systems or barriers, such as curtains, to limit the spread of list particles to other areas if working indoors. Increase the frequency of work breaks to minimise prolonged exposure time to dust particles and reduce overall strain from using the belt and orbital sander. Ensure proper disposal of collected dust in sealed bags or containers, followed by regular cleaning and maintenance of tools and workspaces, to further mitigate the potential risks posed by dust exposure. | 1L | |
| 2. Equipment Setup | Incorrect equipment setup, Electrical hazards | ЗН | Appropriate training: Ensure that workers receive proper training for using and setting up the belt and orbital sanders, including understanding manufacturer's recommendations and performing risk assessment for each specific task. Inspection of equipment: Conduct a pre-use inspection of belt and orbital sanders to ensure all components are in good working condition, with no visible damage or wear. Additionally, inspect electrical cords and plugs for any cuts, exposed wires, or other deformities. Follow manufacturer guidelines: Always adhere to the manufacturer's instructions for setting up the belt and orbital sanders, ensuring that guards are properly installed, and accessories are securely attached. Use of safety devices: Utilise safety devices like residual current devices (RCDs) and grounding systems to minimise the risk of electrical shock from power tools. | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON | | |
|---------------------|---|-----------------|--|------------------|---|--|--|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON | | |
| | | | Proper PPE: Make sure that personal protective equipment (PPE), such as safety glasses, hearing protection, gloves, dust masks or respirators are worn by workers while setting up and using the sanders. | | | | |
| | | | - Workspace preparation: Set up the workspace of a well-lit area with adequate ventilation, keeping the work surface clean a clutter-free to reduce the risk of accidents and distractions. | | | | |
| | | | Electrical safety: Ensure that all electrical concerns, including extension cords if used, are secure and not overloaded, minimising the risk of short sircuits, overheating, or shock. Ergonomic setup: A the extension and workstands to fit the worker's height | | | | |
| | | | and reach, which are reducted in the incidence of injure due to repetitive movements or awkward posteries. - Safe that state as: When not in use, so were belt and orbital sanders in designated | | | | |
| | | | areas are the common seeknocked over, damaged, or pose a tripping hazard. | | | | |
| | | | - Regular, chedul maintenance: Perform routine maintenance on belt and orbital sander activities and confidence of the maintenance on belt and orbital sander activities and confidence of the maintenance on belt and orbital sander activities and confidence of the maintenance of the maintenance on belt and orbital sander activities activities and orbital sander activities and orbital sander activities activities and orbital sander activities and orbital sander activities and orbital sander activities activities and orbital sander activities activities and orbital sander activities a | | | | |
| | | | nerge by precedeness: Have an emergency plan in place to respond effectively to in the control or injuries involving the belt and orbital sanders, including having a well-tocked aid kit nearby and clear communication channels among team mbers. | | | | |
| | 5 | | Ensure all workers operating belt and orbital sanders have the proper training and are familiar with the equipment, including proper operating techniques and safety precautions to mitigate the risk of finger injuries. | | | | |
| | | | | | Workers must wear appropriate personal protective equipment (PPE) while operating sanders, such as safety gloves to protect their fingers from injury and snug-fitting clothing that will not get caught in the sander. | | |
| | | | Install and maintain physical guards on the sanding equipment to cover moving parts, reducing the risk of contact with the abrasive surface and potential finger injuries. | | | | |
| 3. Sanding Process | anding Process Finger injury, Dust inhalation | 4A | - Use sanders with dust collection systems to minimise airborne dust particles and reduce the risk of dust inhalation during the sanding process. | 2M | | | |
| | | | - Provide workers with well-fitting face masks or respirators designed for protection against dust particles to further minimise the risk of inhaling harmful dust during the sanding process. | the | | | |
| | | | - Encourage workers to take regular breaks to stretch and relax their hands and fingers, which can help prevent fatigue and reduce the risk of finger injuries. | | | | |
| | | | - Maintain a clean and organised workspace, void of excessive dust accumulations, ensuring workers have adequate visibility of their environment and the sanding process. | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Implement a system for regular inspection and maintenance of sanding equipment, ensuring belts and discs are in good condition, sharp, and free of defects, reducing the risk of malfunction resulting in injury. | | |
| | | | - Establish clear communication protocols amort workers to ensure everyone is aware of ongoing sanding operations, proving ample opportunity to avoid accidental contact with the equipment and in ucing the law of finger injuries. | | |
| | | | - Implement an emergency response plan in containing incidents, such as sudden equipment failure or injuries, cutlining clear processes for shutting down equipment, administering first aid, and nowing relevant super cors | | |
| 4. Material Handling | Awkward posture train due to the wy lifting | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 5. Machine Maintenance | Entanglement with Coving parts, Contact with sharf objects | ЗН | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------------|-----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 6. Machine Transportation | Dropping the macke, Trie carrying | \$W | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 7. Tool Storage | Storage in inappropagation, Itto s falling from storage | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 8. Noise Control | Prolonged exposult Solse, Inability to communicate safety haza as | ВН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 9. Housekeeping | Customer property damage, Slips a trips due to debris | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|-------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 10. Power Tool | Electrical hazards, Cuts from sharp | ЗН | | 1L | |
| Cleaning | edges | 311 | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 11. Waste Disposal | Injury from sharp was the allous material contact | Z-IVI | | 1L | |



| JOB STEP POTENTIAL HAZA | ARDS IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-------------------------------------|------------------------|--|------------------|--------------------|
| PECIFIC WORK STEPS HAZARDS THAT MAY | 'ARISE INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | ARISE INITIAL RISK | | RESIDUAL | PERSON |



| POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|-----------------|--|--|---|
| HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | LIAZARRO THAT MAY ARISE INITIAL | INITIAL COPCUES MEACURES TO BE BUT IN DI ACE TO ELIMINATE OR CONTROL THE DISKS | LIAZADDO THAT MAY ADICE INITIAL CONCINIO MEASURES TO BE BUT IN DI ACE TO FUMINATE OD CONTROL THE BIGGS RESIDUAL |



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislat

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor/ aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act 34

Occupational Health and afety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| | Tollow any sale work instructions which are provided, and agrees to use all reisonal riotective Equipment where appropriate. | | | | | | | |
|--|--|--------|---|-------|------|-----|----------|--|
| Worker Name | Pos | sition | Signature | Date | Time | Sup | pervisor | |
| | | | | Date: | | | | |
| | | _ | | | | | | |
| | | Date | | | | | | |
| | | | | l te: | | | | |
| | | | AV | Date: | | | | |
| | | | | Date: | | | | |
| | | | | Date: | | | | |
| | | | | Date: | | | | |
| | SAF WC A STHED STATEMENT MONITORING AND REVIEW | | | | | | | |
| The SWMS must be reviewed regularly to roke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are subcontracted by process should be carried out in consultation with workers (including contractors and subcontract is) who may be affected by the operation of the SWMS and their health and safety representatives who received that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in | | | The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. | | | | | |
| a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS. | | | An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles. | | | | | |
| REVIEW NUMBER | □ 1 | □ 2 | □ 3 | □ 4 | □ 5 | □ 6 | □ 7 | |
| NAME | | | | | | | | |
| INITIALS | | | | | | | | |
| DATE | | | | | | | | |



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training. | | | | | | |
|---|-----------|------------|----------|--|--|--|
| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS | | | |
| | | | | | | |
| The company details have been entered, including the project name and address. | | | | | | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | | P | | | | |
| Name, signature, position and date signed of the person approving the SWMS. | | | | | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | P | | | | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | | | | | |
| Adequate risk assessment of any identified hazards has been completed. | | | | | | |
| Foreseeable hazards are identified and documented for each step. | | | | | | |
| Any hazards listed in any site risk assessments have been added to the SWN | | | | | | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | | | | | | |
| Check control measures added to the SWMS are the most effecting sections. | | | | | | |
| Responsible person is assigned and listed on the SWMS for the intermediate of contameasures. | | | | | | |
| Permit requirements specified, such as Hot Wrong Electrical Work, Variat Heights etc. | | | | | | |
| SWMS identifies plant and equipment to be u d. | | | | | | |
| Details of inspection checks required for any equipment listed at noted on the SWMS. | | | | | | |
| Describes any mandatory qualifications, experience raining skills required to perform the work. | | | | | | |
| Applicable personal protective equipment is selected on the SWMS. | | | | | | |
| Lists any required permits or licenses. | | | | | | |
| Reflects and documents any legislative references and/or Australian Standards. | | | | | | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | | | | | | |
| | | | | | | |
| REVIEWED BY | DATE R | EVIEWED | | | | |
| SIGNATURE | DATE CO | MPLETED | | | | |