Concrete Pump Truck With Li	ne Pump SAFE WORK M	ETHOD STATEMENT (SWM	S)
TASK OR AC	TIVITY: Concrete Pump Truck W	ith Line Pump	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduction the proposed work starts.	icting a business or under thing (Pool V) is	required to entry of that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorin	compliance of the SWh, as well as re	views and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	IEL WHO HAVE BEEN CONSULTED AND	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be schedued in according e with egislative requirements to first identify any site hazards, and the to contain the those hazards and then to further take steps to either eliminate or contail each hazard.			
If an incident or a near miss occurs, all work must successful diately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	800DF	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.	
is the second m	RARE LOW LOW MODERATE HIGH HIGH LOW Ke record Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferrance en council ga hazard. Substitution as the second most effective method of controlling a hazard. Engineering by isolation is the number of expression work. Administrative Change the work. Controls by changing the work is the fourth most effective method. PPE (Personal Prote ive enuipment) is the least effective Dependent Dependent									

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Required:					_					
	P	ermit or Lice	nses Requiren	nents			Mandatory Qualifications and Training				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Site Preparation	Inadequate site assessment, Slips and trips	ЗН	 Conduct a comprehensive site assessment to identify potential hazards and document them. Ensure clear communication among all perponder usite regarding identified hazards. Establish and maintain clear access paths from obstacles and debris. Implement appropriate signifier and barriers to mark hard have areas. Provide proper training in validation in all work reast to prevent slips, trips, and falls. Regularly invect the site or any new concepted hazards that may arise during work. Use a conal performed equipment (PPE) such as high-visibility clothing and safety boots. Incompresentiates or surfaces where necessary to minimise slip risks. Establish an merge by response plan and ensure all workers are familiar with it. 	2M
2. Delivery of Equipment	Traffic hazards, Uneven ground	ЗН	 Implement traffic management plan to direct nearby vehicles Implement traffic management plan to direct nearby vehicles Ine spotters to guide drivers during equipment delivery Display clear signage indicating work zone and traffic changes Schedule deliveries during off-peak traffic times to minimise risk Inspect delivery route for potential hazards such as potholes and loose gravel Ensure all workers wear high visibility clothing Use chocks or stabilisers to secure the truck on uneven ground Conduct a pre-start inspection to identify any damaged or malfunctioning equipment Verify driver qualifications and experience with similar equipment Communicate with all personnel about delivery timings and procedures Wear appropriate PPE, including steel-capped boots and gloves Establish exclusion zones to keep unauthorised persons away from the delivery area Provide training on safe manual handling techniques to avoid musculoskeletal injuries 	2M
3. Position Concrete Pump Truck	Overhead power lines, Vehicle collision	4A	 Conduct a site inspection to identify any overhead power lines before positioning the truck Maintain a minimum clearance distance from overhead power lines as specified by regulatory guidelines Use spotters or ground personnel to guide the driver in positioning the truck safely 	ЗН



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Erect warning signs and barriers to indicate the presence of overhead power lines	
			- Ensure all workers are inducted on the site's safety protocols, especially regarding overhead hazards	
			- Review and update the Safe Work Method Statuent (SWMS) with specific reference to positioning near power lines	
			- Use an insulated elevating work platform, WP) for y tasks near overhead power lines	
			- Assess weather conditions that could affect sibility of power lines, such as fog or heavy rain	
			- Install reflective markers of gs on or near por clines to approve visibility	
			- Check the condition of the true 's braking and states systems before moving it into position	
			- Implement trace control asure including sin age, barriers, and designated paths to prevent vehicle collisions	
			- Use the the visit of clothing and equip, and for all workers involved in positioning the truck	
			- Esta is commercation protocols using radios or hand signals between the driver and ground persol, ie,	
			- Positive the ruck in the namer that allows sufficient space for safe entry and exit without obstructing affic flo	
4. Stabilising Outriggers	Crushing injuries, Equipment failure	ЗН		2M

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Set Up Line Pump	Manual handling injuries, Tripping hazards	ЗН		2M
6. Pre-Operational Checks	Mechanical failure, Missing parts	ЗН		2M

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Connect Hoses	High-pressure hose consts, wremical exposure	4A		3Н
8. Starting the Pump	Equipment malfunction, Noise exposure	3Н		2M


Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
PECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				_
				-
. Pour Concrete	Spillages, Falling objects	3H		2M
0. Monitor Pumping Process	Blockage in lines, High pressure leaks	ЗH		2M

Version 2.5






Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. End of Pour Activities	Sudden pump stop, Residual concrete spills	ЗН		2M
13. Cleaning the Pump	Chemical exposure, Slip hazards from water (if wet method)	ЗН		2M

Version 2.5





Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Inspect Site for Residual Hazards	Leftover debris, Incomplete cleanup	ЗН		2М
16. Move Pump Truck	Collision risks, Overturning vehicle	4A		3Н




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Secure and Transport Equipment	Load shifts, Traffic r			2М
18. Perform Maintenance Checklist	Uncleaned residues, Wear and tear on parts	ЗН		2M





Version 2.5





EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES			
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. IN ANY STOTAT ARE NOT APPLICABLE				
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Octopational Health and Safety Arec2004 Octopational Health and Safety Arec2004 Legischion VIC: <u>https://www.arksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> des on fractice VIC <u>entrps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>			
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>			
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulate s 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance</u> , <u>prkplate</u> <u>fety-lak</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance</u> , <u>prkplate</u> <u>fety-lak</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u>			
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources_gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/w_splaces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes			
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 			
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 			

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.	\boxtimes	
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\boxtimes	
Check control measures added to the SWMS are the most effective sections.	\boxtimes	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	\boxtimes	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be	\boxtimes	
Details of inspection checks required for any equipment lister are noted on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\square	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIE	EWED
SIGNATURE	DATE COMP	LETED