Connecting Hot And Cold-Water Pipes SAFE WORK METHOD STATEMENT (SWMS)									
TASK OR AC	TASK OR ACTIVITY: Connecting Hot And Cold-Water Pipes								
Business Name:		ABN:	SWMS#						
Business Address:									
Contact Person:	Phone:	E ail:							
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT							
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	icting a business or under thing (Port U) is	required to entry of that a safe work method	statement (SWMS) is prepared before						
Full Name:									
Signature:		Title:	Date:						
Details of the person(s) responsible for ensuring implementation, monitorin $\gamma_{\rm e}$	compliance of the SWI, was well as re	eviews and modifications of the SWMS.							
Full Name:		Title:	Phone:						
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NATE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	IEL WHO HAVE BEEN CONSULTED AND	COMMUNICATED TO IN THE						
Safety meetings or toolbox talks will be schedued in according e with egislative requirements to first identify any site hazards, and the to contain the those hazards and then to further take steps to either eliminate or contail each hazard.									
If an incident or a near miss occurs, all work must support an advately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.									
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.									
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.									



CLIENT OR PRINCIPAL CONTRACTOR DETAILS							
Client:	SCOPE OF WORKS						
Project Name:							
Project Address:							
Project Manager:							
Contact Phone:							
Date SWMS supplied to Project Manager:							
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping						
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines						
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services						
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere						
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete						
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor						
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant						
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.						
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.						
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY						



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.	
is the second m	RARE LOW LOW MODERATE HIGH HIGH LOW ke records Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferring en course of a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the use post existing the work is the fourth most effective method. PPE (Personal Protering to substitution is the least effective Administrative Change the work.									

	PERS_NAL TECTIVE EQUIPMENT (PPE) Select the appropriate PPL about suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Permit or Licenses Requirements Mandatory Qualifications and Training										



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Injury due to tripping over tools/equipment, exposure to hazardous materials	ЗН	 Conduct a site walk-through to identify provided trip hazards and ensure the work area is clear of unnecessary tools, equipment, and match to before or uning the job. Implement proper signage and barrier system to clineate the work area and alert others to potential hazards. Organise and store tools and equipment neatly inclusion or areas when not in use to prevent clutter. Use personal product equipment (PPE) such as solves, masks, and goggles to protect against exposure to be inducted in the rank. Provide training on hazar identification or management for all workers involved in the task to ensure they in aware if the rank. Ensure spatial spatial spatial spatial spatial spatial to ensure visibility and reduce the risk of tripping over tools or aterial. Devide the light with the work area to ensure visibility and reduce the risk of tripping over tools or aterial. Devide the spatial or injury. Installed or the light with tools and equipment to ensure they are in good working condition and save to use. Assign a safety officer or designate a responsible individual to monitor compliance with safety procedures during the preparation phase. Encourage a culture of open communication about potential hazards and near-misses to foster continuous improvement in safety practices. 	1L
2. Pipe Selection Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pipes causing leaks, strain or injury due to heavy pipes 2 M Incorrectly sized pip		 Conduct a risk assessment for lifting heavy pipes and ensure the use of correct lifting techniques by all team members. Supply personal protective equipment (PPE) such as gloves and steel-toed boots to protect against injury from heavy pipes. Organise routine inspections of tools and equipment used in pipe selection to ensure they are in good 	1L	

order complete swms

bluesafe.

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS - Develop clear signage and labels for identifying different pipe sizes to minimise confusion and errors Schedule regular toolbox talks focusing on safe manual handling practices and common pipe selection mistakes Establish a communication protocol amore cleam members for reporting incorrect pipe fittings or potential issues immediately.	RESIDUAL RISK
3. Measuring and Cutting Pipes	Physical injury from sharp tools, risk of inaccuracies resulting in leaks	ЗН	 Provide proper training to workers on the use variable of outting tools to prevent mishandling and reduce accident risks. Use personal protective equiption (PPE) such as a possistant gloves, safety goggles, and long-sleeve clothing to minimize right from earp tools. Ensure all thes are proper maintured and egularly inspected for damage or defects to prevent tool malfunction doing use. Cleare mark compares with bright, visible lines to guide accurate cuts and reduce measurement errors Implement double back system where another worker verifies measurements before any cutting is performed to usure a surface. Itablis a clear and organised workspace free from obstructions to provide a safe environment and prevent in hazards. Itilise appropriate vise or clamps to secure pipes while measuring and cutting, preventing pipe mement and enhancing precision. Use tools designed for specific materials and diameter sizes to achieve correct and efficient cutting results. Instruct workers to use slow, steady motions when using cutting tools to maintain control and accuracy. Conduct regular safety briefings to remind employees of best practices and encourage adherence to safe work procedures. 	2M
4. Fitting Hot Water Pipes	Burns from hot water, slipping due to water spillage	4A		2M

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Fitting Cold Water Pipes	Physical strain from pipe fitting proce damage to pipes leading to leaks	ЗН		2М
6. Checking for Leaks	Risk of water damage to property, potential for electric shock if water contacts electrics	ЗН		2М



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Insulating Pipes	Exposure to insulating materials, cuts from sharp objects	2М		1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Water Pressure Testing	Possible pipe burst/leak causing injury, damage to surrounding environment due to excessive pressure	4A		3H
10. Cleanup	Slips, trips, and falls due to untidy work area; injury from not properly securing tools and equipment	2M		1L

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY STATISTICATION AND APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Acce004 Occupational Health and Safety Acce004 Legis from VIC: <u>https://www.orfksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> des of mactice VI o <u>sttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis/ Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis/	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 200 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance</u> orkplatfety-lat Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance</u> orkplatfety-lat	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/ve_vplaces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes					
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Work freating and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 					

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SN S.	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\square	
Check control measures added to the SWMS are the most effective sour tions.	\boxtimes	
Responsible person is assigned and listed on the spin central procentation of control measures.	\square	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be	\square	
Details of inspection checks required for any equipment lister are noted on the SWMS.	\square	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\square	
Reflects and documents any legislative references and/or Australian Standards.	\square	
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMP	LETED