Connecting Water Supply I	Piping SAFE WORK MET	HOD STATEMENT (SWMS)	
TASK OR	ACTIVITY: Connecting Water Su	pply Piping	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person condu the proposed work starts.	cting a business or under using (Pu-U) is	required to entry of that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorin	compliance of the SWN as well as re	views and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	IEL WHO HAVE BEEN CONSULTED AND (THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheduled in according ewith regislative requirements to first identify any site hazards, and the to further take steps to either eliminate or contail each hazard.			
If an incident or a near miss occurs, all work must stude under the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX																			
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	800DF	ACTION		HEIRARCHY OF CONTROLS											
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	SCORE	SCORE	SCORE	SCORE	SCORE	SCORE	JUORE	SCORE	SCORE		ACTION		Elimination Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution											
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.											
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard											
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.											
is the second m	RARE 1 1 2 3 3 1L Milde Mi																			

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).		
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED	
Other PPE R	Required:					_						
	P	ermit or Lice	nses Requiren	nents			Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Slips, trips and falls, Manual handling injuries	ЗН	 Conduct a pre-start risk assessment to identify potential hazards and implement appropriate controls. Wear appropriate personal protective equipment (Proc) including non-slip footwear, gloves, and high-visibility clothing. Maintain a clean and tidy welkspace by regulate removing poris, tools, and materials from walkways. Use appropriate manual harking techniques such controling at the knees, keeping a straight back, and avoiding twisting manual to welkspace by regulate removing ports. Install temporary barriers signal to ware unless of potential trip hazards in the work area. Utiliscimechanical aids for trolleys, house, or dollies to transport heavy materials whenever possible. Ensure dequate oning is provided in all areas where work will be performed to improve visibility and reduce the risk of this and falls. Plan the late of these and materials to minimise unnecessary movement and reduce the risk of slip, trip, and nanding injuries. In still tools and equipment prior to use to ensure they are in good working condition and free from detects that could cause injury. Encourage workers to report any hazards or unsafe conditions immediately for timely corrective action. Ensure a first aid kit is readily accessible and that workers know its location and how to use it. Schedule regular breaks to prevent fatigue, which can increase the likelihood of slips, trips, falls, and manual handling injuries. 	2М
2. Isolating the water supply	Incorrect isolation, Exposure to electricity	4A	 Conduct a pre-work risk assessment to identify potential hazards and establish control measures Verify the water supply system diagram to ensure correct lines are isolated Lock out/tag out systems should be applied to prevent accidental reactivation Use signage to indicate isolated areas and inform staff of ongoing work Wear personal protective equipment (PPE) such as gloves, safety glasses, and appropriate footwear Ensure isolation points are accessible and properly maintained Double-check for residual energy or pressure in the pipe before commencing any work Perform electrical isolation using qualified personnel to avoid contact with live wires Utilize proper tools and equipment that are insulated and in good working condition Train all workers involved in the process on isolation procedures and emergency response steps 	2M

order complete swms

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS - Maintain communication among team members throughout the isolation process to ensure everyone's safety	RESIDUAL RISK
3. Cutting existing pipes	Cuts and lacerations, Noise exposure	ЗН	 Provide and enforce the use of appropriate accordal protective equipment (PPE) such as gloves, long sleeves, and safety glasses to prevent occurand lacerations. Ensure that all workers are trained in the set user ocutting tools and machinery to reduce the risk of injury. Use mechanical pipe cutter what provide safer, the an cuter unpared to manual hacksaws to minimise the risk of injuries. Conduct a pre-streams, rotion well tools and equipment to ensure they are in good working condition and free from the set. Establish a more management plan using the provision of hearing protection such as earnuffs or earpited for waters. Implements afe they procedures for cutting tasks including maintaining a firm grip on tools and securing pipes a least tely before cutting. Maintal clear communication among team members during cutting operations to ensure everyone is tare of neir secondings and tasks. Set where so reaming signs around the work area to keep unauthorised personnel at a safe distance uring cutting cutties. Ingularly enforce breaks and rotation of workers involved in cutting tasks to prevent fatigue-related accedents. Ensure immediate first aid kits are readily available and accessible to promptly address any incidents of cuts or lacerations if they occur. 	1L
4. Preparing new pipe sections	Manual handling injuries, Working at height	ЗН		2M






Version 2.5

Date of Issue:





Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Filling and pressurising the system	Water pressure injury, Equipment failure	4A		2M
9. Checking function of connected pipeline	Function failure, Leakage	2M		 1L

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Finishing work and clean up	Slips, trips and falls, Incorrect storage of equipment	2М		1L
11. Reporting	Incomplete or incorrect documentation	1L		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Training new staff	Unskilled labour, Improper application of safety controls	2М		1L
13. Post-completion inspection	Undetected leaks, Pipeline malfunction	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				I
				1
		1		•
14. Maintaining tools and equipment	Equipment failure ujury from improper use	ЗН		1L
15. Recording client feedback	Miscommunication, Errors in record keeping	2M		1L

Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Follow-up visit	Injury during site Vegeneration issue during initial installation	-ЗН		2M
17. Packaging waste management	Environmental damage, Manual handling injuries	2M		1L

Version 2.5

Date of Issue:






Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Emergency preparedness	Panic or confusion during emergencies, Lack of emergency resources	4A		3H
20. Regular updating of work procedures	Outdated procedures, Non-compliance with updated regulations	ЗН		2M





EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY STAR THAT ARE NOT APPLICABLE					
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Or opational Health & 1 Safety Acc-004 Occupational Health an Safety Acc-004 Legis from VIC: <u>https://www.adrksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> des on Fractice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>				
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis/ Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis/	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>				
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplaterefety-la</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-reso</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>				
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/ve_cplaces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes				
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 				
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 				

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.	\boxtimes		
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	7		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the Sλ. S.	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\boxtimes		
Check control measures added to the SWMS are the most effective sections.	\boxtimes		
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	\boxtimes		
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be	\boxtimes		
Details of inspection checks required for any equipment lister are noted on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\square		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE REVIEWED		
SIGNATURE	DATE COMPLETED		