DJI Agras T 40 Spray Drone Chemi	cal Application SAFE WO	ORK METHOD STATEMENT	(SWMS)
TASK OR ACTIVIT	Y: DJI Agras T 40 Spray Drone	Chemical Application	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. YOF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	ucting a business or und ring (Po. U)	is required to enter that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorin	compliance on the SWN, as well as	reviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NA OF ALL RELEVANT PERSON EVELOPMENT AND APPROVAL C	INEL WHO HAVE BEEN CONSULTED AND OF THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched, ed in accounce with regislative requirements to first identify any site hazards, and the to contain the those hazards and then to further take steps to either eliminate or contained and hazard.			
If an incident or a near miss occurs, all work must store and ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.	
is the second m	RARE LOW LOW MODERATE HIGH HIGH LOW k. records Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferring en column g a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the number of engineering by isolation is the number of equipment is the least effective Administrative Change the work. Controls by changing the work is the fourth most effective method. PPE (Personal Prote ive mulpment) is the least effective Depte									

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).		
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED	
Other PPE R	Required:					_						
	P	ermit or Lice	nses Requiren	nents			Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Manual handling of drone, Slipping on wet surface	ЗН	 Ensure all workers are trained in proper valual handling techniques. Use mechanical lifting aids to move the once when possible. Check and clear the area of any tripping have a before starting work. Provide non-slip footwear wealt personnel involued in the operation. Conduct a pre-operation safe obriefing focused or unanual handling and surface conditions. Mark wet areas with warning signationalert workers. Schedule work to avoid or erations or environment to distribute weight evenly. Employee and the operation of the operation of the operation of the operation. Use some and maintain footwear and ground surfaces for wear and damage. Improvent a safe work procedure for handling the drone that includes step-by-step instructions. 	2М
2. Site Assessment	Uneven terrain, Presence of wildlife	ЗН	 Conduct a thorough survey of the site to identify uneven terrain and mark hazardous areas. Implement signage or barriers around identified hazardous areas to prevent accidental access. Equip drone operators with appropriate personal protective equipment (PPE) such as high-visibility vests and sturdy footwear. Develop a wildlife management plan to mitigate risks related to the presence of animals, including the use of deterrents if necessary. Ensure that all personnel involved in the operation are trained in recognising and responding to potential hazards related to uneven terrain and wildlife. Use GPS mapping technology to plan flight paths that avoid areas with severe terrain irregularities and known wildlife habitats. Maintain constant communication among team members using two-way radios or mobile phones for real-time updates on site conditions. Schedule operations during times of the day when wildlife is less active to minimise the risk of encounters. Check weather conditions prior to each operation to ensure they will not exacerbate existing hazards such as making terrain more slippery or wildlife more agitated. 	2М

order complete swms

bluesafe.

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Develop and rehearse emergency response procedures specific to the site and its identified hazards, ensuring all team members are familiar with these protocols.	
3. Drone Assembly	Sharp edges, Misconnection of parts	ЗН	 Conduct a pre-operational safety briefing to norm all personnel of potential hazards. Wear appropriate personal protective equipment (PPE) cluding gloves to protect against sharp edges. Use tools designed for the assembly proceed to commise manual handling and reduce risk of cuts. Verify all parts using the incruction manual to a sure correctionnections, avoiding misassembly. Engage in buddy-checking suitem where a second to member reviews the assembly for errors. Keep hands anothing and lear up inch points during assembly to prevent injury. Label all provides or orderpment-species shields if available to cover sharp edges during installation. Adhr suricitly to canufacturer guidelines and protocols for each assembly step. Ensult the rook all is well-lit and free from distractions to maintain focus during assembly. Take regular eaks to avoid fatigue, which can increase chances of accident or misconnection. I which and report any injuries like cuts or scrapes promptly. 	1L
4. Battery Installation	Electrical shock, Incorrect installation	ЗН		2М

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Chemical Mixing	Spillage, Inhalation of fumes	4A		2М
6. Filling the Tank	Chemical splash, Overfilling	4A		2M

Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Pre-Flight Check	Equipment malfunction, Missing checks	ЗН		I I 1L I
8. Flight Planning	Inaccurate GPS data, Collision risks	ЗН		2M
9. Take-Off	Loss of control, Propeller injury	4A		2M

Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. In-Flight Operation	Low battery, Weather conditions	ЗН		2М





Version 2.5





Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Landing	Hard landing, Ground obstacles	ЗН		2M
15. Post-Flight Inspection	Wear and tear assessment, Data logging	2М		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Battery Removal	Electrical shock, Hot components	зн		2M
				-
				-
17. Chemical Disposal	Environmental contamination, Contact with skin	4A		2M

Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
18. Cleaning Equipment	Chemical residues, Use of cleaning agents	ЗН		1L





Version 2.5





EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES				
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY START ARE NOT APPLICABLE				
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Acceded Occupational Health and Safety Acceded Legislation VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gular s</u> design factice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>			
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: <u>https://www.safework.nsw.gov.au/legal-obligations/legis</u> Codes of Practice NSW: <u>https://www.safework.nsw.gov.au/resource-librany</u>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>			
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.orkplates.or</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice			
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S Legislation for SA: https://www.safework.sa.gov.au/resources.ogislation Codes of Practice for SA: https://www.safework.sa.gov.au/resources.ogislation Codes of Practice for SA: https://www.safework.sa.gov.au/resources.ogislation Tasmania Work Health and Safety Act 2012	 Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace Managing the risk of falls at workplaces 			
Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	 Managing the risk of fails at workplaces Hazardous manual tasks Managing the risk of fails in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 			
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	- Managing the work environment and facilities - How to manage work health and safety risks - Managing risks of plant in the workplace - Construction work			

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.	\boxtimes		
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	7		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the Sλ. S.	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\boxtimes		
Check control measures added to the SWMS are the most effective sections.	\boxtimes		
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	\boxtimes		
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be	\boxtimes		
Details of inspection checks required for any equipment lister are noted on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\square		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE REVIEWED		
SIGNATURE	DATE COMPLETED		