Digging Holes S	AFE WORK METHOD STA	TEMENT (SWMS)	
٦	ASK OR ACTIVITY: Digging Hole	25	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduction the proposed work starts.		required to entry that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorin $\gamma_{\rm e}$	compliance of the SWI, was well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	IEL WHO HAVE BEEN CONSULTED AND THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be schedued in according e with egislative requirements to first identify any site hazards, to control to those hazards and then to further take steps to either eliminate or control leach hazard.			
If an incident or a near miss occurs, all work must store a parallely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	800DF	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.	
is the second m	RARE 1 1 2 3 3 1L Inition and ke precorder Isolate the hazard. Index on Hierarchy of Controls: LOW MODERATE HIGH HIGH LOW Ke precorder Isolate the hazard. Index on Hierarchy of Controls: Elimination methods are the most effective and preference on comparison of controlling a hazard. Engineering by isolation is the purpose of entrols by changing the work is the fourth most effective method. PPE (Personal Proterive equipment) is the least effective Change the work.									

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Required:					_					
	P	ermit or Lice	nses Requiren	nents			Mandatory Qualifications and Training				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Incorrect site assessment, Inadequate training	ЗН	 Conduct a thorough site assessment to jd sury potential underground services such as pipes and cables before digging commences. Utilise up-to-date site maps and "Dial Before (app)g" services to obtain accurate information about underground utilities. Ensure all workers involved the activity have employ adequate training in hole digging, hazard identification, and encreacy predures. Regularly revise and upper training records to ensure all personnel are compliant with current safety standards a coractices. Clear mark insignate digging area to prevent unauthorized access and reduce the risk of accidental injury. Implement site-specific induction for all employees that covers site conditions, activities, and known hazard tass that due to the work area. Assign omple at supervisors to monitor and guide the hole-digging process to ensure compliance with sorve their use on-site. Divelop and communicate clear procedures for managing unexpected findings, such as unknown bervices or hazardous materials. Establish and maintain effective communication systems among workers, including hand signals and two-way radios, to quickly address any issues that arise. Schedule regular safety meetings to discuss site conditions, potential hazards, and best practices for reducing risks during hole digging. Implement signage and barriers around the work area to alert others of the activities and hazards present. Carry out routine inspections and audits of the work site to identify and rectify any hazards not previously noted or mitigated. 	2М
2. Site Inspection	Unidentified underground utilities, Distracted workers	4A	 Conduct a Dial Before You Dig (DBYD) search to identify underground utilities before commencing work. Use non-destructive digging methods, such as potholing or vacuum excavation, to safely locate and expose utilities. Mark identified underground utilities clearly using appropriate flags, paint, or markers on the ground surface. Ensure all workers have received training on what to look for and how to handle unidentified utilities safely. 	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Implement a spotter system to have one person continually monitoring work activities for potential distractions or hazards.	
			- Develop and communicate an emergency response plan in case of accidental utility strike.	
			- Schedule site inspections during low-traffice eriods to minimise distractions from people and vehicles.	
			- Provide adequate signage to alert workers and other poout the presence of underground utilities and ongoing excavation activities.	
			- Use barriers and exclusion cones to prevent a puthorised cuess and to keep machinery away from marked utility locations.	
			- Conduct safety before the starting the site in section to remind workers of their roles and responsibilities burding zard intification and control measures.	
			- Assign a decreated supercisor to decreate site inspection process and ensure compliance with established salely protocols.	
			- Conc. ct. are-wood triefing to communicate the specific marking locations and procedures with all team members in ved.	
	•	fety	Use clear, high visible markers or paint for delineating the areas that require excavation.	
			- Incoment a buody system to verify markings, ensuring at least two individuals confirm the marked area before the eding.	
			- ace safety cones or barriers around the marked zone to prevent unintentional entry by unauthorised performed.	
			- Document and distribute maps or diagrams of the marked area to all relevant workers prior to commencement.	
2 Marking Area	Miscommunication, Ignored safety		- Train workers on recognising and respecting safety markings, reinforcing their importance in maintaining worksite safety.	2M
3. Marking Area	markings	ЗН	- Designate a safety officer responsible for overseeing the marking process and ensuring compliance with safety protocols.	ZIVI
			- Utilise signs in multiple languages if necessary to cater to a diverse workforce, ensuring everyone comprehends the markings.	
			- Schedule regular checks throughout the day to confirm that markings remain intact and visible as work progresses.	
			- During toolbox talks, emphasise the hazards associated with ignoring safety markings and solicit feedback from the team.	
			- Involve local councils or authorities if the project affects public spaces, coordinating on any additional marking requirements.	
			- Ensure communication devices are available on-site for immediate reporting of any issues related to markings or site boundaries.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
4. Equipment Check	Equipment malfunction, Damaged safety gear	4A		I 2M
5. Set Up Barricades	Insufficient barricade placement, Ignored warning signs	ЗН		1 1 1









JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Notify Authorities	Failure to notify, Delayed response	ЗН		
8. Tool Selection	Wrong tool for the job, Worn-out tools	ЗН		l 1L









Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Manual Lifting	Heavy lifting, Improper lifting technique	ЗН		2M
	5			
13. Machine Operation	Operator error, Machine breakdown	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Trench Support	Shoring failure, Inadequate propping	4A		 2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL
15. Monitoring Ground	Soil instability, Water ingress			2M
16. Waste Disposal	Improper waste management, Hazardous materials exposure	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Filling Back	Uneven back-fill, Compact.cursks	ЗН		1L






Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
21. Documentation	Incomplete records, Misfiled docume s	24		

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY STAR THAT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria On upational Health & 1 Safety Acc-004 Occupational Health an Safet Acceptations 2017 Legismion VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gular s</u> Ides on Fractice VI <u>suttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulatines 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance</u> , <u>prkplatentfety-la</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-reso</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/w_v.places/codes-of-practice#COPs</u> Tasmania Work Health and Safety Act 2012	 Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace Managing the risk of falls at workplaces 					
Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	 Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 					

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.	\boxtimes	
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\boxtimes	
Check control measures added to the SWMS are the most effective sections.	\boxtimes	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	\boxtimes	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be	\boxtimes	
Details of inspection checks required for any equipment lister are noted on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\square	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIE	EWED
SIGNATURE	DATE COMP	LETED