Dragline Operation	SAFE WORK METHOD S	TATEMENT (SWMS)	
TAS	SK OR ACTIVITY: Dragline Opera	ition	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E qil:	
	STATEMENT IS APPROVED BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or under ting (Per U) is	required to end of that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:	NX	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWN, was well as re	views and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be schedued in according e with egislative requirements to first identify any site hazards, and the to further take steps to either eliminate or contail each hazard.			
If an incident or a near miss occurs, all work must stude of a tell. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX								
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.	Replace the hazard.
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde	Engineering Isolate the hazard.
Notes on Hierarchy of Controls: Elimination methods are the most effective and preferrance en columpting a hazard. Substitution site wile Administrative Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Proterive nuipment) is the least effective PPE								

	PERS_NAL TECTIVE EQUIPMENT (PPE) Select the appropriate PPL about suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Required:					_					
	Permit or Licenses Requirements						Mandatory Qualifications and Training				




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			 Ensure all personnel are wearing appropriate personal protective equipment (PPE), including hard hats, gloves, and steel-toed boots, to minimise prize from the stand falls. Conduct a thorough site inspection to identity of standard slip and trip hazards, such as uneven surfaces or 	
			debris, and implement measures to eliminate conark these boyards.	
			- Provide training for all worker on the correct teo, igues or handling materials, including proper lifting techniques and the strong met unical aids when his stary.	
			- Use anti-slip tracks or coallings in these prone travet conditions to reduce the risk of slipping.	
			- Establish curve walkways and ensure the care free from obstructions and hazards.	
	Accidental slips and falls, Incorrect		- Import a hose of poing schedule to regularly check and maintain clean and tidy work areas, reduce the like of accidental slips and falls.	
1. Preparation	handling of materials	3H	- Instal indemate lighting in all operational areas to ensure visibility and help workers navigate safely.	2M
	C		Ensure that a tools and equipment are stored properly when not in use to prevent tripping hazards.	
			- c due egula, afety audits and risk assessments to identify new hazards and review existing controls for en. A ness.	
			se signage to alert workers about specific slip and fall hazards in different areas of the site.	
			- Develop and enforce safe work procedures specifically for material handling tasks, tailored to address the risks associated with the tasks.	
			- Encourage a safety culture where workers are actively encouraged to report hazards or unsafe conditions immediately to supervisors.	
			- Schedule regular team meetings to discuss safety practices, share updates on any changes in work procedures, and reinforce the importance of adherence to safety protocols.	
			- Ensure all electrical components are properly insulated and grounded to prevent electric shock.	
			- Conduct a thorough inspection of the dragline and machinery before operation to identify any potential mechanical failures.	
2 Drealine Oneration	Electric chaols. Machemical failure		- Perform regular maintenance checks to ensure all moving parts are functioning correctly and safely.	
2. Dragline Operation Set-up	Electric shock, Mechanical failure, Musculoskeletal injuries	4A	- Use personal protective equipment (PPE), including gloves and safety boots, to minimize risk of musculoskeletal injuries.	3H
			- Establish exclusion zones around the dragline operation area to protect workers from potential hazards like falling materials or equipment failure.	
			- Implement appropriate training for all operators and crew members focused on safe handling and operation procedures.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Utilise proper lifting techniques and aids to reduce strain and risk of musculoskeletal injuries during setup.	
			- Ensure adequate space and stable ground conditions are available for safe placement and operation of the dragline.	
			- Use clear and visible signage to warn on extric haze and the presence of high-voltage lines.	
			- Schedule mandatory rest breaks to reduce a superior mong workers and decrease the likelihood of human error-related incidents.	
			- Develop and follow a lockon tag-out procedure ensure machinery is safely powered down when performing maintenance or troubleshooting.	
			- Have an emerge scyres, use plan in place, with clear roles and responsibilities, in case of mechanical or electrical mare.	
			- Improved bar, or exclusion zones around the work area to prevent unauthorised personnel entry.	
		ЗН	- Use with suntain and regularly inspected lifting equipment and machinery to minimise risks of materia fall.	
			Ensure all operators are competent, trained, and licensed for operating draglines.	
	Falling objects, Divise lexhaust inhalation		- Conclusion of the start checks to identify any potential malfunctions in the dragline equipment before common of operations.	
			stall protective guards and screens on equipment where necessary to contain potential flying debris.	
			- Equip workers with personal protective equipment (PPE) such as hard hats to protect against falling objects and appropriate respiratory protection for diesel exhaust.	
3. Excavating Workface			- Schedule regular maintenance and servicing for equipment to ensure safe and efficient operation.	2M
			- Implement a communication system among workers to alert each other of overhead load movements.	
			- Position diesel engines and exhaust systems to minimise direct exposure to workers by using extraction fans and ventilation systems.	
			- Coordinate activities to avoid congestion at the workface, reducing the likelihood of an accident involving multiple machines.	
			- Educate workers on the potential health effects of diesel exhaust inhalation and provide training on safe work practices.	
			- Provide adequate rest breaks and rotation schedules to limit prolonged exposure to exhaust fumes for operators and nearby staff.	
	Unsafe ground condition. Collision with			
4. Walk/Move Forward	Unsafe ground condition, Collision with other equipment	4A		ЗH





Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				r
				-
6. Maintenance & Repairs	Incorrect use of to is, Fire/explosion from flammable sustance	4A		3H
				•
7. Change Cutting Edges	Crushing injuries, Struck by flying objects	3H		2M

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Bucket Dumping	Rollover/machine instability, Overloaded bucket can spill	4A		2M

Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				1
9. Swing to load area	Collision with structures or personne Loss of control over machine			3Н
10. Shutdown & Park Equipment	Incorrect procedures, Personal injury during egress	ЗН		2M

Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Ladder Climbing and Descent	Falls from height, tups and trips	ЗН		1L
13. Regular Inspection	Unaware of existing hazards, Failure to report detected hazards	3Н		1L


Version 2.5

Date of Issue:











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	C			

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCE IN ANY STOR THAT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Or opational Health & 1 Safety Acc-004 Occupational Health an Safety Acc-004 Legis from VIC: <u>https://www.acrksafe.vic.gov.au/occupational-health-and-safety-act-and- gular s</u> des on Factice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance</u> , orkplations fety-la Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-reso</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: https://www.safework.sa.gov.au/wexplaces/codes-of-practice#COPs Tasmania Work Health and Safety Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012	 Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace
Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Demolition work Excavation work Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the Sλ. S.	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\boxtimes	
Check control measures added to the SWMS are the most effective sections.	\boxtimes	
Responsible person is assigned and listed on the placental of control measures.	\square	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be	\boxtimes	
Details of inspection checks required for any equipment lister are noted on the SWMS.	\square	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVI	EWED
SIGNATURE	DATE COMPLETED	