

Drilling Holes Into Fram	nes SAFE WORK METHO	D STATEMENT (SWMS)	
TASK (OR ACTIVITY: Drilling Holes Into	Frames	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVAD BY	THE PC. 'OF TP' ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduthe proposed work starts.		required to elect hat a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:	MY	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliant a of the SWIL as well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS IN HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	NEL WHO HAVE BEEN CONSULTED AND FITHIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in account with regislative requirements to first identify any site hazards, to continue the those hazards and then to further take steps to either eliminate or continue to hazard.			
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTOR	ON WC & BEIN C & RIED OUT
involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-hearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical interrity structure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing as	☐ involves tilt-up or precast concrete
involves structural alteration or repair the requires to rary so port to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper an or tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
is carried out in or near water or other liquid that involves a risk of drowning.	involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY



RISK MATRIX											
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	SCORE	ACTION		Elimination Remoy e the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolation Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and records		Engineering Isolate the hazard.		
is the second m	archy of Controls: nost effective methologing the work is	od of controlling a	a hazard. Engine	ering by isolat	ion is the nost of	e. tive, while	ard. Substitution e Administrative least effective		Administrative Change the work.		

						TIVE EQUIPM					
		Select the app	propriate PPL	abo suitak	ok for the equip	oment used or	the job task	being perfori	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	THE ARING STION	P _cCTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ients		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Incorrect Equipment, Lack of PPE	2M	 Conduct a thorough inspection of all drilling equipment to ensure it is correct for the task and in good working condition. Verify that all workers involved are trained in a correct use of drilling equipment and understand the specific requirements for the task. Ensure that Personal Protes be Equipment (PPE auchous safety goggles, gloves, hearing protection, and steel-capped be their proceed and worn by a prisonnel. Develop and communica has clear site plan identifying designated safe zones and exclusion areas to prevent unan orised accord during brilling preventions. Chear that an PE may a Australian prefty standards and is suitable for the type of work being perform. Estate she procedure for reporting and replacing any faulty equipment or inadequate PPE before beginning with. Provide a fit-for purpose drill that is appropriate for the material and thickness of the frames to prevent unangestal in on a pulpment or operators. Implement regular toolbox talks focusing on equipment handling, proper PPE use, and hazard hareness specific to drilling tasks. Ensure the availability of first aid equipment and trained first aid personnel on-site to address any potential injuries promptly. Audit the work area for any environmental factors such as poor lighting or unstable surfaces that may compound existing hazards, and make adjustments as necessary. 	1L
2. Site Assessment	Trip Hazards, Falling Objects	2M	 Conduct a comprehensive site walk-through to identify and mark any trip hazards before starting work. Ensure all tools and equipment are organised and stored in designated areas to minimise clutter on-site. Use clear signage to alert workers and visitors about potential trip hazards in the vicinity. Require all personnel to wear appropriate personal protective equipment, such as steel-toed boots, to reduce injury risks from falling objects. Inspect scaffolding and ladders for stability and proper installation before use to prevent falls or dropped items. Ensure that hard hats are worn at all times to provide protection against potential falling debris. Implement exclusion zones around the drilling area to prevent unauthorised access and reduce risk of injury from falling objects. Provide adequate training for all workers on site-specific hazards and safety procedures related to site assessment tasks. Use barriers or guardrails where possible to isolate work areas with high incidence of falling objects. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Arrange for regular housekeeping activities to remove debris and maintain a clear work environment.	
			- Secure loose materials and tools at height when not in use to prevent them from becoming drop hazards.	
			- Brief all employees at the start of the day out new or previously unreported trip hazards identified during site assessment.	
			- Monitor weather conditions, especially wind, the case the risk of falling objects on open sites.	
			- Establish communication or nels, such as radic for efficient reporting and management of hazards identified during the site asses ment.	
			- Conduct a sestart inspection of a drilling quipment to identify any visible defects or damages.	
			- Ensurall to and exponent have seen regularly serviced and maintained according to the manual tren's god sees.	
	Faulty Equipment, Inadequate Train		- Chec the all electrical cords and connections are intact and free from signs of wear and tear.	
			- Verify at a bits all harp and appropriate for the material being worked on to prevent undue force oplication.	
3. Tool Check			- Provide pmprevensive training and induction for all workers on the correct use of drilling equipment, amphability safe operating procedures.	1L
3. Tool Check			sure that only qualified and competent personnel are authorised to operate the drilling machinery.	IL
			- Implement a system for reporting and addressing faulty or damaged equipment immediately to prevent usage.	
			- Maintain a record of equipment maintenance and repair history, easily accessible on-site for cross-checking tool safety status.	
			- Use appropriate personal protective equipment (PPE), such as gloves and safety glasses, to reduce risk exposure during equipment handling.	
			- Include emergency shutdown procedures in training programs so that workers know how to respond swiftly and safely to equipment malfunctions.	
4. Setting Up Drill	Manual Handling, Electrical Shock	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Drilling Initial Hole	Dust Inhalation, Eye Injury	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Blowing out Hole	Inhalation Hazard, Net	2		1L
7. Placing Fixture	Pinch Points, Manual Handling	2M		1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Checking Anchor Placement	Pinch Points, Struck by Object	2M		1L
10. Cleaning up Work Area	Slip, Trip & Fall Hazards, Contact with Harmful Substances	2M		1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Reporting Any Incidents	Psychological Stress, Miscommunication	2M		1L
13. Storing Equipment	Manual Handling, Trip Hazards	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Leaving Site	Traffic, Slips, Trip and Fa	2M		1L
15. Post-Operation Review	Psychological Stress, Miscommunication	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Maintenance & Repair	Electric Shock, Cuts/abrasions	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
				•
				•
				•
17. Waste Disposal	Exposure to Harmful S	2M		■ 1L
	C			•
				1



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
18. Drilling Subsequent Holes	Noise, Vibration	2M		
19. Inserting Fixtures into Additional Holes	Pinch Points, Hand Injuries	3Н		1 1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		1		
	5			•
20. Checking Final Assembly	Manual Handling, Eye Injury	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK





EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. N ANY STATEMENT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library.

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 201

Work Health and Safety (National Uniform Legislation) Regulations 26

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/prkplate fety-lay

Codes of Practice NT: https://worksafe.nt.gov.av and-reso per des ractice

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (S

Legislation for SA: https://www.safework.sa.gov.au/resources_gislation

Codes of Practice for SA: https://www.safework.sa.gov.au/w/wplaces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Ocupational Health Safety A 2004

Oct ational Health an Safet Regulations 2017

Legis ion VIC: https://www.srksafe.vic.gov.au/occupational-health-and-safety-act-and-

gula

des of actice VI attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK IN 'THIS 'S' ITEM ON MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remain effect, and must be reviewed (and revised if necessary) if relevant control measures are revised. The view as should be carried out in consultation with workers (including contractors as unputractors of the SWMS and their health and safety registeratives who represented that work group at the workplace.

When the SWMS has been revised the PCBD mest ensure the all persons involved with the work are advised that a revision has been made and how they can accept the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties the total with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SV 5.		
SWMS initial risk (IR) column as well as residual risk (RR) column ampleted.		
Check control measures added to the SWMS are the most effer ve secutions.		
Responsible person is assigned and listed on the splenetation of control measures.		
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.		
SWMS identifies plant and equipment to be		
Details of inspection checks required for any equipment lister are noted on the SWMS.		
Describes any mandatory qualifications, experience, and or skills required to perform the work.		
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.		
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REV	/IEWED
SIGNATURE	DATE COM	PLETED