Dust Collector | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: Dust Collector

Business Name: [Company Name]	ABN: [ABN]	SWMS#
Business Address: [Company Address]		
Contact Person:	Phone: [Phone]	Email:

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS as well as reviews and modifications of the SWMS.

Full Name:	Title:	Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED	NAME AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS		
	NAME	SIGNATURE	DATE
Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, secondly to communicate those hazards and then to further take steps to either eliminate or control each hazard.			
If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

CLIENT OR PRINCIPAL CONTRACTOR DETAILS	
Client:	SCOPE OF WORKS
Project Name:	Provide a detailed description of the specific work being carried out (otherwise known as a scope of works).
Project Address:	
Project Manager:	
Contact Phone:	
Project Manager Signature:	
Date SWMS supplied to Project Manager:	

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT	
☐ involves a risk of a person falling more than 2 meters.	☐ is carried out on or near pressurised gas mains or piping.
☐ is carried out on a telecommunication tower.	☐ is carried out on or near chemical, fuel or refrigerant lines.
☐ involves demolition of an element of a structure that is load-be	☐ is carried out on or near energised electrical installations or services.
☐ involves demolition of an element related to the physical integrit of a stru	☐ is carried out in an area that may have a contaminated or flammable atmosphere.
☐ involves, or is likely to involve, disturbing as stos.	☐ involves tilt-up or precast concrete.
☐ involves structural alteration or repair that re mporar upp to prevent collapse.	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.
☐ is carried out in or near a confined space.	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant.
☐ is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives.	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY							
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	☐ Boom Lift	☐ EWP	☐ Genie Lift
☐ Trencher	☐ Drilling Rig	☐ Trucks	☐ Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	☐ Roller	☐ Scissor Lift	☐ Tractor	☐ Other -	

RISK MATRIX

LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEE
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befo work starts.
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k records

HEIRARCHY OF CONTROLS



Notes on Hierarchy of Controls: Elimination methods are the most effective and preferre en co lli d hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the ost e ve, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Eq ment) he least effective method.

PERS NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	E PROTE	SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
											
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS; and,
3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Electric shock, Tripping hazard	2M	- Inspect the work area thoroughly before beginning any task to identify potential electrical and tripping hazards. Report any issues to the supervisor. - Ensure that all electrical equipment, such as dust collectors, are tagged and tested regularly according to the manufacturer's recommendations and AS/NZS 3760 guidelines. - Have a licensed electrician available to assess and fix electrical issues and carry out any maintenance or repair work required. - Install appropriate safety signage in the work area, alerting staff of potential hazards, and instruct them on proper safety procedures while working with dust collector systems. - Use only well-maintained, heavy-duty extension cords with built-in circuit breakers as necessary. Avoid running cords across walkways or creating trip hazards. Secure loose cables using cable covers, cord organizers, or cable ties. - Evacuate areas where tripping hazards have been identified until corrective action has been taken. - Provide appropriate personal protective equipment (PPE), including non-slip footwear, high-visibility vests, and safety glasses, to workers who will be around the dust collector. - Train employees to recognise electrical hazards, practice safe work methods, and identify the relevant emergency shut-off points throughout their work environment. - Ensure proper housekeeping practices by keeping the immediate work area free from debris and clutter to prevent accidents. - Implement and enforce strict policies on proper waste disposal and segregation within the workplace. This includes promptly cleaning up spills and storing materials in designated locations. - Utilise ergonomic tools and equipment to reduce any unnecessary bending or lifting when carrying out tasks related to the dust collector system. - Keep a well-stocked first aid kit easily accessible in the work area to address any injuries that may result from an accident quickly. - Conduct regular safety audits to identify and rectify potential hazards in a timely manner. Involve workers in identifying hazards and in the development of control measures to promote a safety-conscious culture. - Establish an emergency response plan, including designated evacuation routes and assembly points, and regularly review and practice these protocols with employees to ensure they are familiar with the correct procedures in case of an incident.	1L	
2. Dust Collector Inspection	Dust inhalation, Eye irritation	3H		1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Regular maintenance checks: Ensure that dust collectors are regularly inspected and maintained as per the manufacturer's guidelines to prevent dust buildup and reduce the risk of malfunction. - Personal Protective Equipment (PPE): Workers should wear appropriate PPE, such as dust masks or respirators, safety goggles, and gloves to protect against dust inhalation and eye irritation while performing inspections. - Ventilation systems: Proper ventilation systems should be in place to reduce dust concentration in the work environment, promoting clean air circulation. - Employee training: Provide workers with adequate training on how to safely inspect and maintain dust collectors, as well as the importance of wearing proper PPE. - Isolation of contaminated area: When dust levels become too high during inspection, isolate the affected area until it is deemed safe for workers to return. - Dust suppression methods: Implement various dust suppression techniques, such as wetting down surfaces or using air filtering systems, to minimise dust generation during inspection processes. - Use of vacuum systems: Utilise vacuum systems instead of compressed air when cleaning and inspecting dust collectors to limit further dust dispersal. - Safe waste disposal: Establish designated areas for the safe disposal of dust and debris collected during the inspection process. - Clear communication protocols: Encourage open communication between workers and supervisors to report any hazards, incidents, or concerns related to dust collector inspection. - First aid availability: Ensure first aid kits are available and well-stocked in the event of an emergency, including resources for handling dust-related injuries. - Continuous monitoring: Monitor dust levels in the workplace continually to identify areas that may require immediate attention or additional mitigation measures. - Review and update procedures: Regularly review and update dust collector inspection procedures based on new information, technology, or changes in the workplace to ensure maximum safety for workers.		
3. Ensure Safe Installation Area	Falling objects, Slippery surfaces	3H	- Conduct a thorough inspection of the installation area to identify any potential hazards, such as overhead objects that could fall or slippery surfaces. - Ensure proper housekeeping measures are in place to maintain a clean and organised work area, including regular cleanup of dust, debris, and fluids that could contribute to slippery surfaces. - Establish a restricted zone around the installation area for authorised personnel only, using barricades, signage, and high-visibility markings to warn others of potential hazards.	2M	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Provide workers with appropriate personal protective equipment (PPE), such as hard hats, non-slip footwear, and gloves, to protect against falling objects and other hazards during installation. - Provide comprehensive training for all personnel involved in the installation process, ensuring they are familiar with necessary safety procedures, hazard identification, and use of required PPE. - Develop a clear communication plan among installation team members to ensure everyone is aware of potential hazards and control measures being taken at all times. - Use suitable lifting equipment, such as cranes or forklifts, to safely lift and position the dust collector components, minimising the risk of falling objects during installation. - Regularly review and update the Safe Work Method Statement (SWMS) for this task as needed, ensuring all identified hazards and control measures are up to date and effective. - Implement a buddy system or rotation of workers to help minimise fatigue and ensure continuous monitoring of the installation process for potential hazards. Ground any overhead equipment to prevent movement during installation, and secure tools, materials, and loose objects that could pose a falling hazard. Address any environmental factors, such as heavy rain or strong winds, that could contribute to increased slipperiness or instability in the installation area before proceeding with the work. - Encourage workers to report any safety concerns or hazards identified throughout the installation process, ensuring prompt corrective action is taken and communicating changes to all team members as necessary.		
4. Scheduling Maintenance Procedures	Unintended stoppage of equipment, Time pressure	2M	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
5. Checking Electrical System	Electrical hazards, Fire risk	3H	[redacted]	2M	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
6. Installing Filters	Pinching injuries, Musculoskeletal strain	2M	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
7. Connecting Ductwork	Fall from height, Overheating	3H	[redacted]	2M	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
8. Securing Dust Collector to Floor	Slip/fall accidents, Excessive noise exposure	2M	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
9. Operational Testing	Equipment malfunction, Moving parts risk	2M	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
					
10. Training Employees	Lack of knowledge, Distraction, Communication issues	2M		1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
11. Cleaning Receptacles/Collecting Dust	Exposure to hazardous dusts. Manual handling injuries	3[redacted]	[redacted]	2M	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
12. Routine Maintenance and Inspections	Inadequate maintenance, Lack of system checks	3H	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES FOR ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory
Work Health and Safety Act 2011
Work Health and Safety Regulations 2011
Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws
Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice
Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations
Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales
Work Health and Safety Act 2011
Work Health and Safety Regulations 2017
Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislation
Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/list-of-codes-of-practice

Northern Territory
Work Health and Safety (National Uniform Legislation) Act 2011
Work Health and Safety (National Uniform Legislation) Regulations 2011
Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws
Codes of Practice NT: https://worksafe.nt.gov.au/forms-and-resources/codes-of-practice

South Australia
Work Health and Safety Act 2012 (SA)
Work Health and Safety Regulations 2012 (SA)
Legislation for SA: https://www.safework.sa.gov.au/resources/legislation
Codes of Practice for SA: https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs

Tasmania
Work Health and Safety Act 2012
Work Health and Safety (Transitional and Consequential Provisions) Act 2012
Work Health and Safety Regulations 2012
Work Health and Safety (Transitional) Regulations 2012
Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations
Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria
Occupational Health and Safety Act 2004
Occupational Health and Safety Regulations 2017
Legislation VIC: https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations
Codes of Practice VIC: https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia
Work Health and Safety Act 2020
Work Health and Safety Regulations 2022
Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation
Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links
Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation
Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are changed. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.	☐	☐	
Names and signatures of all relevant personnel consulted during the development of the SWMS.	☐	☐	
Name, signature, position and date signed of the person approving the SWMS.	☐	☐	
Specific personnel and qualifications, experience is noted in the SWMS.	☐	☐	
Provides a step-by-step process of tasks required to carry out the activity or task.	☐	☐	
Adequate risk assessment of any identified hazards has been completed.	☐	☐	
Foreseeable hazards are identified and documented for each step.	☐	☐	
Any hazards listed in any site risk assessments have been added to the SWM	☐	☐	
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.	☐	☐	
Check control measures added to the SWMS are the most effecti[illegible]ions.	☐	☐	
Responsible person is assigned and listed on the SWMS for the im[illegible]of cont[illegible]measures.	☐	☐	
Permit requirements specified, such as Hot Wor[illegible]Electrical Work, W[illegible]t Heights etc.	☐	☐	
SWMS identifies plant and equipment to be u[illegible].	☐	☐	
Details of inspection checks required for any equipment listed a[illegible]noted on the SWMS.	☐	☐	
Describes any mandatory qualifications, experience, training[illegible]skills required to perform the work.	☐	☐	
Applicable personal protective equipment is selected on the SWMS.	☐	☐	
Lists any required permits or licenses.	☐	☐	
Reflects and documents any legislative references and/or Australian Standards.	☐	☐	
Identifies any hazardous substances used with specific control measures in line with any SDS.	☐	☐	

REVIEWED BY		**DATE REVIEWED**	
SIGNATURE		**DATE COMPLETED**	