

Emergency Tree Recovery Efforts After Natural Disasters. | SAFE WORK METHOD STATEMENT (SWMS) TASK OR ACTIVITY: Emergency Tree Recovery Efforts After Natural Disasters. ABN: **Business Name:** SWMS# **Business Address:** Contact Person: Phone: THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PC. OF THE PROJECT that a safe work method statement (SWMS) is prepared before Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or und U) is required to e the proposed work starts. Full Name: Title: Date: Signature: SWI as well as reviews and modifications of the SWMS. Details of the person(s) responsible for ensuring implementation, monitoring compliar Full Name: Title: Phone: ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS NA OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE HAVE THE FOLLOWING COMMUNICATED **PEVELOPMENT AND APPROVAL OF THIS SWMS** Safety meetings or toolbox talks will be schedled in according e with egislative requirements to first identify any site hazards nuni te those hazards and then to further take steps to either eliminate or con I each hazard. diately. Depending If an incident or a near miss occurs, all work must six on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTOR	ON WC & BEIN C & RIED OUT
involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-hearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical interrity structure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing as	☐ involves tilt-up or precast concrete
involves structural alteration or repair the requires to rary so port to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper an or tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
is carried out in or near water or other liquid that involves a risk of drowning.	involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	ACTION		Elimination Remoy e the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolation Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and records		Engineering Isolate the hazard.	
is the second m	archy of Controls: nost effective methologing the work is	od of controlling a	a hazard. Engine	ering by isolat	ion is the nost of	e. tive, while	ard. Substitution e Administrative least effective		Administrative Change the work.	

						TIVE EQUIPM					
		Select the app	propriate PPL	abo suitak	ok for the equip	oment used or	the job task	being perfori	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	THE ARING STION	P _cCTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ients			Mandatory Qualifications and Training				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Improper safety gear, Insufficient crew training	ЗН	 Conduct thorough safety briefings with our members before commencing any recovery efforts. Ensure all crew members are equipped we appropriate personal protective equipment, including helmets, gloves, eye protection, and steel-to the is. Verify that all safety gear in certified and compare with Auromain safety standards. Implement comprehensive tracing programs for domain and ensure safety handle tree recovery tools and equipment. Conduct report drills and effestion course or maintain skill levels and preparedness. Employ experienced structurisors to course operations and ensure compliance with safety protocols. Estable clear countication procedures, including the use of radios or mobile devices for efficient coordinate. Develop a challed congency response plan tailored to tree recovery efforts, highlighting potential risks and mitination chategies. Left exposure contagradous conditions by ensuring work is scheduled during safe weather conditions where consible. Conduct site assessments to identify specific hazards such as unstable trees or power lines, and adjust places accordingly. Implement a buddy system to enhance situational awareness and provide immediate assistance in case of accidents. 	2M
2. Arrival on site	Traffic accidents, Inadequate signage	3Н	 Conduct a site assessment to identify and evaluate existing traffic conditions and potential hazards upon arrival. Use high-visibility apparel such as safety vests to ensure team members are easily seen by oncoming traffic. Deploy adequate signage well before the work zone, including 'Roadwork Ahead,' 'Reduced Speed,' and 'Tree Recovery in Progress' signs. Implement traffic control measures like cones and barriers to delineate the work area and guide vehicles safely around it. Coordinate with local authorities or traffic management services to facilitate road closures or diversions as necessary. Assign a team member as a spotter to monitor incoming traffic and provide warnings to the crew of any approaching vehicles. Establish a communication protocol for all team members using radios or mobile devices to stay informed of any changes to traffic conditions or emergency updates. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Ensure all team vehicles have functional hazard lights and park them in visible locations to alert oncoming traffic of their presence.	
			- Schedule work during daylight hours when visibility optimal, avoiding early mornings or late afternoons where sunlight glare might be an issue.	
			- Provide clear instructions and training for team members on safe entry and exit procedures from the site.	
			- Place additional lighting and reflective marks—suring low visibility conditions such as fog or rain to enhance site visibility.	
			- Continuously review and upday the traffic control as needed, based on evolving site conditions or feedback from terminous ers an authorities.	
			- Conduct a coprehensity visual insurant of the area before entering to identify potential hazards from falling obris all unstable ground.	
			- Esta is exclusive zones around the worksite with clearly marked barriers to prevent unauthorised access	
			- Use dignes cremote ameras for preliminary assessment if it's safe to do so, especially in heavily fected creas.	
	•		- Pro a personnel with appropriate personal protective equipment (PPE) such as helmets, high-isibility using, gloves, and steel-capped boots.	
			- ploy ground penetration radar or similar technology where possible to assess soil stability and locate underground hazards.	
			- Ensure team members are trained in recognising signs of unstable trees and leaning objects that may pose a threat.	
3. Site assessment	Falling debris, Uns	‡A	- Develop a communication plan to maintain contact among all team members using radios or mobile devices.	2M
			- Monitor weather conditions continuously and suspend activities if further adverse weather is predicted.	
			- Have a qualified arborist or structural engineer on-site to evaluate potentially dangerous trees or structures.	
			- Implement buddy systems to ensure workers remain within visual sight of one another, enhancing safety monitoring.	
			- Clearly mark and communicate alternative access and egress routes considering potential disruptions.	
			- Regularly update risk assessments as conditions change, ensuring new hazards are promptly identified and mitigated.	
			- Limit time spent in high-risk areas and rotate workers frequently to minimise exposure to hazards.	
			- Have emergency response and first-aid kits readily available, with trained first-aiders present to respond if injuries occur.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
4. Equipment check	Equipment malfunction, Lack of maintenance	ЗН		2M
5. Tree assessment	Falling branches, Incorrect assessment of tree stability	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Isolate area & set up exclusion zones	Ignoring procedure. Incomplete setup	ЗН		1L
7. Ground cutting operations	Kickback from chainsaw, Wood splinters	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Climbing & aerial cutting	Falls from height, Equipment failure	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
9. Trimming & pruning	Musculoskeletal irrunes, Cuts and lacerations	ЗН		2M
10. Debris collection & cleaning	Slips, trips, falls, Musculoskeletal injuries	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Disposal of waste material	Improper lifting techniques, Inadequate disposal procedures	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Machine & equipment maintenance	Electrical fault, Fire, F			2M
13. Regular training & drills	Lack of vigilance, Lack of necessary knowledge	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				_
	1			•
				-
				•
14. Daily communication & reporting	Miscommunication, Lack of timely reporting	3H		2M
. •				•



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Final clearance of work site	Slips, trips, falls, Leftover debris			1L
16. Retum & secure equipment	Transportation accidents, Equipment theft	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			_	
				7
				-
·				<u>'</u>



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. N ANY STATEMENT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/leg

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library.

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 201

Work Health and Safety (National Uniform Legislation) Regulations 26

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/prkplate fety-lay

Codes of Practice NT: https://worksafe.nt.gov.av and-reso pes des ractice

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (S

Legislation for SA: https://www.safework.sa.gov.au/resources gislation

Codes of Practice for SA: https://www.safework.sa.gov.au/w/cplaces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Ocupational Health Safety A 2004

Oct ational Health an Safe* regulations 2017

- Legis ion VIC: https://www.orksafe.vic.gov.au/occupational-health-and-safety-act-and-
- les of actice VI attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK IN 'THIS 'S' ITEM ON MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remain effect, and must be reviewed (and revised if necessary) if relevant control measures are revised. The view as should be carried out in consultation with workers (including contractors as unputractors of the SWMS and their health and safety registeratives who represented that work group at the workplace.

When the SWMS has been revised the PCBD mest ensure the all persons involved with the work are advised that a revision has been made and how they can accept the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties the total with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SV \$.		
SWMS initial risk (IR) column as well as residual risk (RR) column ampleted.		
Check control measures added to the SWMS are the most effective sections.		
Responsible person is assigned and listed on the place of control measures.		
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.		
SWMS identifies plant and equipment to be		
Details of inspection checks required for any equipment lister are noted on the SWMS.		
Describes any mandatory qualifications, experience, ang or skills required to perform the work.		
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEW	ED
SIGNATURE	DATE COMPLE	TED