

Establish Exclusion Zones Around Work Area | SAFE WORK METHOD STATEMENT (SWMS) TASK OR ACTIVITY: Establish Exclusion Zones Around Work Area **Business Name:** ABN: SWMS# **Business Address:** Contact Person: Phone: THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PC. OF THE PROJECT that a safe work method statement (SWMS) is prepared before Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or und U) is required to e the proposed work starts. Full Name: Title: Date: Signature: SWI as well as reviews and modifications of the SWMS. Details of the person(s) responsible for ensuring implementation, monitoring compliar Full Name: Title: Phone: ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS NA OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE HAVE THE FOLLOWING COMMUNICATED **PEVELOPMENT AND APPROVAL OF THIS SWMS** Safety meetings or toolbox talks will be schedled in account e with egislative requirements to first identify any site hazards nuni te those hazards and then to further take steps to either eliminate or con I each hazard. If an incident or a near miss occurs, all work must six diately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTOR	ON WC & BEIN C & RIED OUT
involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-hearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical interrity structure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing as	☐ involves tilt-up or precast concrete
involves structural alteration or repair the requires to rary so port to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper an or tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
is carried out in or near water or other liquid that involves a risk of drowning.	involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY



RISK MATRIX														
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS					
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	SCORE	SCORE	SOORE	SCORE	ACTION		Elimination Remoy e the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution					
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		Replace the hazard.					
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolation Isolate People from the hazard					
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and records		Engineering Isolate the hazard.					
is the second m	archy of Controls: nost effective methologing the work is	od of controlling a	a hazard. Engine	ering by isolat	ion is the in nost e	e tive, while	ard. Substitution e Administrative least effective		Administrative Change the work. PPE					

						TIVE EQUIPM					
		Select the app	ropriate PPL	abo. suitat	or the equip	oment used or	the job task	being perfori	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	TEARING STION	P _CTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ents			Mandatory Qualifications and Training				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Lack of signage, Unclear communication	3H	 Ensure all exclusion zones are clearly mound with high-visibility signage indicating restricted access. Develop and implement a comprehensive immunitation plan to inform all workers about the location and importance of exclusion zones. Position signs at eye level and ensure they are risible from a expected approach angles to the work area. Use barricades or access such a such as temporary fencing or cones, to physically demarcate the boundaries of exclusion zones. Conduct a to blook talk to aducate a obsers on the purpose and rules of exclusion zones before comprehensive. Regular hinspessions and barriers for damage or displacement, and promptly repair or replace as necessiny. Define plessing responsibilities for establishing and maintaining exclusion zones in the SWMS accume. Use plea and unambiguous language on signage to convey messages effectively. Incorporate visual aids like diagrams or maps in the workplace to illustrate the location of exclusion zones. Employ audible alarms or signals to alert workers when entering the vicinity of an exclusion zone. Assign a safety supervisor or spotter to monitor compliance with exclusion zone boundaries during operations. Provide training sessions on hazard awareness and the significance of exclusion zones for new or temporary workers. Use reflective materials on signs and barriers to ensure visibility in low-light conditions or inclement weather. Evaluate and update signage and communication strategies regularly based on feedback and incident reports to ensure effectiveness. 	2M
2. Site Inspection	Obstructions, Poor lighting	4A	 Conduct a thorough site inspection during daylight hours to identify any obstructions or hazards that could impede visibility or movement. Use portable lighting to illuminate poorly lit areas, ensuring sufficient brightness across the entire work zone. Remove all unnecessary materials and debris from the work area to prevent tripping hazards or obstruction-related incidents. Clearly mark any fixed obstructions with high-visibility tape or signage to alert workers of potential hazards. 	3Н



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR					
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK					
		THOIL	- Ensure that all workers are wearing high-visibility clothing to improve their visibility in low-light conditions.	rtioit					
			- Use barriers or fencing to delineate exclusion zones clearly, preventing unauthorized entry into hazardous areas.						
			- Equip workers with personal torches or home amps when working in areas with insufficient lighting.						
			- Regularly maintain lighting equipment to sure all substant and fixtures are functioning correctly and providing adequate illumination.						
			- Schedule work during time of natural light with ever possible, unless specific tasks require limited visibility for safety reasons.						
			- Implement a check-on system for worken untering and exiting exclusion zones to monitor personnel effect by with the work area.						
			- Provide tracing for work of on ideal type and reporting obstructions and poor lighting conditions prompt for conditions.						
		•	- Description a contractent person responsible for conducting regular inspections of exclusion zones to ensure the ligid contraction with safety standards.						
			Condusia prestart inspection of all equipment to identify any visible defects or signs of wear and tear.						
			- Extra oly trained and competent personnel are authorised to operate equipment.						
		'	Implement a scheduled maintenance program to regularly service and maintain equipment.						
			- out and remove from service any faulty equipment immediately until repairs are undertaken.						
			Provide training for workers on how to properly inspect equipment before use.						
			- Maintain accurate records of equipment maintenance and inspections.						
			- Ensure correct use of personal protective equipment (PPE) based on manufacturer's recommendations during equipment handling.						
3. Equipment Check	Faulty equipment, Lack of PPE	3H	3H	3H	3H	3H	3H	- Supply appropriate PPE, such as gloves, safety glasses, and hard hats to all workers involved in the equipment check.	2M
			- Conduct regular toolbox talks to remind workers of the importance of equipment checks and proper PPE usage.						
			- Establish clear guidelines and procedures for reporting equipment malfunctions or failures.						
			- Regularly review and update safety protocols related to equipment inspection and PPE requirements.						
			- Display signage indicating exclusion zones around areas where equipment checks are being conducted.						
			- Supervise and monitor compliance with PPE requirements and equipment handling procedures.						
			- Engage external experts to conduct periodic assessments or audits on the effectiveness of equipment management systems.						
4. Define Zone Boundaries	Incorrect measurements, Improper marking	3H		2M					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Install Barriers	Falling objects, Inadequate barrier placement	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Set Up Signage	Misleading signs, Poor visibility	ЗН		2M
7. Communicate Plan	Miscommunication, Language barriers	3Н		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	•			
8. Site Clearance	Slips, trips and falls, Debris	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Monitor Zone	Unauthorized access, Barrier breach			2M
10. Routine Checks	Wear and tear on barriers, Signs falling down	3Н		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Emergency Procedures	Panic responses, Evacutary an obstructions	4A		3H



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Training	Insufficient training, Lack of awareness	ЗН		2M
13. Adjustments	Incorrect adjustments, Non-compliance	зн		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Document Controls	Incomplete records, Access to sensitive info	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Review and Feedback	Inadequate feedback, Overlooking issues			2M
16. End-of-Day Checklist	Missing checks, Time constraints	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Decommissioning	Damage during removal, Hazardous waste exposure	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUA RISK
				_
				•



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. IN ANY STAFF THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations
Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

Court in the state of the state

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library.

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 201

Work Health and Safety (National Uniform Legislation) Regulations 26

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/prkplate fety-lay

Codes of Practice NT: https://worksafe.nt.gov.a/

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (S

Legislation for SA: https://www.safework.sa.gov.au/resources gislation

Codes of Practice for SA: https://www.safework.sa.gov.au/w/wplaces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health Safety A 2004

Octational Health an Safe* regulations 2017

Legis ion VIC: https://www.orksafe.vic.gov.au/occupational-health-and-safety-act-and-

gula

des of actice V/ attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature		Date

SAFE WORK IN 'THIS 'S' ITEM ON MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remain effect, and must be reviewed (and revised if necessary) if relevant control measures are revised. The view as should be carried out in consultation with workers (including contractors as unputractors of the SWMS and their health and safety registeratives who represented that work group at the workplace.

When the SWMS has been revised the PCBD mest ensure the advised that a revision has been made and how they can accept the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties the theoretical with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS		
The company details have been entered, including the project name and address.				
All relevant personnel consulted during the development of the SWMS.				
Name, signature, position and date signed of the person approving the SWMS.				
Specific personnel and qualifications, experience is noted in the SWMS.	7			
Provides a step-by-step process of tasks required to carry out the activity or task.				
Adequate risk assessment of any identified hazards has been completed.				
Foreseeable hazards are identified and documented for each step.				
Any hazards listed in any site risk assessments have been added to the SV. 5.				
SWMS initial risk (IR) column as well as residual risk (RR) column ampleted.				
Check control measures added to the SWMS are the most effective sections.				
Responsible person is assigned and listed on the high centary of control measures.				
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.				
SWMS identifies plant and equipment to be				
Details of inspection checks required for any equipment lister are noted on the SWMS.				
Describes any mandatory qualifications, experience, ang or skills required to perform the work.				
Applicable personal protective equipment is selected on the SWMS.				
Reflects and documents any legislative references and/or Australian Standards.				
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes			
REVIEWED BY	DATE REVIE	WED		
SIGNATURE	DATE COMPLETED			