Fabricating Steel Concrete Reinforcement Cages f	or Concrete Footing	gs or Piers SAFE WORK	(METHOD STATEMENT (SWMS)
TASK OR ACTIVITY: Fabricating S	teel Concrete Reinforce	ement Cages for Concrete Foo	tings or Piers
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E qil:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	D BY THE PC. OF THE	ROJECT
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	icting a business or under the	g (Pu V) is required to encode that a se	afe work method statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorin	compliance of the SWN, a	s well as reviews and modifications of	the SWMS.
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NACE OF ALL RELEVANT		NSULTED AND COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheduled in account with regislative requirements to first identify any site hazards, and the to contramine the those hazards and then to further take steps to either eliminate or contral leach hazard.			
If an incident or a near miss occurs, all work must store an undiately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	800DF	ACTION		HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.		
is the second m	archy of Controls: lost effective metho loging the work is t	od of controlling	a hazard. Engine	ering by isolat	ion is the in nost	e. tive, while	rd. Substitution Administrative east effective		Administrative Change the work. PPE		

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Required:					_					
	P	ermit or Lice	nses Requiren	nents		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Incorrect plans, inadequate tools	ЗН	 Review project plans and specifications throughly to ensure clarity and understanding before commencing work. Verify that all personnel have the correct vertice plans, and conduct a team briefing to discuss any complexities or updates in the design. Conduct a pre-start toolbox of k focusing on having a subclated with incorrect plans and inadequate tools. Ensure all network equipment and tools are wailable and are in good working condition prior to starting thetax. Check calibration and one ty certification of essential tools like rebar cutters and benders. Provise raining call workers on how to interpret construction plans and the importance of following them a cutely. Implement a system of equipment and verification of work against the plans during the preparation hase. Essentials clear communication protocols between site managers and workers to address discrepancies are construction over plans quickly. Interpletent a using a gradient to verify tool availability and readiness as part of the preparation routine. Encourage reporting of any issues with tools or plans immediately to supervisors for prompt resolution. Schedule regular maintenance and inspection of tools to minimise the risk of tool failure during operations. 	1L
2. Site Inspection	Uneven ground, hidden underground services	4A	 Conduct a pre-site inspection to assess ground conditions and identify potential hazards. Use surveyed site plans to locate and mark any underground services before commencing work. Implement barriers and signage to delineate uneven areas or hazardous zones on-site. Engage qualified personnel to use underground service locating devices prior to excavation. Require all workers to undergo training on the identification of uneven ground and associated risks. Deploy temporary walkways or access mats over significantly uneven ground to provide stable footing. Keep a detailed, updated map of identified underground services and make it available to all site personnel. Conduct regular briefings to inform workers of any identified uneven ground areas and underground service locations. Ensure appropriate Personal Protective Equipment (PPE) such as high-visibility clothing and safety boots are worn by all workers. 	2М



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	 SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS Establish clear communication protocols for reporting discovered hazards during the site inspection. Schedule routine site inspections to monitor changes in ground conditions throughout the project duration. Utilise mechanical aids or machinery with purdon, ensuring operators are aware of and avoid marked underground services. 	RESIDUAL RISK
3. Material Handling	Manual handling injuries, falling materials	ЗН	 Use mechanical aids such as cranes, hoists, worklifts to mate heavy materials, minimising manual handling. Train workers in processmanus andling technique aneduce the risk of injury from lifting, carrying, or setting down matches. Implement and lifting practices were mechanical assistance is not feasible, ensuring sufficient personnel for the handling. Contrain a risk mechanism prior to moving materials to identify and control potential hazards. Ensure a afting environment prior to moving materials to prevent unauthorised access and humise in erisk injury from falling materials. Secons cloads properly before lifting or moving to prevent shifting or falling. Secons cloads properly before lifting or moving to prevent shifting or falling. Wear appropriate personal protective equipment (PPE), such as gloves and steel-toed boots, to protect against injuries. Store materials on stable surfaces and stack them securely to prevent collapse or unexpected movement. Plan material handling routes in advance to avoid obstacles and ensure a clear, safe path. 	1L
4. Cutting Steel	Sharp edges, flying particles	ЗН		2M

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Bending Steel	Muscle strain, equipment wavenction	ЗН		2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Assembling Reinforcement	Pinching hazards, unsecured reinforcement	44		2M
7. Welding	Burns, exposure to fumes	4A		2M

Version 2.5









Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				1
11. Inspection	Overlooked defects, poor visibility	2М		I 1 1 1 1 1



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
12. Adjustments	Misalignment, repetitive strain	ЗН		2M
13. Clean Up	Slip hazards, incorrect disposal methods	2M		1L

Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Transportation	Vehicle incidents, securing load failures	4A		2М

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Demobilisation	Equipment damage, leaving site unsecured	ЗН		RISK 1 1 1 1 1
16. Documentation	Miscommunication, incomplete records	2М		I 1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
				•
				•
				•
10. To our Dobriofing	Lack of participation, unclear communication			41
18. Team Debriefing	communication			1L
				•

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCE IN ANY STOCHAT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Octopational Health & 1 Safety Acc.004 Octopational Health an Safet exegulations 2017 Legismion VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> des of mactice VI-runtps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis/ Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis/	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.orkplatestications</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.orkplatestications</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/w_cplaces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 More relationand safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SN S.	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\square	
Check control measures added to the SWMS are the most effective sour tions.	\boxtimes	
Responsible person is assigned and listed on the spin central procentation of control measures.	\square	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be	\square	
Details of inspection checks required for any equipment lister are noted on the SWMS.	\square	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\square	
Reflects and documents any legislative references and/or Australian Standards.	\square	
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REVI	EWED
SIGNATURE	DATE COMP	LETED