Filter Changes On Roof To	p Units SAFE WORK MET	THOD STATEMENT (SWMS)	
TASK OR A	ACTIVITY: Filter Changes On Roo	of Top Units	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PC. OF TP', ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	ucting a business or under thing (Pu (1) is	required to end of that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorin	compliance of the SWN, as well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NA OF ALL RELEVANT PERSON	NEL WHO HAVE BEEN CONSULTED AND THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheduled in according with regislative requirements to first identify any site hazards, and the to contract the those hazards and then to further take steps to either eliminate or contract leach hazard.			
If an incident or a near miss occurs, all work must study and ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	800DF	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.	
is the second m	RARE 1 1 2 3 3 1L Inition and ke precorder Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferrence on counting a hazard. Substitution as the second most effective method of controlling a hazard. Engineering by isolation is the purpose of experimental is the least effective. Initiation methods are the most effective method. PE (Personal Proterive stupped) Substitution Initiation Isolate the hazard.									

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).		
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED	
Other PPE R	Required:					_						
	P	ermit or Lice	nses Requiren	nents			Mandatory Qualifications and Training					




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Incorrect safety equipment, Lack of training	ЗН	 Ensure all personnel involved have completed appropriate training for working at heights and equipment handling. Conduct a job safety analysis (JSA) before energy the task to identify potential hazards and control measures. Ensure all workers are wearn approved fall provision alpment, including hamesses and lanyards, as per regulatory starteds. Use only providy maintained an enspected budgers or scaffolding that comply with Australian safety regulations. Verificit all ensorate detective equipment (PPE) is in good condition and suitable for the specific job tasks. Implated and enspected personnel only to prevent accidental interference or injury. Restric neces to the work area to authorised personnel only to prevent accidental interference or injury. Restric neces to the work area to authorised personnel only to prevent accidental interference or injury. Restric neces to the work area to authorised personnel only to prevent accidental interference or injury. Restric neces to the work area to authorised personnel only to prevent accidental interference or injury. Restric neces to the work area to authorised personnel only to prevent accidental interference or injury. Restric neces to the work area to authorised personnel only to prevent accidental interference or injury. Restric neces to the work area to authorised personnel only to prevent accidental interference or injury. Restric neces to the work area to authorised personnel only to prevent accidental interference or injury. Restric neces to the work area to authorised personnel only to prevent accidental interference or injury. Restric neces to the work area to authorise personnel only to prevent accidental interference or injury. Restric neces to the work area to authorise personnel only to prevent accidental interference or injury. Restric neces to the work area to authorise personnel only to prev	2M
2. Access Roof	Unstable ladder, Slips, trips and falls	4A	 Conduct a risk assessment prior to accessing the roof to identify potential hazards and determine necessary controls. Use a ladder that complies with Australian Standards, ensuring it is stable and on a flat surface before use. Secure the base and top of the ladder to prevent movement while in use. Inspect the ladder for any damage or defects such as cracks or missing parts before each use. Position the ladder correctly according to the safety angle guidelines (1:4 ratio) and secure it at the correct height. Wear appropriate non-slip footwear to reduce the risk of slipping while climbing the ladder or walking on the roof. Maintain three points of contact on the ladder at all times; two hands and one foot, or two feet and one hand in contact with the ladder. Ensure the roof access point is clear of obstructions and clutter to prevent trips and falls. 	ЗН

order complete swms

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Implement fall protection measures such as guardrails or personal fall arrest systems when working near roof edges or on unprotected heights.	
			- Conduct regular inspections and maintenance of udders and fall protection equipment to ensure they remain safe to use.	
			- Erect appropriate signage around the work treater otify others of potential hazards.	
			- Use barricades or caution tape to create a de -d boundary round the unit to prevent unauthorised entry.	
			- Conduct a site assessment to lentify any addition uses before commencing work.	
3. Secure Area Around			- Communicate an all personnel, a site about the work taking place and its associated risks.	
Unit	Falling debris, Other people in work area	ЗH	- Assign a set y supervise to monit the lea for compliance with safety protocols.	2M
			- Ensemble that we easy personal protective equipment (PPE) such as hard hats, safety goggles, and glove	
			- Impletion, tool to ering system to prevent tools or equipment from being accidentally dropped.	
			- Clear to e wood area option essential materials and equipment to reduce trip hazards.	
			- edu work wring off-peak hours when fewer people are present in the vicinity.	
			Estable in exclusion zone below the rooftop to keep pedestrians and vehicles at a safe distance.	
	C			
4. Safety Check on	Faulty tools/equipment, Inadequate			
Tools and Equipment	personal protective equipment	3H		2M










Version 2.5





Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Install New Filter	Incorrect installation, Sharp edges	ЗН		1L
11. Test Unit	Electrical shock, Machine malfunction	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Replace Outer Panels	Sharp edges, Incorrect replacement	2М		1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Retum All Tools to Base	Heavy lifting, Trip hazards	2М		1 1 1 1
15. Sign Off Work Complete	Incorrect reporting procedures, Skipped steps during operation	2М		I 1L I

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Exit Roof	Slips, trips and falls, Unstable ladder	ЗН		2M
17. Final Site Check	Missed hazards upon cleanup, Unsecured equipment	4A		 2M







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Document Incident if Any	Incomplete documentation, Misfiled reports	2М		1L
20. Review WHS	Misunderstanding of regulations/rules, Non-compliance with safety guidelines	ЗН		2M

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES				
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. IN ANY STO THAT ARE NOT APPLICABLE				
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Acceded Occupational Health and Safety Acceded Legislation VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gular s</u> design factice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>			
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: <u>https://www.safework.nsw.gov.au/legal-obligations/legis</u> Codes of Practice NSW: <u>https://www.safework.nsw.gov.au/resource-librany</u>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>			
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.orkplates.or</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice			
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S Legislation for SA: https://www.safework.sa.gov.au/resources.ogislation Codes of Practice for SA: https://www.safework.sa.gov.au/resources.ogislation Codes of Practice for SA: https://www.safework.sa.gov.au/resources.ogislation Tasmania Work Health and Safety Act 2012	 Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace Managing the risk of falls at workplaces 			
Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	 Managing the risk of fails at workplaces Hazardous manual tasks Managing the risk of fails in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 			
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	- Managing the work environment and facilities - How to manage work health and safety risks - Managing risks of plant in the workplace - Construction work			

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.	\boxtimes	
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\boxtimes	
Check control measures added to the SWMS are the most effective sections.	\boxtimes	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	\boxtimes	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be	\boxtimes	
Details of inspection checks required for any equipment lister are noted on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\square	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMP	LETED