

Fire Extinguisher Inspection An	d Servicing   SAFE WORK	METHOD STATEMENT (SW	/MS)
TASK OR ACTI	VITY: Fire Extinguisher Inspection	on And Servicing	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROX D BY	THE PC. 'OF TP' ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	acting a business or und ing (PC V) is	required to elect that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:	NY	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliant e of the SWIL as well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONI EVELOPMENT AND APPROVAL OF	NEL WHO HAVE BEEN CONSULTED AND F THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with egislative requirements to first identify any site hazards, to continue to those hazards and then to further take steps to either eliminate or continue to the hazard.			
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS							
Client:	SCOPE OF WORKS							
Project Name:								
Project Address:								
Project Manager:								
Contact Phone:								
Date SWMS supplied to Project Manager:								
ANY HIGH-RISK CONSTRUCTOR	ON WC & BEIN C & RIED OUT							
involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping							
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines							
☐ involves demolition of an element of a structure that is load-hearing	☐ is carried out on or near energised electrical installations or services							
☐ involves demolition of an element related to the physical interrity structure	☐ is carried out in an area that may have a contaminated or flammable atmosphere							
☐ involves, or is likely to involve, disturbing as	☐ involves tilt-up or precast concrete							
involves structural alteration or repair the requires to rary so port to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor							
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant							
is carried out in/near a shaft or trench deeper an or tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.							
is carried out in or near water or other liquid that involves a risk of drowning.	involves diving work.							
ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY								



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remoy e the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolation Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and records		Engineering Isolate the hazard.	
is the second m	archy of Controls: nost effective methologing the work is	od of controlling a	a hazard. Engine	ering by isolat	ion is the nost of	e. tive, while	ard. Substitution e Administrative least effective		Administrative Change the work.	

						TIVE EQUIPM					
		Select the app	propriate PPL	abo suitak	ok for the equip	oment used or	the job task	being perfori	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	THE ARING STION	P _cCTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ients		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Slip hazards, lifting heavy objects	3Н	<ul> <li>Conduct a site-specific risk assessment to centify any potential slip hazards before beginning the task.</li> <li>Ensure all personnel involved are wearing appropriate slip-resistant footwear to minimise the risk of slips.</li> <li>Clear the work area of any onnecessary obstacts, debrish a wet surfaces to prevent trip and slip hazards.</li> <li>Use signage to proceed known slip hazards within the work area for increased awareness among workers.</li> <li>Implement a annual happing training section for staff to ensure safe lifting techniques are used when moving heavy slicets.</li> <li>Provide achain traids such as trolleys, dollies, or forklifts to move fire extinguishers where feasible.</li> <li>If male along is his essary, use a team lift approach to distribute weight evenly among multiple workers.</li> <li>It make along is his essary, use a team lift approach to distribute weight evenly among multiple workers.</li> <li>It makes along to bjects to be lifted by one person according to Safe Work Australia guidelines to reduction in hyrisk.</li> <li>Clearly havel fire extinguisher locations and access requirements to minimise unnecessary movement.</li> <li>Lipiablish a clear communication plan, including the use of radios or mobile devices, to ensure assistance is readily available in case of an emergency or if additional help is needed.</li> <li>Schedule regular breaks to prevent fatigue-induced errors, ensuring that employees remain attentive to their surroundings.</li> </ul>	2M
2. Locate Fire Extinguisher	Tripping over obstacles, poor lighting	3Н	<ul> <li>Conduct a site walk-through before commencing work to identify potential obstacles and ensure clear pathways.</li> <li>Use appropriate lighting equipment, such as torches or portable lights, to improve visibility in poorly lit areas.</li> <li>Mark or tape off any uneven flooring or unexpected steps in the area to prevent tripping.</li> <li>Ensure cables and cords are neatly organised and secured along the edges of walkways.</li> <li>Remove unnecessary equipment or debris from the area to maintain a tidy work environment.</li> <li>Wear appropriate footwear with good grip and support to reduce the risk of slipping or tripping.</li> <li>Inform coworkers or facility staff about work activities to avoid unexpected interruptions or movement through the work area.</li> <li>Place warning signs near areas that remain temporarily hazardous due to reduced lighting or other factors.</li> <li>Ensure fire extinguishers are not blocked by furniture, stock, or other obstructions.</li> </ul>	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		1,1,0,1,	- Where possible, schedule inspection during times when foot traffic is minimal to reduce collision risks.	
			- Use high-vis clothing to increase visibility to others working in the area.	
			- Familiarise yourself with the layout of the are perorehand to anticipate known obstacles.	
			- Ensure all staff involved in the inspection—ave access to updated site maps outlining fire extinguisher locations.	
			- Implement a buddy system where two individence heach other's movements in the area for safety.	
			- Conduct a pre-inspection risk assessment to identify a sharp edges or faulty hooks.	
			- Wear appropriate person protective equipment including gloves to protect against cuts and abrasions.	
			- Ensure all the frare trained in proper hands and ling techniques to reduce the risk of injury from sharp or heavy objections.	
			- Kee work well-lit to help identify any hazards on or around fire extinguishers.	
	Sharp edges, faulty extinguisher hot s	5	- Use tools, ith instanted handles to minimise the risk of injury from sharp components or contact with metal surface.	
			Inspect nounting brackets for wear or damage and replace them as required to prevent extinquisher and adel, ent.	
3. Visual Inspection			Use can and avoid placing fingers near potential pinch points when removing or reinstalling fire tinguishers.	3H
			- In plement a periodic inspection checklist to systematically check each component, reducing oversight.	
			- Securely position ladders or stools if needed to reach elevated extinguishers, avoiding overreaching.	
			- Maintain clear communication between team members during the inspection process to coordinate actions safely.	
			- Clearly tag and remove from service any extinguisher found with significant defects until repairs can be made.	
			- Arrange for professional repair services for any critical issues identified, such as corroded parts or damaged connections.	
			- Regularly update training on identifying and addressing equipment faults to keep skills current and improve safety practices.	
4. Charle Dranger				
4. Check Pressure Gauge	High pressure release, gauge failure	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Inspect Seals and Tamper Indicators	Tampering with equipment, damaged seals	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Examine Hose	Hose degradation cose fittings	ЗН		2M
7. Check for Corrosion	Chemical exposure, structural weakness	3H		2M




POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			•
			_
			•
			•
Blocked access, manual handling risks	3H		2M
			•
	HAZARDS THAT MAY ARISE	HAZARDS THAT MAY ARISE  INITIAL RISK	HAZARDS THAT MAY ARISE  INITIAL RISK  SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Determine Installation Date	Inaccurate records, inaccessible labels	ЗН		2M
10. Function Test	Malfunction during test, false activation	4A		2M







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Service and Maintenance	Exposure to chemicals, disassembly errors	4A		2M
13. Reassemble Components	Missing parts, improper reassembly	4A		3H



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Final Inspection	Overlook issues, incomplex wecks	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Restore to Service	Improper installatits and account of the control of	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Secure Area	Unauthorized access, unsecured tools	ЗН		2M
17. Review Procedures	Ineffective review, non-compliance	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
18. Staff Training	Inadequate training, misunderstanding instructions	4A		3H
19. Document Control	Data loss, incorrect information management	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				ı
				I
	1			
				ı
20. Incident Reporting	Failure to report, inaccurate reporting	3H		2M



OL THE RISKS RESIDUAL RISK
OL THE RISKS RESIDUAL RISK



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. IN ANY STAFF THAT ARE NOT APPLICABLE

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws">https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</a> Codes of Practice QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice">https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</a> Legislation ACT: <a href="https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations">https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</a>

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

### New South Wales

Work Health and Safety Act 2011 Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library.

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 201

Work Health and Safety (National Uniform Legislation) Regulations 26

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/prkplate fety-lay

Codes of Practice NT: https://worksafe.nt.gov.av and-reso pes des ractice

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (S

Legislation for SA: https://www.safework.sa.gov.au/resources gislation

Codes of Practice for SA: https://www.safework.sa.gov.au/w/wplaces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Ocupational Health Safety A 2004

Oct ational Health an Safe\* regulations 2017

- Legis ion VIC: https://www.fksafe.vic.gov.au/occupational-health-and-safety-act-and-
- des of actice VI attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

#### Safe Work Australia Links

Law and Regulation (All States): <a href="https://www.safeworkaustralia.gov.au/law-and-regulation">https://www.safeworkaustralia.gov.au/law-and-regulation</a> Model Codes of Practice: <a href="https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice">https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice</a>

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK IN 'THIS 'S' ITEM ON MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remain effect, and must be reviewed (and revised if necessary) if relevant control measures are revised. The view as should be carried out in consultation with workers (including contractors as unputractors of the SWMS and their health and safety registeratives who represented that work group at the workplace.

When the SWMS has been revised the PCBD mest ensure the advised that a revision has been made and how they can accept the revised SWMS, including all persons who will need to change a work procedure or system as a remotified the review are advised of the changes in a way that will enable them to implement their duties the thing with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SV 5.		
SWMS initial risk (IR) column as well as residual risk (RR) column ampleted.		
Check control measures added to the SWMS are the most effer ve secutions.		
Responsible person is assigned and listed on the splenetation of control measures.		
Permit or licenses requirements specified, so n as Hot Work, Electral Work, Work at Heights etc.		
SWMS identifies plant and equipment to be		
Details of inspection checks required for any equipment lister are noted on the SWMS.		
Describes any mandatory qualifications, experience, and or skills required to perform the work.		
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.		
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REV	/IEWED
SIGNATURE	DATE COM	PLETED