Fit Architrave Around Doorway SAFE WORK METHOD STATEMENT (SWMS)						
TASK OF	RACTIVITY: Fit Architrave Aroun	d Doorway				
Business Name:		ABN:	SWMS#			
Business Address:						
Contact Person:	Phone:	E. ail:				
THIS SAFE WORK METHOD	STATEMENT IS APPROLOD BY	THE PC. OF THE ROJECT				
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	ucting a business or under thing (Prov. I) is	required to en that a safe work method	statement (SWMS) is prepared before			
Full Name:						
Signature:		Title:	Date:			
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWN, was well as re	eviews and modifications of the SWMS.				
Full Name:		Title:	Phone:			
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS	NAC OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	NEL WHO HAVE BEEN CONSULTED AND THIS SWMS	COMMUNICATED TO IN THE			
Safety meetings or toolbox talks will be scheduled in according to with regislative requirements to first identify any site hazards, and the to contract the those hazards and then to further take steps to either eliminate or contract leach hazard.						
If an incident or a near miss occurs, all work must stude and ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.						
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.						
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.						



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX													
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC								HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.					
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE			Substitution					
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.					
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard					
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ recorde		Engineering Isolate the hazard.					
Notes on Hierarchy of Controls: Elimination methods are the most effective and preferrence en course ga hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the use nost experiment is the least effective method. Administrative Change the work. Protect PPE														

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Pe	ermit or Lice	nses Requiren	nents			Ma	andatory Qua	ifications and	Training	




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Trip hazards, Falls from heights, Electrical hazards	3H, 2M 3H	 Conduct a site inspection to identify and your any trip hazards present, such as loose cords or debris, and ensure they are removed or secured. Use appropriate signage and barriers to high that vential trip hazards and guide safe pathways around the work area. Ensure all workers wear suit the personal protect vegorament (PPE), including safety boots with nonslip soles, to prevent the and use. Utilize step latents or scatchlding the secure forting and handrails when working at heights to minimise the risk of fat. Inspectial debrand secure for use to ensure they are in good condition and correctly positioned on structure on tetry observer when working at height to provide assistance and monitor for unsafe condities. Assig a unter on tetry observer when working at height to provide assistance and monitor for unsafe condities. Use positioned down and equipment are inspected for visible damage and tagged as tested and incide vaccoring to Australian standards. Use positioned context are routed away from walkways and work zones to prevent tripping or accidental disconnection during work tasks. Provide training for workers on electrical safety and proper handling of tools around live circuits to promote awareness and accountability. Allow only qualified personnel to perform tasks involving electrical connections and modifications to prevent hazardous exposure to electricity. Review and revise Safe Work Method Statement (SWMS) regularly to incorporate new safety practices and maintain compliance with regulatory standards. 	1L, 1L, 2M
2. Measure and Mark	Eye injuries, Cuts or abrasions	3Н, ЗН	 Provide and wear appropriate personal protective equipment, including safety glasses, to protect against dust and debris. Ensure measuring tools are in good condition and free from defects to avoid inaccuracies that could lead to improper cuts or adjustments. Use a sharp pencil rather than a pen or marker for precise marking, reducing the need for repetitive motions that could cause strain. Keep fingers clear of the tape measure's recoil mechanism to prevent injuries when retracting. Maintain proper body posture and ergonomic positioning while measuring and marking to reduce the risk of muscular strain. 	1L, 2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	
			- Ensure adequate lighting in the workspace to improve visibility and accuracy when marking measurements.		
			- Temporarily cover or remove sharp edges or objects in the work area to prevent accidental cuts or abrasions during marking.		
			- Conduct regular tool inspections and many mance check to ensure all devices are functioning correctly and safely.		
			- Use measuring tapes and straightedges with oure grips or ron-slip surfaces to maintain control over the tools.		
			- Before commencing, verify the weekspace are so orways is clear of obstacles to prevent trips or falls.		
			- Train work can the correct use of this and tradipment used for measuring and marking to ensure safe and efficient, octice.		
			- Estimate a clear or munication channel among team members to coordinate signals or instructions when the ting will onger measurements.		
		- Ensure all we ters have been trained in safe use of machinery and personal protective equipment PE).			
		- Prote a oppropriate respiratory protection masks that meet Australian standards for dust control.			
			mplement a regular maintenance schedule for all cutting equipment to ensure it is in proper working or yr.		
			Utilize saws with built-in dust extraction systems or attach portable vacuums to collect dust at the source.		
			- Limit exposure time by rotating tasks among workers and scheduling regular breaks.		
Cutting Architrovo	Dust inhalation, Noise exposure,	3H, 4A,	- Require mandatory hearing protection, such as earplugs or earmuffs, when using loud equipment.	214 11 21	
3. Cutting Architrave	Machinery accidents	4A	- Securely fasten architraves in place before cutting to prevent kickback or accidents involving loose materials.	2M, 1L, 2N	
			- Barricade or rope off work areas where machinery is in operation to restrict access to authorized personnel only.		
			- Inspect PPE regularly for wear and tear, replacing items as necessary to maintain effectiveness.		
			- Establish clear communication signals between team members during machinery operation.		
			- Keep an organised workspace to minimise tripping hazards and ensure clear access to emergency stop controls on machines.		
			- Post signage to remind workers of PPE requirements and machine safety protocols around the work area.		
4. Sanding and Finishing	Dust inhalation, Skin irritation, Eye injuries	3H, 2M, 3H		1L, 1L, 2M	

Version 2.5








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Securing Architrave	Noise exposure, Manual handling injuries, Nail gun injury	3H, 3H, 4A		I 2M, 2M, 2M
7. Caulking Gap	Chemical exposure, Eye injuries	3H, 2M		1L, 1L


Version 2.5





Version 2.5









EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF							
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY STATISTICAL ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Or opational Health & 1 Safety Acc.004 Occupational Health an Safety Acc.004 Legismion VIC: <u>https://www.accirksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> des on Factice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>						
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplaterefety-la</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-reso</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>						
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.ogislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/w_cplaces/codes-of-practice#COPs</u>	 Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace 						
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First and in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 						
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 						

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\boxtimes	
Check control measures added to the SWMS are the most effective sections.	\boxtimes	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	\boxtimes	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be	\boxtimes	
Details of inspection checks required for any equipment lister are noted on the SWMS.	\square	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\square	
Applicable personal protective equipment is selected on the SWMS.	\square	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REVI	EWED
SIGNATURE	DATE COMP	LETED