Fit External Doors	SAFE WORK METHOD ST	TATEMENT (SWMS)	
ТА	SK OR ACTIVITY: Fit External Do	pors	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E qil:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.		required to entry e that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorine $\mathbf{x}_{i}$	compliance of the SWI, was well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be schedued in according e with egislative requirements to first identify any site hazards, to control to those hazards and then to further take steps to either eliminate or control leach hazard.			
If an incident or a near miss occurs, all work must store a parallely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	$\Box$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	$\Box$ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	$\Box$ is carried out in areas with artificial extremes of temperature.
$\Box$ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	800DF	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.	
is the second m	RARE       1       2       3       3       1L       philtor and k       Isolate the hazard.         Iobes on Hierarchy of Controls:       LOW       MODERATE       HIGH       HIGH       LOW       k       records       Isolate the hazard.         Iotes on Hierarchy of Controls:       Elimination methods are the most effective and preferrence on controls and the number of controlling a hazard. Engineering by isolation is the number of the number of the second most effective method.       PPE (Personal Prote vice number of is the least effective       Change the work.         Controls by changing the work is the fourth most effective method.       PPE (Personal Prote vice number of is the least effective       Dependent       Dependent									

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).		
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED	
Other PPE R	Required:					_						
	P	ermit or Lice	nses Requiren	nents			Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Mishandling tools, Incorrect use of PPEs	2М	<ul> <li>Conduct toolbox talks focusing on the saturandling of tools before commencing work.</li> <li>Ensure all workers are trained and competent in manual handling techniques to prevent strain injuries.</li> <li>Verify that appropriate personal protective element (PPE) is available and correctly fitted for each worker.</li> <li>Perform regular inspections and maintenance on an one ensure they are in good working condition.</li> <li>Provide clear intraaction on the protect tool for each task, reducing the risk of mishandling.</li> <li>Demonstrate the proper use of PAE during affety meetings or training sessions.</li> <li>Stochnols sterrely than not in use a prevent them from becoming hazards.</li> <li>Display unage uninding workers about PPE compliance in the work area.</li> <li>Implement buddy, estern where workers check each other's PPE to ensure it is worn properly.</li> <li>Encouring in damaged tools immediately for repair or replacement before further use.</li> <li>Like access to work areas to trained personnel only, reducing the chance of mishandling by unqualified individual.</li> <li>Stee visual aids or diagrams to show safe tool handling practices as part of ongoing training.</li> </ul>	1L
2. Assessment of Doorway	Tripping over materials, Falls from height, Struck by falling objects	ЗН	<ul> <li>Ensure the work area is tidy and free of unnecessary materials that could cause tripping hazards.</li> <li>Clearly mark and secure any uneven surfaces to alert workers of potential trip hazards.</li> <li>Use stable ladders or scaffolding when working at height, ensuring they are positioned on even ground.</li> <li>Ensure all tools and equipment used for installation are secure and not left unattended where they may pose a falling object risk.</li> <li>Install safety barriers or warning tape around the work zone to keep unauthorised personnel away.</li> <li>Conduct a pre-work assessment to identify any potential risks specific to the job site layout.</li> <li>Ensure personal protective equipment (PPE) such as hard hats and safety shoes are worn by all team members.</li> <li>Assign a spotter to safely guide the handling and fitting of doors, particularly in cramped or awkward spaces.</li> <li>Store tools and equipment properly when not in use to prevent tripping and ensure stability.</li> <li>Use mechanical aids like hoists or lifts to manage heavy doors, reducing manual handling risks.</li> <li>Schedule regular breaks during installations involving strenuous effort to minimise fatigue-related accidents.</li> <li>Implement a communication protocol among team members to report hazards immediately.</li> </ul>	2М

# order complete swms

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
3. Transporting Door to Site	Manual handling injuries, Struck by moving vehicle	ЗН	<ul> <li>Conduct a manual handling risk assessment to identify potential risks before transporting the door.</li> <li>Use mechanical aids such as dollies or trolleys to educe manual lifting and carrying of doors.</li> <li>Ensure workers are trained in safe manual to diling techniques, including proper lifting posture and team lifting methods.</li> <li>Plan the transportation route in advance to the obstance stary obstacles and ensure clear pathways.</li> <li>Employ adequate signage, to barriers to keep thauthorise thersonnel away from the transport route.</li> <li>Utilise a vehicle with appropriate load restraints to be use the door during transport.</li> <li>Conduct regular announce to take on mechanical aids and vehicles to ensure they are in safe working condition.</li> <li>Assign a spectr to guide the movement of doors, particularly when reversing or navigating through tight space.</li> <li>Implement at a mmunication system, such as two-way radios, to coordinate movements safely among the bers.</li> <li>Some using the obstacle of the door weight and size for manual handling; use machinery where possible if weight exceeds recommended limits.</li> <li>Regularly review and update site traffic management plans to reflect changes in traffic patterns or site layout.</li> <li>Provide refresher training sessions on manual handling and site safety procedures regularly.</li> </ul>	2M
4. Installing Guide Tracks	Working at heights, Electrical hazards	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Fitting Door into Frame	Caught between/crowing Injury, Manua handling injuries	ЗН		     2M
6. Fixing Door Into Position	Operational failure, Slips, trips, & falls	2M		1L

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Applying Finishing Touches	Exposure to harmful substances, Inhalation of dust	ЗН		2М



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Removal of Old Door/Frame	Protruding nails or sharp objects, Handling hazardous	21		1L
9. Disposal	Manual handling injuries, Exposure to harmful substances	2M		1L

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Clean Up	Inhalation of dust, Slips of Convet floor	2М		

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Inspecting Completed Work	Slip, trips, and falls, Eve iniuries due t flying particles			
12. Maintenance of Tools	Improper storage of tools, Mishandling of sharp tools	3Н		2M

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Documentation	Strain injury due setting up incorrectly, Paper cut	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Inspection of Finished Door	Tipping over due to misbalance, Trapping fingers in door	2М		
15. Post Completion Review	Missing PPE equipment, Improper handling of tools	2M		1L 1



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				1
	G			

#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY STATISTICAL ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Act 2004 Occupational Health and Safety Act 2004 Legislation VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> design factice VIC <u>entrps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legis">https://www.safework.nsw.gov.au/legal-obligations/legis</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-librany">https://www.safework.nsw.gov.au/legal-obligations/legis</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.orkplates.or</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice					
South Australia         Work Health and Safety Act 2012 (SA)         Work Health and Safety Regulations 2012 (S         Legislation for SA: <a href="https://www.safework.sa.gov.au/resources.orgislation">https://www.safework.sa.gov.au/resources.orgislation</a> Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/resources.orgislation">https://www.safework.sa.gov.au/resources.orgislation</a> Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/resources.orgislation">https://www.safework.sa.gov.au/resources.orgislation</a> Tasmania       Work Health and Safety Act 2012	<ul> <li>Model Codes of Practice</li> <li>Managing noise and preventing hearing loss at work</li> <li>Confined spaces</li> <li>Labelling of workplace hazardous chemicals</li> <li>Managing risks of hazardous chemicals in the workplace</li> <li>Welding processes</li> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> </ul>					
Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety (Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	<ul> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>					

#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	$\boxtimes$	
Check control measures added to the SWMS are the most effective sections.	$\boxtimes$	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	$\boxtimes$	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be	$\boxtimes$	
Details of inspection checks required for any equipment lister are noted on the SWMS.	$\square$	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	$\square$	
Applicable personal protective equipment is selected on the SWMS.	$\square$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REVI	EWED
SIGNATURE	DATE COMP	LETED