

## Floor Scrubber | SAFE WORK METHOD STATEMENT (SWMS)

### TASK OR ACTIVITY: Floor Scrubber

Business Name: [Company Name]

ABN: [ABN]

SWMS#

Business Address: [Company Address]

Contact Person:

Phone: [Phone]

Email:

### THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:

Signature:

Title:

Date:

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, as well as reviews and modifications of the SWMS.

Full Name:

Title:

Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

NAME AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.

NAME

SIGNATURE

DATE

If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.

Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.

The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

## CLIENT OR PRINCIPAL CONTRACTOR DETAILS

Client:	SCOPE OF WORKS  Provide a detailed description of the specific work being carried out (otherwise known as scope of works).
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Project Manager Signature:	
Date SWMS supplied to Project Manager:	

## ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

<input type="checkbox"/> involves a risk of a person falling more than 2 meters.	<input type="checkbox"/> is carried out on or near pressurised gas mains or piping.
<input type="checkbox"/> is carried out on a telecommunication tower.	<input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines.
<input type="checkbox"/> involves demolition of an element of a structure that is load-bearing.	<input type="checkbox"/> is carried out on or near energised electrical installations or services.
<input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure.	<input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere.
<input type="checkbox"/> involves, or is likely to involve, disturbing asbestos.	<input type="checkbox"/> involves tilt-up or precast concrete.
<input type="checkbox"/> involves structural alteration or repair that requires temporary support to prevent collapse.	<input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.
<input type="checkbox"/> is carried out in or near a confined space.	<input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant.
<input type="checkbox"/> is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives.	<input type="checkbox"/> is carried out in areas with artificial extremes of temperature.
<input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning.	<input type="checkbox"/> involves diving work.

## ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

<input type="checkbox"/> Forklift	<input type="checkbox"/> Crane/s	<input type="checkbox"/> Hoist/s	<input type="checkbox"/> Excavator	<input type="checkbox"/> Backhoe/Loader	<input type="checkbox"/> Boom Lift	<input type="checkbox"/> EWP	<input type="checkbox"/> Genie Lift
<input type="checkbox"/> Trencher	<input type="checkbox"/> Drilling Rig	<input type="checkbox"/> Trucks	<input type="checkbox"/> Formwork	<input type="checkbox"/> Bobcat	<input type="checkbox"/> Flammable Gas	<input type="checkbox"/> Fuel	<input type="checkbox"/> Dozer
<input type="checkbox"/> High Voltage	<input type="checkbox"/> Mulcher	<input type="checkbox"/> Tilt-up Panels	<input type="checkbox"/> Roller	<input type="checkbox"/> Scissor Lift	<input type="checkbox"/> Tractor	<input type="checkbox"/> Other -	

## RISK MATRIX

LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE			<b>Elimination</b> Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED	<b>Substitution</b> Replace the hazard.
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	<b>Isolation</b> Isolate People from the hazard
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	<b>Engineering</b> Isolate the hazard.
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	Monitor and keep records	<b>Administrative</b> Change the work. <b>PPE</b>

**Notes on Hierarchy of Controls:** Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

## PERSONAL PROTECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	EYE PROTECTION	RESPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
											
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS; and,
3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Slips, trips and falls, improper use of PPE	2M	<ul style="list-style-type: none"> <li>- Conduct a thorough site inspection prior to commencing work, identifying any potential hazards such as uneven surfaces, electrical cords or obstacles that may cause slips, trips and falls.</li> <li>- Implement good housekeeping practices by keeping the work area clean, tidy and free from debris, reducing the risk of slipping, tripping or falling within the area.</li> <li>- Clearly mark any identified hazards such as trip hazards, spacing between objects or elevation changes with signs or barriers, ensuring all workers are aware of their presence.</li> <li>- Provide proper training on the use and maintenance of the floor scrubber, including manufacturer's instructions to reduce the likelihood of accidents while operating the equipment.</li> <li>- Ensure all staff members wear appropriate personal protective equipment (PPE) such as non-slip footwear, gloves and safety goggles when handling the floor scrubber.</li> <li>- Hold regular tool-box meetings to review and reinforce knowledge of safe operating procedures for the floor scrubber, discussing any incidents, accidents or near-misses related to its use.</li> <li>- Establish emergency response procedures in case of accidents, slips or falls, and make sure all employees are familiarised with these procedures to effectively respond to any incident.</li> <li>- Regularly maintain and inspect the floor scrubber to ensure it is operating safely and efficiently, addressing any issues or concerns as they arise.</li> <li>- Encourage open communication between workers and management regarding potential hazards or safety concerns in the workplace, fostering an environment where all members feel comfortable speaking up when necessary.</li> <li>- Create a designated walking path free from hazards around the work area, so that workers can move about without fear of slipping, tripping or falling.</li> <li>- Assign a competent supervisor to monitor adherence to safety regulations and PPE usage during the preparation stage, ensuring all workers comply with safety standards and protocols at all times.</li> </ul>	1L	
2. Equipment setup	Electrical hazards, incorrect machine handling	3H	<ul style="list-style-type: none"> <li>- Ensure that all power cords and electrical outlets are in compliance with Australian standards, regularly inspect for any signs of wear or damage.</li> <li>- Conduct a thorough pre-operation check of the floor scrubber machine to ascertain its safe functioning and to identify potential malfunctions.</li> <li>- Utilise appropriate Personal Protective Equipment (PPE) such as gloves, safety footwear, and high-visibility clothing when setting up and operating the floor scrubber.</li> </ul>	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<ul style="list-style-type: none"> <li>- Verify that the floor scrubber machine is disconnected from its power source before performing any adjustments, cleaning, or maintenance tasks.</li> <li>- Store electrical cords and connections in a dry, organised manner, using cable management systems or secure storage containers to prevent trip hazards and accidental damage.</li> <li>- Receive proper training and certification on the operation of the specific floor scrubber model being used, adhering to manufacturer guidelines and workplace health and safety regulations.</li> <li>- Consult the manufacturer's instruction manual for correct handling and setup procedures for the specific floor scrubber machine being used.</li> <li>- Implement a safety policy for immediately reporting any electrical hazards, equipment malfunctions, and inconsistencies in the floor scrubber machine's operation.</li> <li>- Establish designated walkways around the work area, utilising barriers and signage to minimise pedestrian interactions and collision risks with the floor scrubber.</li> <li>- Routinely inspect floor surfaces, removing foreign objects and ensuring the area is free of liquids or chemicals before operating the floor scrubber machine.</li> <li>- Always follow a systematic and methodical approach to setting up the equipment, including attaching components, adjusting settings, and connecting/disconnecting the power supply.</li> <li>- Encourage open communication among team members, promoting their understanding of these control measures and other relevant topics related to workplace health and safety.</li> </ul> <p>By implementing these comprehensive and well-thought-out control measures, you can successfully safeguard workers against potential hazards associated with equipment setup and usage of a floor scrubber machine in the workplace.</p>		
3. Maneuvering machine	Struck by or against objects, ergonomic hazards	2M	<ul style="list-style-type: none"> <li>- Ensure adequate training and competency of workers operating the floor scrubber, including knowledge on machine controls, functions, and safe manoeuvring techniques.</li> <li>- Establish clear communication protocols among workers to alert them about approaching machines or obstructions in the path.</li> <li>- Conduct regular inspections and maintenance checks on the floor scrubber to ensure it is functioning optimally and not posing any additional risks.</li> <li>- Implement a designated travel path for the floor scrubber, clearly marked and free from obstacles, to minimise the risk of collision with other objects or people.</li> <li>- Utilise safety features such as warning lights, alarms, and mirrors to enhance the visibility and awareness of the floor scrubber's position and movements.</li> </ul>	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<ul style="list-style-type: none"> <li>- Assess the workspace for potential ergonomic hazards, and make necessary modifications to the work environment or processes to reduce repetitive strain injuries and other physical discomforts.</li> <li>- Maintain a clean and well-organised work area, removing hazards such as loose cords and debris that may obstruct the safe movement of the floor scrubber.</li> <li>- Encourage workers to take regular breaks and stretch periodically to alleviate muscle tension and fatigue caused by prolonged periods of operating the floor scrubber.</li> <li>- Develop a system for reporting incidents, near misses, and hazards related to manoeuvring the floor scrubber, fostering a culture of continuous improvement in workplace safety.</li> <li>- Provide personal protective equipment (PPE) appropriate for the task, such as steel-toe boots, high-visibility vests, and gloves when operating the floor scrubber.</li> <li>- Communicate and enforce speed limits and restrictions within certain areas of the workplace to prevent loss of control over the floor scrubber and reduce the likelihood of impact incidents.</li> </ul>		
4. Cleaning solution application	Chemical hazards, misuse of solution	2M	<p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Scrubbing floors	Wet surfaces, excessive noise levels	2M		1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<div></div> <div></div> <div></div> <div></div> <div></div> <div></div>		
6. Vacuuming excess water	Electrical hazards, slips and trips	3H	<div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	1L	





1. **Introduction**  
 2. **Background**  
 3. **Methodology**  
 4. **Results**  
 5. **Conclusion**  
 6. **References**  
 7. **Appendix**  
 8. **Tables**  
 9. **Figures**  
 10. **Summary**  
 11. **Abstract**  
 12. **Keywords**  
 13. **Subject**  
 14. **Topic**  
 15. **Field**  
 16. **Area**  
 17. **Discipline**  
 18. **Branch**  
 19. **Department**  
 20. **Faculty**  
 21. **School**  
 22. **College**  
 23. **University**  
 24. **Institute**  
 25. **Center**  
 26. **Laboratory**  
 27. **Department**  
 28. **Faculty**  
 29. **School**  
 30. **College**  
 31. **University**  
 32. **Institute**  
 33. **Center**  
 34. **Laboratory**  
 35. **Department**  
 36. **Faculty**  
 37. **School**  
 38. **College**  
 39. **University**  
 40. **Institute**  
 41. **Center**  
 42. **Laboratory**  
 43. **Department**  
 44. **Faculty**  
 45. **School**  
 46. **College**  
 47. **University**  
 48. **Institute**  
 49. **Center**  
 50. **Laboratory**  
 51. **Department**  
 52. **Faculty**  
 53. **School**  
 54. **College**  
 55. **University**  
 56. **Institute**  
 57. **Center**  
 58. **Laboratory**  
 59. **Department**  
 60. **Faculty**  
 61. **School**  
 62. **College**  
 63. **University**  
 64. **Institute**  
 65. **Center**  
 66. **Laboratory**  
 67. **Department**  
 68. **Faculty**  
 69. **School**  
 70. **College**  
 71. **University**  
 72. **Institute**  
 73. **Center**  
 74. **Laboratory**  
 75. **Department**  
 76. **Faculty**  
 77. **School**  
 78. **College**  
 79. **University**  
 80. **Institute**  
 81. **Center**  
 82. **Laboratory**  
 83. **Department**  
 84. **Faculty**  
 85. **School**  
 86. **College**  
 87. **University**  
 88. **Institute**  
 89. **Center**  
 90. **Laboratory**  
 91. **Department**  
 92. **Faculty**  
 93. **School**  
 94. **College**  
 95. **University**  
 96. **Institute**  
 97. **Center**  
 98. **Laboratory**  
 99. **Department**  
 100. **Faculty**  
 101. **School**  
 102. **College**  
 103. **University**  
 104. **Institute**  
 105. **Center**  
 106. **Laboratory**  
 107. **Department**  
 108. **Faculty**  
 109. **School**  
 110. **College**  
 111. **University**  
 112. **Institute**  
 113. **Center**  
 114. **Laboratory**  
 115. **Department**  
 116. **Faculty**  
 117. **School**  
 118. **College**  
 119. **University**  
 120. **Institute**  
 121. **Center**  
 122. **Laboratory**  
 123. **Department**  
 124. **Faculty**  
 125. **School**  
 126. **College**  
 127. **University**  
 128. **Institute**  
 129. **Center**  
 130. **Laboratory**  
 131. **Department**  
 132. **Faculty**  
 133. **School**  
 134. **College**  
 135. **University**  
 136. **Institute**  
 137. **Center**  
 138. **Laboratory**  
 139. **Department**  
 140. **Faculty**  
 141. **School**  
 142. **College**  
 143. **University**  
 144. **Institute**  
 145. **Center**  
 146. **Laboratory**  
 147. **Department**  
 148. **Faculty**  
 149. **School**  
 150. **College**  
 151. **University**  
 152. **Institute**  
 153. **Center**  
 154. **Laboratory**  
 155. **Department**  
 156. **Faculty**  
 157. **School**  
 158. **College**  
 159. **University**  
 160. **Institute**  
 161. **Center**  
 162. **Laboratory**  
 163. **Department**  
 164. **Faculty**  
 165. **School**  
 166. **College**  
 167. **University**  
 168. **Institute**  
 169. **Center**  
 170. **Laboratory**  
 171. **Department**  
 172. **Faculty**  
 173. **School**  
 174. **College**  
 175. **University**  
 176. **Institute**  
 177. **Center**  
 178. **Laboratory**  
 179. **Department**  
 180. **Faculty**  
 181. **School**  
 182. **College**  
 183. **University**  
 184. **Institute**  
 185. **Center**  
 186. **Laboratory**  
 187. **Department**  
 188. **Faculty**  
 189. **School**  
 190. **College**  
 191. **University**  
 192. **Institute**  
 193. **Center**  
 194. **Laboratory**  
 195. **Department**  
 196. **Faculty**  
 197. **School**  
 198. **College**  
 199. **University**  
 200. **Institute**  
 201. **Center**  
 202. **Laboratory**  
 203. **Department**  
 204. **Faculty**  
 205. **School**  
 206. **College**  
 207. **University**  
 208. **Institute**  
 209. **Center**  
 210. **Laboratory**  
 211. **Department**  
 212. **Faculty**  
 213. **School**  
 214. **College**  
 215. **University**  
 216. **Institute**  
 217. **Center**  
 218. **Laboratory**  
 219. **Department**  
 220. **Faculty**  
 221. **School**  
 222. **College**  
 223. **University**  
 224. **Institute**  
 225. **Center**  
 226. **Laboratory**  
 227. **Department**  
 228. **Faculty**  
 229. **School**  
 230. **College**  
 231. **University**  
 232. **Institute**  
 233. **Center**  
 234. **Laboratory**  
 235. **Department**  
 236. **Faculty**  
 237. **School**  
 238. **College**  
 239. **University**  
 240. **Institute**  
 241. **Center**  
 242. **Laboratory**  
 243. **Department**  
 244. **Faculty**  
 245. **School**  
 246. **College**  
 247. **University**  
 248. **Institute**  
 249. **Center**  
 250. **Laboratory**  
 251. **Department**  
 252. **Faculty**  
 253. **School**  
 254. **College**  
 255. **University**  
 256. **Institute**  
 257. **Center**  
 258. **Laboratory**  
 259. **Department**  
 260. **Faculty**  
 261. <

injuries, exposure  
ances

3H

in, trips, trips, and 3H

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Sanitising equipment	Chemical hazards, cross contamination			1L	

potential

[illegible]

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
14. Disassembling equipment	Manual handling injuries Exposure to hazardous substances			1L	

SAMPLE



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
15. Reporting safety incidents	Delayed action on hazards, inaccurate reporting	2M		1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON

SAMPLE

## EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

## LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

### Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

### Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

### New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

### Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

### Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

## SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		

## SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

**The SWMS must be reviewed regularly** to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are needed. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

**The SWMS must be monitored regularly** for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 7
NAME							
INITIALS							
DATE							

## SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.	<input type="checkbox"/>	<input type="checkbox"/>	
Names and signatures of all relevant personnel consulted during the development of the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Name, signature, position and date signed of the person approving the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Specific personnel and qualifications, experience is noted in the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Provides a step-by-step process of tasks required to carry out the activity or task.	<input type="checkbox"/>	<input type="checkbox"/>	
Adequate risk assessment of any identified hazards has been completed.	<input type="checkbox"/>	<input type="checkbox"/>	
Foreseeable hazards are identified and documented for each step.	<input type="checkbox"/>	<input type="checkbox"/>	
Any hazards listed in any site risk assessments have been added to the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.	<input type="checkbox"/>	<input type="checkbox"/>	
Check control measures added to the SWMS are the most effective solutions.	<input type="checkbox"/>	<input type="checkbox"/>	
Responsible person is assigned and listed on the SWMS for the implementation of control measures.	<input type="checkbox"/>	<input type="checkbox"/>	
Permit requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.	<input type="checkbox"/>	<input type="checkbox"/>	
SWMS identifies plant and equipment to be used.	<input type="checkbox"/>	<input type="checkbox"/>	
Details of inspection checks required for any equipment listed are noted on the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Describes any mandatory qualifications, experience, training, skills required to perform the work.	<input type="checkbox"/>	<input type="checkbox"/>	
Applicable personal protective equipment is selected on the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Lists any required permits or licenses.	<input type="checkbox"/>	<input type="checkbox"/>	
Reflects and documents any legislative references and/or Australian Standards.	<input type="checkbox"/>	<input type="checkbox"/>	
Identifies any hazardous substances used with specific control measures in line with any SDS.	<input type="checkbox"/>	<input type="checkbox"/>	
REVIEWED BY		DATE REVIEWED	
SIGNATURE		DATE COMPLETED	