
Forensic Cleaning	SAFE WORK METHOD ST	TATEMENT (SWMS)	
TASK OR ACTIVITY: Forensic Cleanary Business Name: [Company Name] ABN: [ABN] SWMS# Business Address: [Company Address] Excit: Excit: Excit: Contact Person: Phone: [Phone] Excit: Excit: Excit: Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (r. 3U) is required to agree of a safe work method statement (SWMS) is prepared before the proposed work stats. Full Name: Full Name: Title: Date: Signature: Title: Date: Details of the person(s) responsible for ensuring implementation, monitoring at compliances (rh. WMMS, well as reviews-and modifications of the SWMS. Phone: ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS. "ST N. "E AND DATED SIGNATURE OF CALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND ALXEE TO IN THE DEVELOWING COMUNICATED THIS SUGAL OF THIS SWMS Stefut meetings of toobox take will be schere at in accordance with insistering and the to further take steps to either caste or one as whit musitering and the too further take steps to either caste or one as whit musitering the SWMS if required. The meeting may also be an educational opportunity. NAME SIGNATURE DATE Mark The Fold of the indent, a neering way also be an educational opportunity. NAME SIGNATURE DATE Mark Stif required. The meeting m			
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE P. J OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	acting a business or undertaking (k - 3U) is	required to thurs at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	rs and modifications of the SWMS.	
Full Name:		Title:	Phone:
	N. TE AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
requirements to first identify any site hazards, conduction inical those	NAME	SIGNATURE	DATE
hazards and then to fulfiller take steps to either the steps to ei			
on the severity of the incident, a meeting will be called with all workers to amend			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable			
incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS											
Client:					SCOPE OF WORKS						
Project Name:							rk being carried out (otherwise				
Project Address:					known as cope of works)						
Project Manager:											
Contact Phone:											
Project Manager	Signature:										
Date SWMS supp	olied to Project Manag	er:									
		ANY HIG	H-RISK CON JUCT	N JRK BEING	ARRIED OUT						
involves a risk of	a person falling more than	2 meters.		is carried out on c	is carried out on or near pressurised gas mains or piping.						
is carried out on a	a telecommunication tower			☐ is carried out on or near chemical, fuel or refrigerant lines.							
involves demolition	on of an element of a struct	ure that is load-be		☐ is carried out on or near energised electrical installations or services.							
involves demolition	on of an element related to	the physical integrit of a s	tr e.	is carried out in an area that may have a contaminated or flammable atmosphere.							
involves, or is like	ely to involve, disturbing a	estos.		involves tilt-up or precast concrete.							
involves structura	al alteration or repair that re	mporal, upp to	o prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
is carried out in o	r near a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.							
is carried out in/n	ear a shaft or trench deepe	er than 1.5m or tunnel invol-	ving use of explosives.	is carried out in areas with artificial extremes of temperature.							
is carried out in o	r near water or other liquid	that involves a risk of drow	ning.	involves diving wo	ork.						
		ANY	HIGH-RISK MACHINI	ERY OR EQUIPMEN	FNEARBY						
Forklift	Crane/s	☐ Hoist/s	Excavator	Backhoe/Loader	Boom Lift	EWP	Genie Lift				
Trencher	Drilling Rig	Trucks	Formwork	Bobcat	Flammable Gas	Fuel	Dozer				
High Voltage	Mulcher	Tilt-up Panels	Roller	Scissor Lift	Tractor	Other -					







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Incorrect use of PPE, Improper training	ЗН	 Ensure all workers involved have undergone comprehensive training in the appropriate use and handling of Personal Protective quipment (PPE). Every team member should be properly fitted unPPE, including masks, gloves, protective clothing, eye protection. Training on safe work procedures, including the undergone different types of hazards associated with forensic cleaning, should a mandatory for all staff members. H&S protocols, including providues of PPE and on ectamoliling of hazardous substances, should be unducted to usure the wellbeing of the individuals interved in the curation. Increase supersion using activities mensure correct procedures are followed and Fuel work is put to stand activities. Safe non-dethoor patements (SWMS) must be developed, issued, and briefed to all work is put to stand activities. Tlear signage intructing the use of appropriate PPE should be displayed at provider ocations. Adequa preaks should be scheduled to reduce fatigue and maintain high levels of us and attention during critical tasks. A equipment and tools used in the forensic cleaning process should be checked for safety and maintained regularly to avoid accidents due to faulty equipment. Create an open, communicative environment where workers feel comfortable reporting potential problems or safety concerns. 	2M	
2. Site Assessment	Biological hazards, improper site assessment	ЗН	 Sure, here are the detailed control measures for this work step and hazards: Utilise proper personal protective equipment (PPE). This includes wearing gloves, masks, protective eyewear and biohazard suits as necessary. Employ correct procedures when dealing with biological waste. This includes double bagging, labelling and disposing of biohazardous wastes in accordance with relevant Australian legal requirements. Ensure any workers involved in forensic cleaning tasks have received adequate training on how to handle potentially hazardous materials safely, including pathogens, bloodborne viruses and other bio-hazardous substances. Conduct regular site inspections to identify potential biological hazards. Proper documentation of these inspections should be provided. Establish a thorough site decontamination plan and ensure all workers are wellversed in it. 	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Ensure suitable ventilation is in place to minimise the risk of airborne exposure to biological agents.		
			- Complete a thorough risk assessment before been uning work. Understand what specific hazards may be present onsite so work as can take appropriate precautions.		
			- Ensure only suitably qualified or trained pressionals are carrying out forensic cleaning work.		
			- Implement the use of appropriate procedures are safety equipment for lifting, handling and transporting point tially hazardous it as.		
			- Have emergency response providures in place showing incidence of biohazard exposure occur. The most as initial diate first aid practices, accident reporting and follow-up processes.		
			- Maintain gou hygiene studards on the orkers should wash hands thoroughly prior to post to minor terations to proceent cross-contamination.		
			- All equipment must rigorously inspected for faults or damage before use.		
			- Adeque e tracing in the use of all machinery should be provided to all staff		
	1		 State be d wear protective clothing and personal protective equipment (PPE) at It limes can handling the equipment. 		
			- uipment should never be left unattended while operating.		
			No one should operate any equipment unless they have been trained to do so properly.		
3. Equipment Setup	Falling objects, muse of	2M	- Establish a proper system for stacking and storage to prevent falling objects.	1L	
			- Keep the workstation area clean, clear, and organised to prevent accidents caused by clutter.		
			- Staff to always adhere to manufacturer's instructions while setting up any equipment.		
			- Regular maintenance and servicing of tools and equipment should be conducted.		
			- Do not rush while setting up or dismantling the equipment.		
			- Emergency contact details and action plan should be easily available and visible.		
			- Employees should report any unsafe practices, incidents, or risks identified during work.		
4. Applying Cleaning Solvent	Chemical exposure, skin and eye contact	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Scrubbing and Wiping	Slips, Trips, Falls, repetitive motion injuries	4A		2М	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Biohazard Bags Handling	Sharp objects, incorrect disposal	ЗН		2M	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Surface Drying	Slips, electric shock from	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Decontamination Process	Biological Exposure, and per hand of waste	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Sterilization	Misuse of chemicals, unprotected skin and eyes	ЗН		2M	
	Incomplete cleaning, overlooked	2M		1L	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Disposal of Waste	Biological Exposure, sharp objects	4A		2М	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Dismantling Equipment	Injury from manual handling counts	2М		1L	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	7				
13. Post job decontamination	Improper deconta nation procedures, missed hazards	4A		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
14. Documenting and Reporting	Miscommunication emissing the emission	2М		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
15. Leaving Site	Inadequate final chark, overlooked hazards	2М		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
16. Offsite disposal or incineration	Improper handling, public boolth risk	4		2М	



	JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
17. Review and evaluation 2 2 1 18. Seed hazards, lack of feedback 2 2 1	SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	17. Review and evaluation	Missed hazards, lack of feedback	21			







EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE R	REFERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEG	SISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and afety Active of Occupational Health and afety angulations 2017 Legis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulates</u> Unles of wactice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Nork Health and Safety Act 2011 Nork Health and Safety Regulations 2017 Legislation NSW: <u>https://www.safework.nsw.gov.au/legal-obligations/legislati</u> Codes of Practice NSW: <u>https://www.safework.nsw.gov.au/resource-library/lis</u> <u>ta</u> <u>sodes-or</u> <u>racth</u>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Nork Health and Safety (National Uniform Legislation) Act 2011 Nork Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formed-resourcestore-on-entice</u>	 Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice
South Australia Nork Health and Safety Act 2012 (SA) Nork Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Fasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/cacts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/cacts-and-regulations	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work
Details of permits, licenses or access required by regulatory bodies (add or delete as required): Permits from local council Authorisation to commence work	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work

- Any required documents.

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Dat		
			t te:		
			Date:		

SAF WO A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to revised if necessary) if relevant control measure are revised if necessary) if relevant control measure are revised of the SWMS and their health and safety representatives who reworkplace.

ke sure it remains effective and must be reviewed (and are a reverse v process should be carried out in s an subcontract s) who may be affected by the operation sentatives who recessented that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effectines.			
Responsible person is assigned and listed on the SWMS for the impement of cont, measures.			
Permit requirements specified, such as Hot Wrap Electrical Work, Variat Heights etc.			
SWMS identifies plant and equipment to be upd.			
Details of inspection checks required for any equipment listed ar noted on the SWMS.			
Describes any mandatory qualifications, experience reining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE REVIEWED		
SIGNATURE	DATE CO	MPLETED	