| Hang Wallpaper S | SAFE WORK METHOD ST | ATEMENT (SWMS) | |
|--|--|--|-------------------------------------|
| Т | ASK OR ACTIVITY: Hang Wallpar | ber | |
| Business Name: | | ABN: | SWMS# |
| Business Address: | | | |
| Contact Person: | Phone: | E ail: | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROL | THE PC. OF THE ROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person condute the proposed work starts. | ucting a business or under thing (Pu-U) is | required to entry that a safe work method | statement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitorine the | compliance of the SWI, was well as re | eviews and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS | NA OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF | IEL WHO HAVE BEEN CONSULTED AND THIS SWMS | COMMUNICATED TO IN THE |
| Safety meetings or toolbox talks will be schedued in according e with egislative requirements to first identify any site hazards, and the to contain the those hazards and then to further take steps to either eliminate or contail each hazard. | | | |
| If an incident or a near miss occurs, all work must successful ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |



| CLIENT OR PRINCIPAL | CONTRACTOR DETAILS |
|---|--|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date SWMS supplied to Project Manager: | |
| | |
| ☐ involves a risk of a person falling more than 2 meters | d is carried out on or near pressurised gas mains or piping |
| □ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines |
| □ involves demolition of an element of a structure that is load-bearing | □ is carried out on or near energised electrical installations or services |
| □ involves demolition of an element related to the physical integritystructure | \Box is carried out in an area that may have a contaminated or flammable atmosphere |
| □ involves, or is likely to involve, disturbing as the set of the | □ involves tilt-up or precast concrete |
| involves structural alteration or repair the requires to prary support to prevent collapse | \Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| □ is carried out in or near a confined space | \Box is carried out in an area of a workplace where there is any movement of powered mobile plant |
| □ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives | \Box is carried out in areas with artificial extremes of temperature. |
| \Box is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |
| ANY HIGH-RISK MACHINER | RY OR EQUIPMENT NEARBY |
| | |
| | |
| | |



| | RISK MATRIX | | | | | | | | | |
|-------------------|---|---------------|---------------|------------|--------------|----------------|---|--|------------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | 800DF | ACTION | | HEIRARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE | ACTION | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | | Substitution | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review befor work starts. | | Replace the hazard. | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | | Isolate People from the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and key recorde | | Engineering Isolate the hazard. | |
| is the second m | RARE 1 1 2 3 3 1L Montor and ke records Isolate the hazard. Index on Hierarchy of Controls: LOW MODERATE HIGH HIGH LOW ke records Isolate the hazard. Index on Hierarchy of Controls: Elimination methods are the most effective and preferrence on control ga hazard. Substitution the second most effective method of controlling a hazard. Engineering by isolation is the second prote view wile Administrative work. Change the work. Interpretent of the work is the fourth most effective method. PPE (Personal Prote view number of view numb | | | | | | | | | |

| | | Select the an | propriate PPL | PERS | VAL TEC | TIVE EQUIPM oment used or | ENT (PPE) the iob task | being perfor | med (if applica | able). | |
|--------------------|--------------------|--------------------|---------------|-------|----------------------------|---------------------------------------|---------------------------|------------------------|--------------------|-------------------|---------------------------|
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | | | RL SPIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE R | Required: | | | | | _ | | | | | |
| | P | ermit or Lice | nses Requiren | nents | | Mandatory Qualifications and Training | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Accidental cuts, Slippery floors, Unventilated space | ЗН | Use safety cutters with retractable blade to prevent accidental cuts. Wear cut-resistant gloves when handling to is and tailpaper materials. Keep the workspace organised and free of the ecessary shap objects. Ensure all cutting tools are topperly maintained and storm safely when not in use. Clean up any spilled mediate to prevent slipper more. Use non-slipteness or shell to incluse tractifie on potentially slippery surfaces. Clearly many my wet arrow with sign and allert workers and prevent slips. Ensure of the workspace of more solven to incluse the solvents of allert workers and prevent slips. Schedule number of working with solvents or adhesives that emit fumes. Schedule number stores to allow fresh air into enclosed workspaces. Iducate work is about the importance of maintaining good ventilation. Ensure all equipment used for wallpaper application is in good condition to avoid electric hocks. Ingularly inspect ladders and scaffolding for stability and place them on firm, level ground. Provide adequate training for workers in hazard identification and control measures relevant to wallpaper hanging. | 2М |
| 2. Measuring and Cutting | Accidental cuts, Incorrect measurements | ЗН | Ensure all workers are trained in safe cutting techniques and equipment use. Use sharp, high-quality cutting tools to ensure clean cuts and reduce the need for excessive pressure. Equip workers with appropriate personal protective equipment (PPE) such as cut-resistant gloves. Implement a clear workspace to avoid distractions that could lead to accidental cuts. Provide workers with easy-to-read rulers or tape measures with both metric and imperial measurements. Conduct regular maintenance checks on cutting tools to ensure they are in good working condition. Encourage the use of safety knives with retractable blades to minimise exposure when not in use. Position materials securely on a stable surface before measuring and cutting to prevent slips. Verify measurements twice before cutting to reduce errors and material wastage. Designate a specific area for measuring and cutting to maintain order and focus. Use templates for repetitive cuts to improve accuracy and efficiency. Review each measurement against the project plan regularly to ensure alignment with requirements. | 1L |

Version 2.5


order complete swms

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 3. Applying Adhesive | Chemical exposure, Accidental ingestion/inhalation | 4A | Ensure that you are working in a well-ventilated area to minimise the build-up of adhesive fumes. Use non-toxic, low-VOC adhesives wherever per tole to reduce health risks associated with chemical exposure. Wear appropriate personal protective equipment (PPE) is cluding gloves and safety goggles, to prevent skin and eye contact with adhesive substances. Implement proper first aid measures on site and accidentatingestion or inhalation occur, ensuring personnel are aware of and mined in these providures. Provide adequate waching facties to allow worke, useash hands and remove any adhesive residues before eating, driving, usenok. Clearly labour adhesive intaine and ker unem tightly sealed when not in use to prevent spills and accidental existere. Devention device and the non-eating, no-drinking policies in areas where adhesives are being used or stored. Train pork is on the offer handling and application of adhesives, emphasising correct usage techniques. Regular che mation tools designed to minimise splashes or spills of adhesive materials onto skin or into res. Due a splation tools designed to minimise splashes or spills of adhesives to authorised personnel only whilst adhesive handling is underway. Plan for rapid containment and cleaning procedures for any spilled adhesives to avoid prolonged exposure risk. Store all adhesives according to Material Safety Data Sheets (MSDS) instructions to maintain safety and stability. | 2М |
| 4. Hanging Wallpaper | Fall from height, Muscle strain, Eye injuries | 4A | | 2M |











| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | _ |
| | | | | - |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Cut or puncture workers, residredous waste exposure | ∠M | | 1L |
| 8. Disposal of Waste | waste exposure | 211/1 | | IL |
| | | | | |
| | | | | |
| | | | | |
| | | | | - |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 9. Equipment Maintenance | Electrical shock, Unexpected startup | 3H | | 1L |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Transporting Materials | Manual handling injuries, Trip and falls | ЗН | | 2M |

Version 2.5




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--|-------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 11. Ascending/Descending Ladders | Falls from heights, Foot encournent | 4A | | 2М |




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| 12. Overhead Work | Head injuries, Eye iniz | | | 2M |
| | | | | |
| | | | | |
| 13. Use of Power Tools | Electrical shock, Noise pollution, Vibration hazards | ЗН | | 1L |

Version 2.5









Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 17. Working Alone | No immediate help in case of emergency, Mental health risks | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | _ |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | _ |
| | | | | - |
| 18. Handling Sharp Objects | Cuts and puncture infection risk | зH | | 1L |
| | | | | |
| | | | | |
| | | | | - |
| | | | | |
| | | | | |
| | | | | |
| 19. Repetitive Motion | Muscular strain, Repetitive motion injuries | ЗН | | 1L |
| | | | | |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 20. Extended Work Periods | Fatigue, Stress, Increased error rate | ЗН | | 2М |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | S | | | |

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REFERENCES | | | | | | | |
|---|---|--|--|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY STAR THAT ARE NOT APPLICABLE | | | | | | | |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice | Victoria On upational Health & 1 Safety Acc-004 Occupational Health an Safet Acceptations 2017 Legismion VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gular s</u> Ides on Fractice VI <u>suttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> | | | | | | |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> | | | | | | |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulatines 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance</u> , <u>prkplatentfety-la</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-reso</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> | | | | | | |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/w_v.places/codes-of-practice#COPs</u> Tasmania Work Health and Safety Act 2012 | Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace Managing the risk of falls at workplaces | | | | | | |
| Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> | Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination | | | | | | |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work | | | | | | |

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
| | | |
| | | |
| | | |
| | | |
| | | |

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
|---------------|---|---|---|---|---|---|---|--|
| NAME | | | | | | | | |
| INITIALS | | | | | | | | |
| DATE | | | | | | | | |

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS |
|---|-------------|----------|
| | | |
| The company details have been entered, including the project name and address. | | |
| All relevant personnel consulted during the development of the SWMS. | | |
| Name, signature, position and date signed of the person approving the SWMS. | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | |
| Adequate risk assessment of any identified hazards has been completed. | | |
| Foreseeable hazards are identified and documented for each step. | \boxtimes | |
| Any hazards listed in any site risk assessments have been added to the Sλ. S. | \boxtimes | |
| SWMS initial risk (IR) column as well as residual risk (RR) column completed. | \boxtimes | |
| Check control measures added to the SWMS are the most effective sections. | \boxtimes | |
| Responsible person is assigned and listed on the spiral of the spiral entry of control measures. | \boxtimes | |
| Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc. | \boxtimes | |
| SWMS identifies plant and equipment to be | \boxtimes | |
| Details of inspection checks required for any equipment lister are noted on the SWMS. | \square | |
| Describes any mandatory qualifications, experience, ang or skills required to perform the work. | \square | |
| Applicable personal protective equipment is selected on the SWMS. | \square | |
| Reflects and documents any legislative references and/or Australian Standards. | \boxtimes | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | | |
| | | |
| REVIEWED BY | DATE REVI | EWED |
| SIGNATURE | DATE COMP | LETED |