| Heat Press   SA   | AFE WORK METHOD STAT  | EMENT (SWMS)   |                                     |  |  |  |  |  |  |  |
|---|---|--|-------------------------------------|--|--|--|--|--|--|--|
| TASK OR ACTIVITY: Heat Press  |   |  |                                     |  |  |  |  |  |  |  |
| Business Name: [Company Name]   |   | ABN: [ABN]   | SWMS#                               |  |  |  |  |  |  |  |
| Business Address: [Company Address]   |   |  |                                     |  |  |  |  |  |  |  |
| Contact Person:   | Phone: [Phone]  | E gil:   |                                     |  |  |  |  |  |  |  |
| THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PLOT OF THE PROJECT  |   |  |                                     |  |  |  |  |  |  |  |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.   | cting a business or undertaking (N BU) is                       | required to ture at a safe work method s                             | statement (SWMS) is prepared before |  |  |  |  |  |  |  |
| Full Name:  |   |  |                                     |  |  |  |  |  |  |  |
| Signature:  |   | Title:   | Date:                               |  |  |  |  |  |  |  |
| Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS well as reviews and modifications of the SWMS.  |   |  |                                     |  |  |  |  |  |  |  |
| Full Name:  |   | Title:   | Phone:                              |  |  |  |  |  |  |  |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST<br>HAVE THE FOLLOWING COMMUNICATED  | N. 1E AND DATED SIGNATURE OF A<br>CO.MUNICATED TO IN THE DEVELO | LL RELEVANT PERSONNEL WHO HAVE B<br>OPMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND                   |  |  |  |  |  |  |  |
| Safety meetings or toolbox talks will be sched ed in accordance with regislative requirements to first identify any site hazards, conduct on unice those hazards and then to further take steps to either the | NAME  | SIGNATURE  | DATE                                |  |  |  |  |  |  |  |
| If an incident or a near miss occurs, all work must study unately. Depending<br>on the severity of the incident, a meeting will be called with all workers to amend<br>the SWMS if required. The meeting may also be an educational opportunity.  |   |  |                                     |  |  |  |  |  |  |  |
| Any changes made to the SWMS after an incident or a near miss must be<br>approved by the Person Conducting Business or Undertaking and<br>communicated to all relevant personnel.   |   |  |                                     |  |  |  |  |  |  |  |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.  |   |  |                                     |  |  |  |  |  |  |  |



| CLIENT OR PRINCIPAL CONTRACTOR DETAILS |                                 |                               |                         |  |  |         |                                 |  |  |  |  |
|--|---------------------------------|-------------------------------|-------------------------|--|--|---------|---------------------------------|--|--|--|--|
| Client:                                |                                 |                               |                         |  | SCOPE OF WORKS   |         |                                 |  |  |  |  |
| Project Name:                          |                                 |                               |                         |  |  |         | rk being carried out (otherwise |  |  |  |  |
| Project Address:                       |                                 |                               | k                       | nown as scope of works).   |  |         |                                 |  |  |  |  |
| Project Manager:                       |                                 |                               |                         |  |  |         |                                 |  |  |  |  |
| Contact Phone:                         |                                 |                               |                         |  |  |         |                                 |  |  |  |  |
| Project Manager                        | Signature:                      |                               |                         |  |  |         |                                 |  |  |  |  |
| Date SWMS supp                         | olied to Project Manag          | er:                           |                         |  |  |         |                                 |  |  |  |  |
|  |                                 | ANY HIG                       | H-RISK CON YUCI         | N. JRK BEING   | ARRIED OUT   |         |                                 |  |  |  |  |
| involves a risk of                     | a person falling more than      | 2 meters.                     |                         | is carried out on or   | is carried out on or near pressurised gas mains or piping. |         |                                 |  |  |  |  |
| is carried out on a                    | a telecommunication tower.      |                               |                         | ☐ is carried out on or near chemical, fuel or refrigerant lines.                               |  |         |                                 |  |  |  |  |
| involves demolition                    | on of an element of a struct    | ure that is load-be           |                         | ☐ is carried out on or near energised electrical installations or services.                    |  |         |                                 |  |  |  |  |
| involves demolition                    | on of an element related to     | the physical integrit of a s  | 17 e.                   | is carried out in an area that may have a contaminated or flammable atmosphere.                |  |         |                                 |  |  |  |  |
| involves, or is like                   | ely to involve, disturbing a    | estos.                        |                         | involves tilt-up or precast concrete.  |  |         |                                 |  |  |  |  |
| involves structura                     | al alteration or repair that re | mporal upp to                 | prevent collapse.       | is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor. |  |         |                                 |  |  |  |  |
| is carried out in o                    | r near a confined space.        |                               |                         | is carried out in an area of a workplace where there is any movement of powered mobile plant.  |  |         |                                 |  |  |  |  |
| is carried out in/n                    | ear a shaft or trench deepe     | er than 1.5m or tunnel involv | ving use of explosives. | ☐ is carried out in areas with artificial extremes of temperature.                             |  |         |                                 |  |  |  |  |
| is carried out in o                    | r near water or other liquid    | that involves a risk of drow  | ning.                   | involves diving wo   | k.   |         |                                 |  |  |  |  |
|  |                                 | ANY                           | HIGH-RISK MACHINE       | RY OR EQUIPMENT  | NEARBY   |         |                                 |  |  |  |  |
| Forklift                               | Crane/s                         | ☐ Hoist/s                     | Excavator               | Backhoe/Loader   | Boom Lift  | EWP     | Genie Lift                      |  |  |  |  |
| Trencher                               | Drilling Rig                    | Trucks                        | Formwork                | Bobcat   | Flammable Gas  | Fuel    | Dozer                           |  |  |  |  |
| High Voltage                           | Mulcher                         | Tilt-up Panels                | Roller                  | Scissor Lift   | Tractor  | Other - |                                 |  |  |  |  |







| JOB STEP                   | POTENTIAL HAZARDS                    | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|----------------------------|--------------------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE               | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON        |
| 1. Preparation             | Electrical hazards, Tripping hazards | 2М              | <ul> <li>Inspect all electrical cords and equipment for any damage prior to use, and ensure that they are in good working condition.</li> <li>Use only approved and certified electrical equipment that adheres to the Australian standards.</li> <li>Install Residual Current Devices (RCDs) on the electron circuits to minimise the risk of electrical shock.</li> <li>Keep electrical equipment to and well away from water some as, and avoid using them in wet or damp condition.</li> <li>Regularly test and use or using the manual uncers's guidenes.</li> <li>Ensure that the workers using the hear or nave undergone training and are aware botten, hazen, as well as how to operate the equipment safely.</li> <li>Estat is a clean of king area around the heat press station, ensuring that it is free from clustel bebris, or ipping hazards like loose cables or cords.</li> <li>Use appropring signal to mark the designated working space, alerting other takers is maine in distance and avoid accidentally accessing the area.</li> <li>Keen the use of durable and non-slip mats or rubber flooring around the heat press station to lower the risk of slips and trip hazards.</li> <li>Designate specific pathways for moving around the workspace and provide proper lighting to ensure better visibility within the work area.</li> <li>Regularly review and update the SWMS to address evolving risks, incorporating new control measures as needed based on feedback from workers.</li> <li>Conduct ongoing monitoring and supervision to ensure adherence to established safety protocols, promptly addressing any observed hazards or unsafe work grace.</li> </ul> | 1L               |                       |
| 2. Pre-Heat Press<br>Setup | Burn hazards, Heavy lifting hazards  | ЗН              | <ul> <li>Proper training: Ensure that all workers using the heat press machine receive comprehensive training on its safe usage, including understanding potential hazards, correct lifting techniques to avoid injuries, and appropriate handling of hot surfaces.</li> <li>Protective gear: Provide workers with necessary protective equipment, such as heat-resistant gloves, non-slip footwear, and protective eyewear to minimise the risk of burns.</li> </ul>  | 2M               |                       |

# order complete swms

| JOB STEP              | POTENTIAL HAZARDS                      | IR              | CONTROL MEASURES  | RR               | RESPONSIBLE<br>PERSON |
|-----------------------|--|-----------------|---|------------------|-----------------------|
| SPECIFIC WORK STEPS   | HAZARDS THAT MAY ARISE                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK | NAME OF PERSON        |
|                       |  |                 | - Pre-inspection: Conduct routine checks on the equipment to ensure it is in good working condition, including cables, buttons, and temperature settings. Fix any issues before operating the machine.  |                  |                       |
|                       |  |                 | - Clear workspace: Maintain a clutter-free area cound the heat press machine to prevent tripping hazards and allow enough take for proper lifting.  |                  |                       |
|                       |  |                 | - Instructions manual: Make the heat press it succions anual readily available to all staff members so they can review the information ended, especially regarding safety precautions.  |                  |                       |
|                       |  |                 | <ul> <li>Temperature settings: Set the pachine's temperature are using to the fabric or material being used the pid bulk og items, and monipulemperature regularly while in use.</li> <li>Lifting aids are appropriate tools, such as pareneys, carts, or additional helpers, to</li> </ul> |                  |                       |
|                       |  |                 | carry b avy objects or monifals and respective possibility of lifting-related injuries.<br>- Ven as n: Ensurance per ventilation in the area where the heat press is located to<br>preven of exposition excessive heat and maintain a comfortable work<br>environment.                      |                  |                       |
|                       |  |                 | Emergency procedures. Develop an emergency action plan for accidents and<br>concate the status accordingly, including first aid and fire safety measures.   |                  |                       |
|                       |  |                 | Superson: Assign a qualified supervisor to monitor the heat press operations to sure the workers follow safety guidelines and control measures while using the number.  |                  |                       |
|                       | C                                      |                 | - Proper PPE: Workers must wear appropriate Personal Protective Equipment (PPE) such as gloves and long sleeves to protect against cuts, scratches, or other injuries caused by sharp edges during material handling.   |                  |                       |
|                       |  |                 | <ul> <li>Pre-inspection of materials: Inspect all materials for sharp edges, irregularities, or<br/>damaged ends before using them in the heat press process. Replace or repair any<br/>damaged materials.</li> </ul>   |                  |                       |
| 3. Material Selection | Sharp edges hazards, Allergic reaction | 2M              | <ul> <li>Correct handling techniques: Train employees on safe handling techniques to<br/>minimise contact with sharp edges, including proper lifting techniques and using<br/>tools to support materials when necessary.</li> </ul>   | 1L               |                       |
|                       |  |                 | - Rounded-edge tools: Use equipment and tools specifically designed for handling materials with sharp edges, such as rounded-edge trolleys and sheet handlers.  |                  |                       |
|                       |  |                 | - Material storage: Store materials in clean, organised manner with safety guards around sharp edges to reduce potential contact hazards.   |                  |                       |
|                       |  |                 | - Workstation design: Arrange workspaces to minimise worker exposure to sharp edges; for example, use tables with round edges and avoid placing materials near walkways where others may brush against them.  |                  |                       |



| JOB STEP                        | POTENTIAL HAZARDS                           | IR              | CONTROL MEASURES  | RR               | RESPONSIBLE<br>PERSON |
|---------------------------------|---|-----------------|---|------------------|-----------------------|
| SPECIFIC WORK STEPS             | HAZARDS THAT MAY ARISE                      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK | NAME OF PERSON        |
|                                 |   |                 | - Hazard Identification: Ensure that all workers are aware of the hazards associated with sharp edges and allergic reaction potential in the materials being used. Conduct regular training updates on hazard identification and sponse protocols.  |                  |                       |
|                                 |   |                 | - Allergen policies: Implement workplace allerence policies to reduce exposure risk, such as prohibiting eating at workstations an encouraging regular hand washing.  |                  |                       |
|                                 |   |                 | <ul> <li>Material Safety Data Sheets (MSDS): Keep, update MSDS for each material being used in the heat press process, with spectrum ormation on potential allergic reactions.</li> <li>Emergency response plan: Explisit a clear emergency response plan in case of the process of</li></ul> |                  |                       |
|                                 |   |                 | allergic reactions or the seriou incidents involving mardous materials, including procedures for finand resumse, morting, and follow-up.  |                  |                       |
|                                 |   |                 | - First aid supplies appropriate for<br>treating injuries aused by marp edge, well as medications and treatments for<br>allers, action.   |                  |                       |
|                                 |   |                 | - Regular readits an enviews: Conduct regular safety audits of work areas, material storage practices, and quipment to ensure that established control measures are being encitive simplex ated and maintained. Additionally, review and update afety procedure as needed to ensure they remain current with best industry process  |                  |                       |
|                                 | S   |                 |   |                  |                       |
| 4. Press Temperature<br>Setting | Burn hazards, Equipment malfunction hazards | ЗH              |   | 2M               |                       |
|                                 |   |                 |   |                  |                       |
|                                 |   |                 |   |                  |                       |



| JOB STEP            | POTENTIAL HAZARDS                              | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                         | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |  |                 |  |                  |                       |
| 5. Design Placement | Repetitive strain injuries, Eye strain hazards | 2М              |  | 1L               |                       |



| JOB STEP            | POTENTIAL HAZARDS                | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|----------------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |                                  |                 |  |                  |                       |
| 6. Press Operation  | Crushing hazards, Noise exposure | ЗН              |  | 2M               |                       |

Version 2.5

Date of Issue:



| JOB STEP            | POTENTIAL HAZARDS                             | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|---|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                        | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     | S   |                 |  |                  |                       |
| 7. Quality Checks   | Eye strain hazards, Chemical exposure hazards | 2M              |  | 1L               |                       |

Version 2.5

Date of Issue:



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |                        |                 |  |                  |                       |

Version 2.5

Date of Issue:



| JOB STEP            | POTENTIAL HAZARDS      | IR                    | CONTROL MEASURES   | RR                     | RESPONSIBLE<br>PERSON |
|---------------------|------------------------|-----------------------|--|------------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK       | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK       | NAME OF PERSON        |
|                     |                        | IR<br>INITIAL<br>RISK |  | RR<br>RESIDUAL<br>RISK | PERSON                |
|                     |                        |                       |  |                        |                       |



| JOB STEP                    | POTENTIAL HAZARDS                        | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|-----------------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS         | HAZARDS THAT MAY ARISE                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                             |  |                 |  |                  |                       |
| 9. Equipment<br>Maintenance | Electrical hazards, cutarp edges hazards | ZM              |  | 1L               |                       |



| JOB STEP               | POTENTIAL HAZARDS                                | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|------------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE                           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                        |  |                 |  |                  |                       |
| 10. Cleaning Work Area | Slip and trip hazards, Chemical exposure hazards | 2М              |  | 1L               |                       |

Version 2.5



| JOB STEP            | POTENTIAL HAZARDS                            | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                       | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |  |                 |  |                  |                       |
| 11. Waste Disposal  | Manual handling hazarus, Puncture<br>hazards | 2М              |  | 1L               |                       |



| JOB STEP            | POTENTIAL HAZARDS                      | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |  |                 |  |                  |                       |
| 12. Storage         | Storage stacking hazards, Fire hazards | 2М              |  | 1L               |                       |

Version 2.5



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |                        |                 |  |                  |                       |
|                     |                        |                 |  |                  |                       |
|                     | 5                      |                 |  |                  |                       |



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE F  | REFERENCES   |  |  |  |  |  |
|--|--|--|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE  |  |  |  |  |  |  |
| Queensland & Australian Capital Territory<br>Work Health and Safety Act 2011<br>Work Health and Safety Regulations 2011<br>Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u><br>Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u><br>Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u><br>Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>  | Victoria<br>Occupational Health and Safety Action 04<br>Occupational Health and Safety Action 04<br>Degis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-<br/>gulan</u> is<br>Unles on vactice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> |  |  |  |  |  |
| New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati-codes">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes</a> ract.         Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes</a> ract.   | Western Australia<br>Work Health and Safety Act 2020<br>Work Health and Safety Regulations 2022<br>Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u><br>Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>                                |  |  |  |  |  |
| Northern Territory<br>Work Health and Safety (National Uniform Legislation) Act 2011<br>Work Health and Safety (National Uniform Legislation) Regulation 2015<br>Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/workplace-servelaws<br>Codes of Practice NT: https://worksafe.nt.gov.au/formersection stressection st | Safe Work Australia Links<br>Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u><br>Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-<br/>codes-of-practice</u>   |  |  |  |  |  |
| South Australia<br>Work Health and Safety Act 2012 (SA)<br>Work Health and Safety Regulations 2012 (SA)<br>Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u><br>Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u>  | Model Codes of Practice     Managing noise and preventing hearing loss at work     Confined spaces     Labelling of workplace hazardous chemicals     Managing risks of hazardous chemicals in the workplace     Welding processes   |  |  |  |  |  |
| Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a>  | <ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> </ul>                 |  |  |  |  |  |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work  | <ul> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>                                       |  |  |  |  |  |

- Any required documents.



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Position | Signature | Date  | Time | Supervisor |
|-------------|----------|-----------|-------|------|------------|
|             |          |           | Date: |      |            |
|             |          |           | Datu  |      |            |
|             |          |           | ı te: |      |            |
|             |          |           | Date: |      |            |

#### SAF WC A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to revised if necessary) if relevant control measure are subcontract of the SWMS and their health and safety representatives who reworkplace.

ke sure it remains effective and must be reviewed (and acception of the process should be carried out in s any subcontract s) who may be affected by the operation esentatives who recented that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |

#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED | TO BE DONE | COMMENTS |
|---|-----------|------------|----------|
|   |           |            |          |
| The company details have been entered, including the project name and address.                  |           |            |          |
| Names and signatures of all relevant personnel consulted during the development of the SWMS.    |           | P          |          |
| Name, signature, position and date signed of the person approving the SWMS.                     |           |            |          |
| Specific personnel and qualifications, experience is noted in the SWMS.                         |           |            |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.            |           |            |          |
| Adequate risk assessment of any identified hazards has been completed.                          |           |            |          |
| Foreseeable hazards are identified and documented for each step.                                |           |            |          |
| Any hazards listed in any site risk assessments have been added to the SWh                      |           |            |          |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed.                  |           |            |          |
| Check control measures added to the SWMS are the most effectine sections.                       |           |            |          |
| Responsible person is assigned and listed on the SWMS for the impement of continue measures.    |           |            |          |
| Permit requirements specified, such as Hot Work, Electrical Work, Vortat Heights etc.           |           |            |          |
| SWMS identifies plant and equipment to be up t.   |           |            |          |
| Details of inspection checks required for any equipment listed at noted on the SWMS.            |           |            |          |
| Describes any mandatory qualifications, experience raining skills required to perform the work. |           |            |          |
| Applicable personal protective equipment is selected on the SWMS.                               |           |            |          |
| Lists any required permits or licenses.   |           |            |          |
| Reflects and documents any legislative references and/or Australian Standards.                  |           |            |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.   |           |            |          |
|   |           |            | ·        |
| REVIEWED BY   | DATE RI   | EVIEWED    |          |
| SIGNATURE   | DATE CO   | MPLETED    |          |