
Horizontal Band Sa	w SAFE WORK METHOD	STATEMENT (SWMS)	
TAS	K OR ACTIVITY: Horizontal Banc	Saw	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E pil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE P OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	cting a business or undertaking (N 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED		LL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditioned unical those hazards and then to further take steps to either chare or control ear chazard.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must structurately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS										
Client:					SCOPE OF WORKS					
Project Name:							rk being carried out (otherwise			
Project Address:					known as cope of works)					
Project Manager:										
Contact Phone:										
Project Manager	Signature:									
Date SWMS supp	olied to Project Manag	er:								
		ANY HIG	H-RISK CON JUCT	N JRK BEING	ARRIED OUT					
involves a risk of	a person falling more than	2 meters.		is carried out on c	is carried out on or near pressurised gas mains or piping.					
is carried out on a	a telecommunication tower			☐ is carried out on or near chemical, fuel or refrigerant lines.						
involves demolition	on of an element of a struct	ure that is load-be		is carried out on or near energised electrical installations or services.						
involves demolition	on of an element related to	the physical integrit of a s	tr e.	is carried out in an area that may have a contaminated or flammable atmosphere.						
involves, or is like	ely to involve, disturbing a	estos.		involves tilt-up or precast concrete.						
involves structura	al alteration or repair that re	mporal, upp to	o prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.						
is carried out in o	r near a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.						
is carried out in/n	ear a shaft or trench deepe	er than 1.5m or tunnel invol-	ving use of explosives.	is carried out in areas with artificial extremes of temperature.						
is carried out in o	r near water or other liquid	that involves a risk of drow	ning.	involves diving wo	ork.					
		ANY	HIGH-RISK MACHINI	ERY OR EQUIPMEN	FNEARBY					
Forklift	Crane/s	☐ Hoist/s	Excavator	Backhoe/Loader	Boom Lift	EWP	Genie Lift			
Trencher	Drilling Rig	Trucks	Formwork	Bobcat	Flammable Gas	Fuel	Dozer			
High Voltage	Mulcher	Tilt-up Panels	Roller	Scissor Lift	Tractor	Other -				







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Incorrect setup, improper training	ЗН	 Sure, here are the required control measures: Undertake a thorough risk assessment before strong any project. This will help identify any potential hazards or dangers and including ways to mitigate them. Ensure that all employees undertaking we with the horonatal band saw have completed proper training sessions and under and the affety procedures involved. The setup process must always be carried out our drained personnel who have ample experience with the encoment. Personal Protective Equipment PPE) should be machinery including safety glasses, gloves and use and shows whenever using the horizontal band saw. Strictly follenane manufacterer's induction of the machinery is essential to make sure using in global and gooder. Alwap to the counct blade size and type suitable for the cutting operation and materia. Use ad quate upports for longer or heavier pieces of material to prevent slipping to noing uring to cutting process. Implement lockout/tagout procedures whenever the machine is not in use or during rivicing and repair to avoid accidental start-ups. Howide sufficient illumination around the workspace to ensure visibility for operator. 	2М	
2. Inspection	Sharp edges, foreign bodies in materials	2М	 Implement regular inspections and maintenance of the equipment to ensure its proper functionality. Make use of personal protective equipment, such as gloves and safety glasses, to protect against sharp edges and foreign bodies. Train all staff in correct operating procedures including material handling and machine operation to reduce the risk of accidents. Install machine guards and shields to protect operators from sharp edges and flying debris. Implement a clean workspace policy. Ensure that the area around the band saw is regularly cleaned to prevent foreign bodies from accumulating. Clearly label hazardous areas and provide safety instructions to guide workers. Have an emergency plan in place. This should include first aid provision and rapid response to any accidents or injuries. Operate the saw using both hands to maintain control over the material and the cutting process. 	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON					
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON					
			- Utilise tools, not hands, to remove unwanted materials or debris after cuttings.							
			- Feed work into a blade against the direction of motion of the blade to prevent kickbacks.							
			- Use appropriate lighting to clearly see the section with, reducing the chances of unwanted suprances gettimized in.							
			- Adopt a strict 'zero tolerance' policy towards are transformed in and around the workspace. This will reinforce the seriousness of a fety measures and reduce potential distractions that can had to accidents.							
			- Regularly inspeaded the rical contections and cords for signs of wear or damage, repairing or recording as newssary							
			- Ensure adequate ground g is preserve unimise the risk of electric shock.							
			- Utility siduals of adevices (RCD) or safety switches to provide additional protect provide additional critic shock.							
			- Train 1 st., thorou, by on proper maintenance procedures, including lockout, gour ocess.							
			sure achine is disconnected from the power supply before beginning any main. In the tasks.							
								Secure an loose components before starting maintenance, using appropriate factoring methods.		
3. Maintenance	Electric shock, unsequred components	ЗН	Equip workers with appropriate personal protective equipment (PPE) such as gloves and eye protection when performing maintenance tasks.	2M						
			- Maintain a tidy workspace, removing any tools or equipment not in use to avoid accidental movement or dislodging of parts.							
			- Use only qualified and experienced personnel for maintenance work on the band saw.							
			- Clearly mark the maintenance area, and restrict access to authorised personnel only.							
			- Establish a regular maintenance schedule and stick to it – preventive actions can reduce the risks associated with worn-out or malfunctioning components.							
			- Keep an up-to-date record of all maintenance performed on the band saw.							
			- Report and address immediately any concerns or observations of potential hazards during maintenance.							
			- Create a culture of safety by ensuring open communication about the importance of following safety measures while performing maintenance work on the band saw.							
4. Operation	Noise exposure, vibration risk	3H		1L						



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Material Handling	Manual handling injuries, falling objects	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Cleaning	Chemical exposure, slipping accidents	зн		2М	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Tool Changeover	Cutting hazards, machinery movement	4A		2М	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Load and Unload	Unstable load, inderrect lifting methods	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	HAZARDS THAT MAY ARISE	INITIAL RISK		1L	NAME OF PERSON



JOB STEP P	OTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS HA	AZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	hazards, stored energy	RISK 4A		3H	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Lockout/Tagout	Unauthorized operation start, misplaced keys	ЗН		2М	
12. Emergency Shut Down	Delayed response time, unclear procedures	4A		ЗН	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
13. Clearing Jammed Materials	Unclear procedures, moving parts	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
14. Waste Disposal	Improper disposal, chemicar exposure	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
15. DKneel-off Procedures	Increased injury ristancorrecy order of operations	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
16. Accident Reporting	Delayed reporting, ineffective communication			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
17. Safety Checks	Missed inspections, expired certifications	44		2М	
18. Safety Meetings	Lack of participation, ineffective communication	2M		1L	



SPECIFIC WORK STEPS HAZ	ARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	S				
19. Regular Training Outdated in identification	formation, lack of hazard n	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
20. Review and Improvement	Lack of feedback incorporation, ineffective improvement measures	2M		1L	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGI	SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE					
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Octopational Health and Safety Action 4 Octopational Health and a fetver gulations 2017 Legis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- pulatures</u> Codes on mactice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wc place-serve-laws Codes of Practice NT: https://worksafe.nt.gov.au/free and d-resourd s/corres-on-serve-laws	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes 					
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work 					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 					

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Datu		
			ı te:		
			Date:		

SAL WO A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to revised if necessary) if relevant control measure are revised if necessary) if relevant control measure are revised of the SWMS and their health and safety representatives who reworkplace.

ke sure it remains effective and must be reviewed (and are subcontractions) who may be affected by the operation sentatives who received that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effectines.			
Responsible person is assigned and listed on the SWMS for the impement of cont, measures.			
Permit requirements specified, such as Hot Wrap Electrical Work, Variat Heights etc.			
SWMS identifies plant and equipment to be upd.			
Details of inspection checks required for any equipment listed ar noted on the SWMS.			
Describes any mandatory qualifications, experience reining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE RI	EVIEWED	
SIGNATURE	DATE CO	MPLETED	