

Hydraulic Punch and Shear | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: Hydraulic Punch and Shear

Business Name: [Company Name]

ABN: [ABN]

SWMS#

Business Address: [Company Address]

Contact Person:

Phone: [Phone]

Email:

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:

Signature:

Title:

Date:

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, as well as reviews and modifications of the SWMS.

Full Name:

Title:

Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

NAME AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.

NAME

SIGNATURE

DATE

If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.

Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.

The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

| | |
|--|--|
| Client: | SCOPE OF WORKS Provide a detailed description of the specific work being carried out (otherwise known as scope of works). |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Project Manager Signature: | |
| Date SWMS supplied to Project Manager: | |

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

| | |
|---|---|
| <input type="checkbox"/> involves a risk of a person falling more than 2 meters. | <input type="checkbox"/> is carried out on or near pressurised gas mains or piping. |
| <input type="checkbox"/> is carried out on a telecommunication tower. | <input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines. |
| <input type="checkbox"/> involves demolition of an element of a structure that is load-bearing. | <input type="checkbox"/> is carried out on or near energised electrical installations or services. |
| <input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure. | <input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere. |
| <input type="checkbox"/> involves, or is likely to involve, disturbing asbestos. | <input type="checkbox"/> involves tilt-up or precast concrete. |
| <input type="checkbox"/> involves structural alteration or repair that requires temporary support to prevent collapse. | <input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor. |
| <input type="checkbox"/> is carried out in or near a confined space. | <input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant. |
| <input type="checkbox"/> is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives. | <input type="checkbox"/> is carried out in areas with artificial extremes of temperature. |
| <input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning. | <input type="checkbox"/> involves diving work. |

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

| | | | | | | | |
|---------------------------------------|---------------------------------------|---|------------------------------------|---|--|----------------------------------|-------------------------------------|
| <input type="checkbox"/> Forklift | <input type="checkbox"/> Crane/s | <input type="checkbox"/> Hoist/s | <input type="checkbox"/> Excavator | <input type="checkbox"/> Backhoe/Loader | <input type="checkbox"/> Boom Lift | <input type="checkbox"/> EWP | <input type="checkbox"/> Genie Lift |
| <input type="checkbox"/> Trencher | <input type="checkbox"/> Drilling Rig | <input type="checkbox"/> Trucks | <input type="checkbox"/> Formwork | <input type="checkbox"/> Bobcat | <input type="checkbox"/> Flammable Gas | <input type="checkbox"/> Fuel | <input type="checkbox"/> Dozer |
| <input type="checkbox"/> High Voltage | <input type="checkbox"/> Mulcher | <input type="checkbox"/> Tilt-up Panels | <input type="checkbox"/> Roller | <input type="checkbox"/> Scissor Lift | <input type="checkbox"/> Tractor | <input type="checkbox"/> Other - | |

RISK MATRIX

| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HEIRARCHY OF CONTROLS |
|----------------|---------------|---------------|---------------|------------|--------------|----------------|-----------------------------------|---|
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | | | Elimination Remove the hazard. |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | Isolation Isolate People from the hazard |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Engineering Isolate the hazard. |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | Monitor and keep records | Administrative Change the work. PPE |

Notes on Hierarchy of Controls: Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING PROTECTION | EYE PROTECTION | RESPIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
|--|--|--|--|--|---|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS; and,
3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-------------------------|--|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 1. Preparation | Manual handling hazards, Exposure to hydraulic fluids, Slips and trips | 3H | <ul style="list-style-type: none"> - Provide all workers with appropriate manual handling training, including safe lifting techniques, to reduce the risk of injuries due to incorrect handling practices. - Ensure that the work area is kept clean and tidy at all times, with clear access paths to reduce the likelihood of slips, trips and falls. - Inspect the hydraulic punch and shear equipment regularly to identify any leaks or weaknesses in the hydraulic system, repairing or replacing components as necessary to prevent accidents caused by fluid exposure. - Store hydraulic fluids in clearly labelled containers and ensure they are sealed securely when not in use to minimise the risk of accidental spills. - Use appropriate personal protective equipment (PPE) for workers, such as gloves, safety glasses and steel-toe boots, to protect them from potential hazards when handling hydraulic fluids and operating machinery. - Implement a regular maintenance schedule for the hydraulic punch and shear equipment, ensuring all components are in good working condition and serviced as required to prevent potential hazards. - Utilise trolleys or lifting devices to help transport heavy objects, minimising the need for manual handling and reducing the risk of strain-related injuries. - Apply anti-slip flooring or mats to high-traffic areas where there may be an increased risk of slips and trips, especially around the hydraulic punch and shear machine. - Establish designated waste disposal areas for excess hydraulic fluid, ensuring proper containment measures are in place to prevent environmental contamination and other hazards. - Implement warning signage near the hydraulic punch and shear equipment to alert workers of potential hazards and reminding them to follow safe operating procedures. - Clearly mark and adhere to load-bearing limits for the hydraulic punch and shear equipment, which will minimise the risk of overloading and potential equipment failure. - Encourage open communication among workers regarding potential hazards and issues, ensuring all concerns are promptly addressed and resolved to maintain a safe working environment. | 2M | |
| 2. Equipment Inspection | Faulty equipment, Pinch points during inspection | 3H | <ul style="list-style-type: none"> - Implement regular inspection and maintenance schedules to ensure that all equipment is in good working condition before use. - Equip all hydraulic punch and shear machines with guards to protect operators from pinch points and accidental contact with the machine parts during inspections. | 1L | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-------------------------|---|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | <ul style="list-style-type: none"> - Train employees on the proper inspection and operation procedures of hydraulic punch and shear machines, including recognizing potential hazards and applying safe work practices. - Establish lockout/tagout procedures to isolate the hydraulic punch and shear machine's energy sources, preventing unexpected start-ups during inspection. - Use personal protective equipment (PPE) such as gloves, safety glasses, and steel-toed boots when inspecting the equipment to minimise potential injuries from sharp edges or pinch points. - Inspect all hoses, fittings, and connections for leaks, wear, or damage before operating the hydraulic punch and shear machine. - Make sure the work area is clear of debris, unnecessary equipment, or obstructions that may cause trips, slips, or falls during the inspection process. - Before beginning the inspection, review the equipment's manual to fully understand its proper operation, maintenance requirements, and potential hazards. - Ensure employees maintain a safe distance from moving machine parts during inspection to avoid injury due to pinch points or faulty components. - Replace damaged or worn parts immediately and do not operate the hydraulic punch and shear machine until all necessary repairs have been made. - Document and maintain records of all inspections, repairs, and maintenance activities performed on the hydraulic punch and shear machine. - Foster an open communication environment where employees feel empowered to report any hazardous conditions or concerns regarding the equipment's functionality. - Regularly conduct workplace safety audits to identify potential hazards and opportunities for improvement in the equipment's operation and maintenance processes. | | |
| 3. Hydraulic Line Setup | Pressure leaks, Hose connection failures, Hose ruptures | 4A | <ul style="list-style-type: none"> - Regular inspection and maintenance: Conduct periodic checks on hydraulic lines, hoses, and connections to detect any signs of wear, corrosion, or damage that could potentially lead to pressure leaks or ruptures. - Proper hose selection: Choose high-quality hydraulic hoses according to the manufacturer's recommended specifications, considering factors such as pressure capacity, temperature range, and chemical resistance to ensure a safe and reliable connection. - Appropriate hose installation: Install hydraulic hoses with proper bend radius, routing, and support to avoid excessive stress, kinking, or twisting, which could contribute to hose failures or ruptures. - Use quality connectors and fittings: Invest in high-quality connectors and fittings compatible with the hydraulic system and hose in use, following the manufacturer's guidelines to prevent leaks or hose connection failures. | 2M | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------------|--|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | <ul style="list-style-type: none"> - Training and qualification: Ensure all personnel involved in hydraulic line setup are adequately trained in proper procedures, equipment handling, and safety measures to minimise risks associated with pressure leaks, hose connection failures, and hose ruptures. - Leak prevention measures: Incorporate secondary containment and leak detection systems where possible to contain spills and alert workers immediately upon detecting a potential fluid release. - Proper storage and handling: Store spare hoses and equipment in a clean, dry environment, free from contaminants or aggressive chemicals to prolong their service life and maintain optimal performance. - Follow safety protocols: Establish and enforce safety guidelines for workers during hydraulic line setup, using personal protective equipment such as gloves, safety glasses, and protective footwear to minimise injury risks in case of an incident. - Emergency response plan: Develop a comprehensive emergency response plan outlining the steps to follow in case of pressure leaks, hose connection failures, or ruptures, ensuring it is well-known and practiced by relevant personnel. - Communication and reporting: Encourage open communication within the team to share concerns, report suspected malfunctions promptly, enabling early intervention and minimising potential hazards related to hydraulic line setup. | | |
| 4. Punch & Shear Placement | Falling objects, Incorrect placement causing tip-overs | 3H | <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> | 1L | |

Material Information

2M

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|--|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | | |
| 6. Machine Operation | Operator error, Entanglement in moving parts | 4A | <div></div> <div></div> <div></div> <div></div> <div></div> | 2M | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| 7. Material Cutting | Flying debris, Sharp edges, Projectiles | 3H | [REDACTED] | 1L | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | | |
| 8. Waste Handling | Manual handling hazards, Tripping over waste materials | 2M | <div></div> <div></div> <div></div> <div></div> <div></div> | 1L | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------|---|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 9. Material Unloading | Crushing hazards, Overexertion injuries | 3H | | 1L | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------|--|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | | |
| 10. Finishing Process | Exposure to chemicals, Abrasive tools injuries | 2M | <div></div> <div></div> <div></div> <div></div> <div></div> | 1L | |

SAMPLE

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------------|---|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 12. Equipment Maintenance | Exposure to hazardous substances, Working at height risks | 3 | <div>SAMPLE</div> | 1L | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |
| | | | | | |

SAMPLE

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Position | Signature | Date | Time | Supervisor |
|-------------|----------|-----------|-------|------|------------|
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are needed. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 | <input type="checkbox"/> 7 |
|---------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS |
|--|--------------------------|--------------------------|----------|
| The company details have been entered, including the project name and address. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Name, signature, position and date signed of the person approving the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Specific personnel and qualifications, experience is noted in the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Adequate risk assessment of any identified hazards has been completed. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Foreseeable hazards are identified and documented for each step. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Any hazards listed in any site risk assessments have been added to the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Check control measures added to the SWMS are the most effective solutions. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Responsible person is assigned and listed on the SWMS for the implementation of control measures. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Permit requirements specified, such as Hot Work, Electrical Work, Work at Heights etc. | <input type="checkbox"/> | <input type="checkbox"/> | |
| SWMS identifies plant and equipment to be used. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Details of inspection checks required for any equipment listed are noted on the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Describes any mandatory qualifications, experience, training, skills required to perform the work. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Applicable personal protective equipment is selected on the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Lists any required permits or licenses. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Reflects and documents any legislative references and/or Australian Standards. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | |
| REVIEWED BY | | DATE REVIEWED | |
| SIGNATURE | | DATE COMPLETED | |