Industrial Mincer | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: Industrial Mincer

Business Name: [Company Name]	ABN: [ABN]	SWMS#
Business Address: [Company Address]		
Contact Person:	Phone: [Phone]	Email:

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS as well as reviews and modifications of the SWMS.

Full Name:	Title:	Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED	NAME AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS		
	NAME	SIGNATURE	DATE
Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, secondly to communicate those hazards and then to further take steps to either eliminate or control each hazard.			
If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

CLIENT OR PRINCIPAL CONTRACTOR DETAILS	
Client:	SCOPE OF WORKS
Project Name:	Provide a detailed description of the specific work being carried out (otherwise known as a scope of works).
Project Address:	
Project Manager:	
Contact Phone:	
Project Manager Signature:	
Date SWMS supplied to Project Manager:	

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT	
☐ involves a risk of a person falling more than 2 meters.	☐ is carried out on or near pressurised gas mains or piping.
☐ is carried out on a telecommunication tower.	☐ is carried out on or near chemical, fuel or refrigerant lines.
☐ involves demolition of an element of a structure that is load-be	☐ is carried out on or near energised electrical installations or services.
☐ involves demolition of an element related to the physical integrit of a stru	☐ is carried out in an area that may have a contaminated or flammable atmosphere.
☐ involves, or is likely to involve, disturbing as stos.	☐ involves tilt-up or precast concrete.
☐ involves structural alteration or repair that re mporar upp to prevent collapse.	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.
☐ is carried out in or near a confined space.	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant.
☐ is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives.	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY							
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	☐ Boom Lift	☐ EWP	☐ Genie Lift
☐ Trencher	☐ Drilling Rig	☐ Trucks	☐ Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	☐ Roller	☐ Scissor Lift	☐ Tractor	☐ Other -	

RISK MATRIX

LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEE
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befo work starts.
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k records

HEIRARCHY OF CONTROLS



Notes on Hierarchy of Controls: Elimination methods are the most effective and preferre en co lli d hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the ost e ve, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Eq ment) he least effective method.

PERS NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	E PROTE	SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
											
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS; and,
3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Poor machine setup, Tripping on power cables	2M	- Provide proper training and instruction on the correct setup of the Industrial Mincer to avoid any potential issues arising from a poor machine setup. - Ensure that all workers are aware of the safe operational procedures and the Machine Guarding Principles according to Australian Standards. - Verify that the Industrial Mincer is installed on a flat, stable surface to prevent any accidents due to an unstable machine. - Regularly inspect the equipment and necessary attachments to ensure that they are in good working condition and properly configured before each use. - Use appropriate barriers or covers to protect power cables from accidental damage, which could lead to exposure to live parts and possible electrocution hazards. - Safely secure excess lengths of power cables by properly winding them up or using cable ties to prevent tripping hazards. - Clearly signpost the designated work area with warning signs to alert workers about the presence of the Industrial Mincer and associated hazards. - Ensure adequate lighting is available in the workspace to allow for safe operation and maintenance of the Industrial Mincer. - Develop a step-by-step procedure for setting up the Industrial Mincer, taking into account manufacturer's guidelines, and communicate this procedure to workers. - Conduct regular risk assessments to identify potential hazards associated with the industrial Mincer operation and implement necessary control measures. - Use non-slip floor mats around the machine to minimise the chances of slipping and tripping accidents due to wet or slippery surfaces. - Maintain a clean and organised working environment by promptly addressing any spills, debris or clutter that may pose a tripping hazard. - Encourage open communication among workers to share concerns or suggestions for improving safety in the workplace, and promptly address their feedback.	1L	
2. Pre-operation Safety Check	Electrical faults, Missing safety guards	3H	- Ensure that a comprehensive pre-operation equipment inspection is conducted by a trained and qualified personnel, focusing on detecting electrical faults, damaged cords, and faulty wiring. - Provide workers with clear instructions regarding the proper use of the industrial mincer, including the essential safety precautions to follow before operation. - Verify that all required safety guards are in place and functioning correctly, particularly those covering the mincing area, moving parts, and any pinch points. - Conduct periodic maintenance checks on the equipment according to manufacturer recommendations, in addition to regular visual inspections for any damage or missing components.	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Equip the mincer with an emergency stop switch that is easily accessible and visible to operators, in case of potential hazards or malfunction during operation. - Place clearly visible warning labels and signs around the workstation, stressing the importance of hazard prevention and the essential safety checks to be performed before operation. - Establish lockout/tagout procedures for the industrial mincer to prevent unintended startup when undergoing maintenance, repairs or pre-operation safety checks. - Utilise ground fault circuit interrupters (GFCIs) for additional protection against electrical faults and potential electrocution risks. - Supplement pre-operation safety checks by providing ongoing training on equipment operations, hazard awareness, and risk minimization to all workers who may interact with the industrial mincer. - Set up a reporting system that allows workers to promptly notify supervisors and management of any safety concerns or potential hazards related to the equipment. - Encourage workers to consistently don personal protective equipment (PPE), such as safety gloves and goggles, when conducting pre-operation safety checks and during operation of the industrial mincer. - Schedule regular audits by external workplace health and safety consultants to provide expert guidance, identify potential hazards, and ensure compliance with relevant industry standards. - Continuously review and update standard work method statements (SWMS) as needed to reflect changes in equipment, processes, or safety regulations in order to maintain a safe working environment.		
3. Mincer Operation	Hand entrapment, Noise exposure	4A	- Comprehensive Training: Only allow trained and competent operators to use the industrial mincer, ensuring they are familiar with its safe operation procedures and potential hazards. Include training on emergency stop procedures and hazard identification in relation to hand entrapment and noise exposure. - Proper Pre-Checks: Implement a detailed pre-use inspection checklist for the equipment, focusing on proper functioning of safety features, including guards, interlocks, emergency stop buttons, and noise reduction components. Address any identified issues before commencing operation. - Comprehensive PPE: Ensure all workers operating the industrial mincer wear appropriate personal protective equipment (PPE), including gloves with cut-resistant material to prevent hand entrapment injuries and hearing protection devices like earplugs or earmuffs to mitigate noise exposure risks. - Installing Machine Guards: Equip the mincer with adequately designed, fit-for-purpose machine guarding to prevent any accidental contact or entrapment between moving parts of the machine and operators' hands during operation.	2M	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Noise Control Measures: Apply engineering controls to minimise noise exposure, such as enclosing the mincer with sound-absorbing barriers or installing vibration dampeners on the equipment. - Safe Work Procedures: Develop and implement clear standard operating procedures (SOPs) for mincer operation, including guidance on loading, unloading, cleaning, and maintenance tasks. Ensure all workers follow these procedures strictly to prevent unsafe practices leading to hand entrapment or excessive noise exposure. - Periodic Breaks: Institute a structured rest and rotation system for workers to reduce their continuous exposure to noise levels during mincer operations, thus decreasing the risk of noise-induced hearing loss. - Signage and Visible Warnings: Install high visibility warning signs around the work area indicating potential hazards from hand entrapment and noise exposure to keep both operators and other workers in the vicinity alert to the risks associated with the operation. - Emergency Response Plan: Prepare an emergency response plan specific to hand entrapment or noise exposure incidents related to the industrial mincer. Regularly review and update the plan, ensuring workers are trained in the procedures for responding promptly and effectively in emergencies. - Ongoing Monitoring: Conduct routine inspections and audits of the work environment to ensure its ongoing compliance with workplace health and safety regulations. Monitor operators' adherence to safe work procedures and PPE usage, gathering feedback from workers on any potential improvements to minimise the risks associated with hand entrapment and noise exposure.		
4. Material Handling	Manual handling injuries, Slips and falls	3H	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
5. Loading ingredients	Spillage, Dust inhalation	2M	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
6. Machine Maintenance	Exposure to sharp edges, Chemical spills	3H	[redacted]	2M	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
7. Cleaning	Contact with chemicals, Slippery surfaces	2M	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
8. Waste Disposal	Improper waste disposal, Exposure to bacteria	2M	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		
9. Inspections & Repairs	Working at heights, Contact with energised equipment	3H	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
					
10. Emergency Shutdown	Panic-induced accidents, Getting caught in machinery	2M		1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
					

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Restart Procedures	Uncontrolled startup, Poor communication	2	[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Operators Training	Inadequate training, Inattention to safe guidelines		[redacted]	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[redacted]		

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES FOR ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory
Work Health and Safety Act 2011
Work Health and Safety Regulations 2011
Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws
Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice
Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations
Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales
Work Health and Safety Act 2011
Work Health and Safety Regulations 2017
Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislation
Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/list-of-codes-of-practice

Northern Territory
Work Health and Safety (National Uniform Legislation) Act 2011
Work Health and Safety (National Uniform Legislation) Regulations 2011
Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws
Codes of Practice NT: https://worksafe.nt.gov.au/forms-and-resources/codes-of-practice

South Australia
Work Health and Safety Act 2012 (SA)
Work Health and Safety Regulations 2012 (SA)
Legislation for SA: https://www.safework.sa.gov.au/resources/legislation
Codes of Practice for SA: https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs

Tasmania
Work Health and Safety Act 2012
Work Health and Safety (Transitional and Consequential Provisions) Act 2012
Work Health and Safety Regulations 2012
Work Health and Safety (Transitional) Regulations 2012
Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations
Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria
Occupational Health and Safety Act 2004
Occupational Health and Safety Regulations 2017
Legislation VIC: https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations
Codes of Practice VIC: https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia
Work Health and Safety Act 2020
Work Health and Safety Regulations 2022
Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation
Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links
Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation
Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are changed. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.	☐	☐	
Names and signatures of all relevant personnel consulted during the development of the SWMS.	☐	☐	
Name, signature, position and date signed of the person approving the SWMS.	☐	☐	
Specific personnel and qualifications, experience is noted in the SWMS.	☐	☐	
Provides a step-by-step process of tasks required to carry out the activity or task.	☐	☐	
Adequate risk assessment of any identified hazards has been completed.	☐	☐	
Foreseeable hazards are identified and documented for each step.	☐	☐	
Any hazards listed in any site risk assessments have been added to the SWM	☐	☐	
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.	☐	☐	
Check control measures added to the SWMS are the most effecti[illegible]ions.	☐	☐	
Responsible person is assigned and listed on the SWMS for the im[illegible]of cont[illegible]measures.	☐	☐	
Permit requirements specified, such as Hot Wor[illegible]Electrical Work, W[illegible]t Heights etc.	☐	☐	
SWMS identifies plant and equipment to be u[illegible].	☐	☐	
Details of inspection checks required for any equipment listed a[illegible]noted on the SWMS.	☐	☐	
Describes any mandatory qualifications, experience, training[illegible]skills required to perform the work.	☐	☐	
Applicable personal protective equipment is selected on the SWMS.	☐	☐	
Lists any required permits or licenses.	☐	☐	
Reflects and documents any legislative references and/or Australian Standards.	☐	☐	
Identifies any hazardous substances used with specific control measures in line with any SDS.	☐	☐	

REVIEWED BY		**DATE REVIEWED**	
SIGNATURE		**DATE COMPLETED**	