Installation Of Bird And Bat	Boxes   SAFE WORK ME	THOD STATEMENT (SWMS)	
TASK OR A	ACTIVITY: Installation Of Bird And	d Bat Boxes	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E. ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	ucting a business or under thing (Poully) is	required to end of that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorin	complian e of ा SWh, as well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NA OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	NEL WHO HAVE BEEN CONSULTED AND	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheduled in according to with regislative requirements to first identify any site hazards, and a cordinate those hazards and then to further take steps to either eliminate or conal leach hazard.			
If an incident or a near miss occurs, all work must store and ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	$\Box$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	☐ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	$\Box$ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	$\Box$ is carried out in areas with artificial extremes of temperature.
$\Box$ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	800DF	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.	
is the second m	RARE       1       1       2       3       3       1L       Inition and ke precorder       Isolate the hazard.         Iotes on Hierarchy of Controls:       Limination methods are the most effective and preference on course of a hazard. Substitution the second most effective method of controlling a hazard. Engineering by isolation is the purpose on the second most effective method. PPE (Personal Proterive equipment) is the least effective       Administrative work.									

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Required:					_					
	P	ermit or Lice	nses Requiren	nents			Mandatory Qualifications and Training				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Inadequate training, Lack of personal protective equipment	ЗН	<ul> <li>Ensure all workers have completed the processary training specific to working at heights and handling bird and bat boxes.</li> <li>Conduct a toolbox talk before starting work to be a safety procedures and hazard controls related to the installation task.</li> <li>Provide workers with comprocensive instructions and concellines on the proper use of ladders and access equipment.</li> <li>Verify that all procedures are solvided to workers, gloves, and high-visibility clothing, is available and in good or dition in the acch to ker.</li> <li>Ensure fall procedures to every fitted and secured.</li> <li>Limit tele cess to buttorised personnel only to prevent untrained individuals from being exposed to potentil haveds.</li> <li>Developing maintain a register of PPE issued to workers, ensuring that equipment is regularly proceed and maintained.</li> <li>Use barriers or signage as needed to delineate hazardous areas, ensuring visibility and awareness for all site visitors and workers.</li> <li>Establish clear emergency procedures and ensure all workers are aware of emergency exits and how to respond to incidents.</li> <li>Designate a trained supervisor or safety officer to oversee activities and ensure compliance with all safety procedures.</li> </ul>	2М
2. Site Inspection	Trips and falls, Encountering harmful wildlife	ЗН	<ul> <li>Conduct a pre-work inspection to identify uneven terrain or potential trip hazards and mark these areas clearly.</li> <li>Ensure all team members wear appropriate footwear with anti-slip soles to reduce the risk of slipping.</li> <li>Use barriers or cones to demarcate work zones and pedestrian routes to prevent incidental entry into hazard-prone areas.</li> <li>Provide clear signage around the worksite to alert workers and visitors of potential trip and fall hazards.</li> <li>Inspect all tools and equipment for safety before use, ensuring they are in good working condition and positioned safely to avoid tripping over them.</li> <li>Avoid clutter by organising materials and tools in designated areas away from walkways and access points.</li> </ul>	1L

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Conduct a site-specific safety briefing that includes information on potential wildlife risks and safe procedures if such encounters occur.	
			- Equip each worker with personal protective equipment (PPE) suitable for wildlife encounters, such as gloves and long sleeves.	
			- Implement wildlife awareness training the overs recordion of potentially harmful animals native to the area.	
			- Designate a team member with first aid training to be present on site at all times and ensure the first aid kit is stocked with supplies to vant to wildlife in cents.	
			- Establish a protocol for report of and responding to utilife sightings promptly to minimize the risk of encounters.	
			- Keep computation devices react available for workers to report hazards or call for assistance quickly.	
			- Scheme regulation becaus to ensure workers remain vigilant and aware of their surroundings, reducing the risk of the antiversist leading to trips or falls.	
			- Asses we oper contrions regularly, as rain can increase slip risks and certain wildlife activity, adjusting work plans activity, adjusting work plans activity.	
	S		- Control risk assessment prior to commencing work to identify potential fall hazards and determine opprophytic control measures.	
			- sure all workers are trained in the use of fall protection equipment and working at heights procedures.	
			Use scaffoldings or elevated work platforms where possible, ensuring they are stable and correctly assembled with guardrails in place.	
			- Inspect all ladders for damage before use. Ladders should be industrial grade and placed on stable surfaces.	
			- Use personal fall arrest systems (harnesses and lanyards) when working more than 2 meters above ground and attach to secure anchor points.	
3. Setting Up	Falls from height, Inappropriate tools	ЗН	- Restrict access to areas below the work zone to prevent injury from falling objects.	2M
Equipment		51	- Choose tools designed specifically for working at height, such as those with clips or tethers to avoid accidental dropping.	2101
			- Maintain three points of contact when climbing ladders: two hands and one foot or two feet and one hand.	
			- Establish a clear communication plan between team members to ensure coordination and safe operations.	
			- Ensure adequate lighting in the work area to enhance visibility and reduce accidents related to poor sight.	
			- Perform regular safety checks on all equipment used for stability and proper functioning.	
			- Securely fasten all bird and bat boxes in accordance with manufacturer specifications to ensure they do not dislodge and cause injury.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<ul> <li>Provide non-slip footwear to all personnel to minimise slipping when working on potentially wet or uneven surfaces.</li> </ul>	
			- Avoid overreaching or leaning excessively where stalling boxes; reposition ladders or platforms as needed to maintain balance and stability.	
4. Positioning of Boxes	Incorrect positioning, Interference with wildlife habitats	ЗН		1L
5. Installing Bird/Bat Box	Falls from height, Accidental injury with tools	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Securement Check	Box detachment risk, Frederic	4A		2M


Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Quality Control Assessment	Faulty box integrity, Unsecured positioning	ЗН		2M
8. Record Keeping	Data errors, Privacy breaches	2M		1L

Version 2.5








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Disassembling Equipment	Fall risks, Mishandling of tools	ЗН		2M
11. Environmental Impact Review	Disturbance to ecosystems, Improper waste disposal	2M		1L

Version 2.5






Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Transport to Storage Facility	Vehicle accidents, Loss/damage to boxes	214		1L
14. Deep-Cleaning Procedures	Chemical exposure, Cuts or abrasions	ЗН		1L

Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Equipment Servicing	Electric shock, Injuries from improper machine use			2M
17. Documentation and Reporting	Data loss, Miscommunication errors	2M		1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				1
19. Briefing for Future Works	Miscommunication, Inadequate planner	3		2M
20. Concluding Reporting Procedures	Paperwork losses, Disclosure of sensitive information	2M		1L





#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. IN ANY STAR THAT ARE NOT APPLICABLE					
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health & 1 Safety Acc-004 Occupational Health an Safety Acc-004 Legis from VIC: <u>https://www.acrksafe.vic.gov.au/occupational-health-and-safety-act-and- gular vs</u> des or fractice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>				
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legis">https://www.safework.nsw.gov.au/legal-obligations/legis</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legis">https://www.safework.nsw.gov.au/legal-obligations/legis</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>				
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 26 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplaterefety-la</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-reso</u> neered estimated on the second se	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice				
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u>	<ul> <li>Managing noise and preventing hearing loss at work</li> <li>Confined spaces</li> <li>Labelling of workplace hazardous chemicals</li> <li>Managing risks of hazardous chemicals in the workplace</li> <li>Welding processes</li> </ul>				
Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a>	<ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>				
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>				

#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.	$\boxtimes$		
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	7		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.	$\boxtimes$		
Any hazards listed in any site risk assessments have been added to the Sλ. S.	$\boxtimes$		
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	$\boxtimes$		
Check control measures added to the SWMS are the most effective sections.	$\boxtimes$		
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	$\boxtimes$		
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	$\boxtimes$		
SWMS identifies plant and equipment to be	$\boxtimes$		
Details of inspection checks required for any equipment lister are noted on the SWMS.	$\boxtimes$		
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	$\boxtimes$		
Applicable personal protective equipment is selected on the SWMS.	$\square$		
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$		
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$		
REVIEWED BY	DATE REVIEWED		
SIGNATURE	DATE COMPLETED		