

| Installing Drop In Bath  | 1   SAFE WORK METHOD  | STATEMENT (SWMS)                               |                                     |
|--|---|--|-------------------------------------|
| TASK   | OR ACTIVITY: Installing Drop Ir                             | n Bath   |                                     |
| Business Name:   |   | ABN:   | SWMS#                               |
| Business Address:  |   |  |                                     |
| Contact Person:  | Phone:  | E ail:   |                                     |
|  |   |  |                                     |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROV D BY                                    | THE PC. OF THE ROJECT                          |                                     |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or und ring (Pc V) is                      | required to element that a safe work method    | statement (SWMS) is prepared before |
| Full Name:   |   |  |                                     |
| Signature:   | NY  | Title:   | Date:                               |
| Details of the person(s) responsible for ensuring implementation, monitoring   | compliant e of the SWIL as well as re                       | eviews and modifications of the SWMS.          |                                     |
| Full Name:   |   | Title:   | Phone:                              |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS HAVE THE FOLLOWING COMMUNICATED  | NA. 2 OF ALL RELEVANT PERSONN<br>EVELOPMENT AND APPROVAL OF | IEL WHO HAVE BEEN CONSULTED AND (<br>THIS SWMS | COMMUNICATED TO IN THE              |
| Safety meetings or toolbox talks will be sched ed in accorde with regislative requirements to first identify any site hazards, to construct the those hazards and then to further take steps to either eliminate or conclude ach hazard.   |   |  |                                     |
| If an incident or a near miss occurs, all work must stead dately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.  |   |  |                                     |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |   |  |                                     |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |   |  |                                     |



| CLIENT OR PRINCIPAL   | CONTRACTOR DETAILS  |
|---|---|
| Client:   | SCOPE OF WORKS  |
| Project Name:   |   |
| Project Address:  |   |
| Project Manager:  |   |
| Contact Phone:  |   |
| Date SWMS supplied to Project Manager:  |   |
| ANY HIGH-RISK CONSTRUCTOR   | ON WC & BEIN C & RIED OUT   |
|   |   |
| involves a risk of a person falling more than 2 meters                                    | is carried out on or near pressurised gas mains or piping                                       |
| ☐ is carried out on a telecommunication tower   | carried out on or near chemical, fuel or refrigerant lines                                      |
| ☐ involves demolition of an element of a structure that is load-hearing                   | ☐ is carried out on or near energised electrical installations or services                      |
| ☐ involves demolition of an element related to the physical interrity structure           | ☐ is carried out in an area that may have a contaminated or flammable atmosphere                |
| ☐ involves, or is likely to involve, disturbing as  | ☐ involves tilt-up or precast concrete  |
| involves structural alteration or repair the requires to rary so port to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| ☐ is carried out in or near a confined space  | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant  |
| is carried out in/near a shaft or trench deeper an or tunnel involving use of explosives  | ☐ is carried out in areas with artificial extremes of temperature.                              |
| is carried out in or near water or other liquid that involves a risk of drowning.         | involves diving work.   |
| ANY HIGH-RISK MACHINER  | Y OR EQUIPMENT NEARBY   |
|   |   |
|   |   |
|   |   |



| RISK MATRIX       |  |                     |                  |                 |                    |                |  |       |  |  |                                    |
|-------------------|--|---------------------|------------------|-----------------|--------------------|----------------|--|-------|--|--|------------------------------------|
| LIKELIHOOD        | INSIGNIFICANT  | MINOR               | MODERATE         | MAJOR           | CATASTROPHIC       | SCORE          | ACTION   |       | HEIRARCHY OF CONTROLS                    |  |                                    |
| ALMOST<br>CERTAIN | 3<br>HIGH  | 3<br>HIGH           | 4<br>ACUTE       | 4<br>ACUTE      | 4<br>ACUTE         | SCURE          | SCORE  | SCORE | ACTION                                   |  | Elimination<br>Remoy e the hazard. |
| LIKELY            | 2<br>MODERATE  | 3<br>HIGH           | 3<br>HIGH        | 4<br>ACUTE      | 4<br>ACUTE         | 4A<br>ACUTE    | DO NOT<br>PROCE  |       | Substitution                             |  |                                    |
| POSSIBLE          | 1<br>LOW   | 2<br>MODERATE       | 3<br>HIGH        | 4<br>ACUTE      | 4<br>ACUTE         | 3H<br>HIGH     | Review before work starts.                               |       | Replace the hazard.                      |  |                                    |
| UNLIKELY          | 1<br>LOW   | 1<br>LOW            | 2<br>MODERATE    | 3<br>HIGH       | 4<br>ACUTE         | 2M<br>MODERATE | Ensure control measures in place.                        |       | Isolation Isolate People from the hazard |  |                                    |
| RARE              | 1<br>LOW   | 1<br>LOW            | 2<br>MODERATE    | 3<br>HIGH       | 3<br>HIGH          | 1L<br>LOW      | nitor and records  |       | Engineering Isolate the hazard.          |  |                                    |
| is the second m   | archy of Controls:<br>nost effective methologing the work is | od of controlling a | a hazard. Engine | ering by isolat | ion is the nost of | e. tive, while | ard. Substitution<br>e Administrative<br>least effective |       | Administrative Change the work.          |  |                                    |

|                    |                    |                    |                 |            |                  | TIVE EQUIPM                           |                      |                        |                    |                   |                           |
|--------------------|--------------------|--------------------|-----------------|------------|------------------|---------------------------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                    | Select the app     | propriate PPL   | abo suitak | ok for the equip | oment used or                         | the job task         | being perfori          | med (if applica    | able).            |                           |
| FOOT<br>PROTECTION | HAND<br>PROTECTION | HEAD<br>PROTECTION | THE ARING STION | P _cCTION  | PROTECTION       | FACE<br>PROTECTION                    | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|                    |                    |                    |                 |            |                  |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |                 |            |                  |                                       |                      |                        |                    |                   |                           |
| Other PPE R        | equired:           |                    |                 |            |                  |                                       |                      |                        |                    |                   |                           |
|                    | Pe                 | ermit or Licen     | ses Requirem    | ients      |                  | Mandatory Qualifications and Training |                      |                        |                    |                   |                           |
|                    |                    |                    |                 |            |                  |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |                 |            |                  |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |                 |            |                  |                                       |                      |                        |                    |                   |                           |



| JOB STEP            | POTENTIAL HAZARDS                       | IR              | CONTROL MEASURES  | RR               |
|---------------------|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
| 1. Preparation      | Manual handling, Slips & falls          | 4A              | <ul> <li>Conduct a pre-task assessment to identific and mitigate potential risks.</li> <li>Use team lifting techniques or mechanical dids to be alle heavy materials safely.</li> <li>Ensure all workers are trained in proper man availabling techniques to minimise strain and injury.</li> <li>Clear the work area of any or hazards such as orbles across, or debris before starting the task.</li> <li>Utilise non-slip foot to be to receive the risk of slips a wet or uneven surfaces.</li> <li>Position the app-in bath components at waits reight to avoid unnecessary bending and reaching.</li> <li>Schedule receive an including among team members to coordinate movements and actions effectively.</li> <li>Use the atelligoning to enhance visibility and reduce the chance of missteps or accidents.</li> <li>Establish a corrier around the work zone to prevent unauthorised access and potential interference.</li> <li>Provide personal protective equipment like gloves and knee pads for added safety during handling.</li> <li>Descriptions of protective equipment like gloves and knee pads for added safety during handling.</li> <li>Descriptions as spotter to guide and assist workers when manoeuvring large or awkward bath components.</li> <li>Incourage workers to stretch before beginning work to improve flexibility and reduce injury risk.</li> <li>A sep detailed records of any incidents or near misses to review and improve safety protocols.</li> </ul> | 2M               |
| 2. Site Assessment  | Poor visibility, Improper equipment use | ЗН              | <ul> <li>Conduct a comprehensive site inspection prior to starting work to identify any potential hazards or obstacles that may impact visibility.</li> <li>Use portable lighting equipment if natural light is insufficient, ensuring it is positioned to avoid casting shadows where workers are performing tasks.</li> <li>Establish a clear communication protocol among team members to relay any changes in visibility or equipment use throughout the task.</li> <li>Ensure all workers have received proper training on the specific tools and equipment they will be using during the installation process.</li> <li>Implement spotter roles if visibility is compromised, especially around areas with heavy equipment operation or limited sightlines.</li> <li>Clearly mark any areas with poor visibility using high-visibility cones or signage to alert workers to proceed with caution.</li> <li>Maintain a tidy work area by regularly clearing debris and organising tools to minimise trip hazards that might go unnoticed.</li> <li>Utilise personal protective equipment (PPE) such as high-visibility vests, especially when working in low-light conditions or near construction vehicles.</li> </ul>  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS                         | IR              | CONTROL MEASURES  | RR               |
|---------------------|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
|                     |   |                 | - Set up barriers around danger zones to prevent unauthorized entry or accidental exposure to hazards.  |                  |
|                     |   |                 | - Regularly test and maintain lighting equipment to ensure optimal performance during critical phases of the installation.                                      |                  |
|                     |   |                 | - Schedule work during daylight hours wherever possible, or increase artificial lighting if night work is unavoidable.  |                  |
|                     |   |                 | - Confirm the availability and operational real equipment before commencing work.   |                  |
|                     |   |                 | - Ensure that all personnel userstand the operating g promoures for each piece of equipment and the relevant safety precautions as exiated with their u         |                  |
|                     |   |                 | - Develop an excession point plan specifically addressing the risks of poor visibility and improper equipment of and conditional drills reinforce preparedness. |                  |
|                     |   |                 | - Cor a man and another indling risk assessment prior to delivery and positioning of the bath.  |                  |
|                     |   |                 | - Use lead nical as such as trolleys or hoists to reduce manual handling of heavy items where possible  |                  |
|                     |   |                 | Ensure all words are trained in proper manual handling techniques to prevent injury.  |                  |
|                     |   |                 | - Constinute with delivery personnel to ensure baths are delivered as close to the installation area as   |                  |
|                     |   |                 | spect the route from delivery point to installation to identify and clear any obstacles.  |                  |
|                     |   |                 | - Use team lifting techniques, ensuring an adequate number of people for the weight and size of the bath.   |                  |
| 3. Delivery and     | Injury from movin heavy baths Poor        | ЗН              | - Position the bath in its final location using safe handling practices, avoiding awkward positions and twisting movements.                                     | 1L               |
| Positioning         | positioning                               |                 | - Wear appropriate personal protective equipment, such as gloves and steel-capped boots, during delivery and positioning.                                       |                  |
|                     |   |                 | - Plan breaks during the task to prevent fatigue-related injuries when moving heavy items.  |                  |
|                     |   |                 | - Rotate tasks among several workers to limit individual exposure to repetitive or heavy lifting.   |                  |
|                     |   |                 | - Clearly communicate roles and movements before attempting to lift or move the bath to avoid sudden unintended movements.                                      |                  |
|                     |   |                 | - Use temporary supports or braces to hold the bath securely in position once lifted to prevent tipping or collapse.  |                  |
|                     |   |                 | - Ensure good lighting is available in the work area to improve visibility and positioning accuracy.  |                  |
|                     |   |                 | - Mark out the intended final position of the bath clearly on the floor to aid in precise positioning.  |                  |
|                     |   |                 |   |                  |
| 4. Installation     | Incorrect installation, Equipment failure | 3H              |   | 2M               |
|                     |   |                 |   |                  |



| JOB STEP            | POTENTIAL HAZARDS                                  | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |  |                 |  |                  |
| 5. Plumbing Setup   | Water leakage, System damage due to improper setup | 4A              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS                               | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                          | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 6. Sealing          | Exposure to harm substances                     | ЗН              |  | 1L               |
| 7. Quality Check    | Bath malfunction, Non-compliance with standards | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS                      | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |  |                 |  |                  |
| 8. Final Run        | System malfunction, Electricity faults | зн              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |   |                 |  |                  |
| 9. Clean up         | Debris related hazards, Injury due to sharp tools         | 2M              |  | 1L               |
| 10. Documentation   | Incomplete paperwork,<br>Miscommunication of instructions | 2M              |  | 1L               |



| JOB STEP                      | POTENTIAL HAZARDS                         | IR              | CONTROL MEASURES   | RR               |
|-------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS           | HAZARDS THAT MAY ARISE                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                               |   |                 |  |                  |
| 11. Maintenance<br>Inspection | Undetected faults, Faunt poor maintenance | ЗН              |  | 2M               |



| JOB STEP                            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|-------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS                 | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 12. Safety Audit                    | Overlooked safety measures, Non-compliance                    | 2M              |  | 1 1L             |
| 13. Review & Updating<br>Procedures | Misinterpretation of new procedures, Insufficient information | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES   | RR               |
|---------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |                                       |                 |  |                  |
|                     |                                       |                 |  |                  |
|                     |                                       |                 |  |                  |
|                     |                                       |                 |  |                  |
|                     |                                       |                 |  |                  |
| 14. Staff Training  | Inadequate training, Miscommunication | 2M              |  | 1L               |
|                     |                                       |                 |  | •                |
|                     |                                       |                 |  |                  |
|                     |                                       |                 |  |                  |



| JOB STEP               | POTENTIAL HAZARDS                                      | IR              | CONTROL MEASURES   | RR               |
|------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE                                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 15. Emergency Drills   | Panic during real situations, unproper drill execution | ЗН              |  | 2M               |
| 16. Periodical Reviews | Overlooked faults, Failure to update procedures        | 2M              |  | ■ 1L             |



| JOB STEP             | POTENTIAL HAZARDS                               | IR              | CONTROL MEASURES   | RR               |
|----------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                          | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                      |   |                 |  |                  |
| 17. Waste Management | Hazardous waste disposal, Inefficient recycling | 2M              |  | 1L               |



| JOB STEP           | POTENTIAL HAZARDS                                     | IR              | CONTROL MEASURES   | RR               |
|--------------------|---|-----------------|--|------------------|
| PECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |
|                    | 5   |                 |  |                  |
| 8. Decommissioning | Injury from disassembling, Unpland dimachine start-up | 4A              |  | 2M               |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |
|                    |   |                 |  |                  |



| JOB STEP                   | POTENTIAL HAZARDS                                       | IR              | CONTROL MEASURES   | RR               |
|----------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE                                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                            |   |                 |  |                  |
| 19. Redesign<br>Procedures | Insufficient requirement analysis, Implementation error | 3"              |  | 2M               |



| JOB STEP                          | POTENTIAL HAZARDS                             | IR              | CONTROL MEASURES   | RR               |
|-----------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS               | HAZARDS THAT MAY ARISE                        | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| SPECIFIC WORK STEPS  20. Handover | Missed critical information, Miscommunication | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS |                  |
|                                   | 5   |                 |  |                  |



### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. IN ANY STATEMENT ARE NOT APPLICABLE

### Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library.

### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 201

Work Health and Safety (National Uniform Legislation) Regulations 26

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/prkplate fety-lay

Codes of Practice NT: https://worksafe.nt.gov.av and-reso per des ractice

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (S

Legislation for SA: https://www.safework.sa.gov.au/resources gislation

Codes of Practice for SA: https://www.safework.sa.gov.au/w/wplaces/codes-of-practice#COPs

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Ocupational Health Safety A 2004

Occupational Health and Safet Regulations 2017

Legis ion VIC: https://www.fksafe.vic.gov.au/occupational-health-and-safety-act-and-

qular 9

des of actice V/ attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

### Safe Work Australia Links

Law and Regulation (All States): <a href="https://www.safeworkaustralia.gov.au/law-and-regulation">https://www.safeworkaustralia.gov.au/law-and-regulation</a> Model Codes of Practice: <a href="https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice">https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice</a>

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |

### SAFE WORK IN 'THIS 'S' ITEM ON MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remain effect, and must be reviewed (and revised if necessary) if relevant control measures are revised. The view as should be carried out in consultation with workers (including contractors as unputractors of the SWMS and their health and safety registeratives who represented that work group at the workplace.

When the SWMS has been revised the PCBD mest ensure the advised that a revision has been made and how they can accept the revised SWMS, including all persons who will need to change a work procedure or system as a remotified the review are advised of the changes in a way that will enable them to implement their duties the thing with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED | COMMENTS |
|---|-----------|----------|
|   |           |          |
| The company details have been entered, including the project name and address.                      |           |          |
| All relevant personnel consulted during the development of the SWMS.                                |           |          |
| Name, signature, position and date signed of the person approving the SWMS.                         |           |          |
| Specific personnel and qualifications, experience is noted in the SWMS.                             | 7         |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.                |           |          |
| Adequate risk assessment of any identified hazards has been completed.                              |           |          |
| Foreseeable hazards are identified and documented for each step.                                    |           |          |
| Any hazards listed in any site risk assessments have been added to the SV 5.                        |           |          |
| SWMS initial risk (IR) column as well as residual risk (RR) column ampleted.                        |           |          |
| Check control measures added to the SWMS are the most effer ve secutions.                           |           |          |
| Responsible person is assigned and listed on the splenetation of control measures.                  |           |          |
| Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc. |           |          |
| SWMS identifies plant and equipment to be   |           |          |
| Details of inspection checks required for any equipment lister are noted on the SWMS.               |           |          |
| Describes any mandatory qualifications, experience, and or skills required to perform the work.     |           |          |
| Applicable personal protective equipment is selected on the SWMS.                                   |           |          |
| Reflects and documents any legislative references and/or Australian Standards.                      |           |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.       |           |          |
|   |           |          |
| REVIEWED BY   | DATE REV  | /IEWED   |
| SIGNATURE   | DATE COM  | PLETED   |