

Installing Helical Piles	S   SAFE WORK METHOD	STATEMENT (SWMS)	
TASK	COR ACTIVITY: Installing Helica	l Piles	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduthe proposed work starts.	cting a business or und ring (P V) is	required to el that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliant e of the SWIL as well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	IEL WHO HAVE BEEN CONSULTED AND ( THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in accorde with regislative requirements to first identify any site hazards, to continue to those hazards and then to further take steps to either eliminate or conditional leach hazard.			
If an incident or a near miss occurs, all work must stead dately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTOR	ON WC & BEIN C & RIED OUT
involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-hearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical interrity structure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing as	☐ involves tilt-up or precast concrete
involves structural alteration or repair the requires to rary so port to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper an or tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
is carried out in or near water or other liquid that involves a risk of drowning.	involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remoy e the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolation Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and records		Engineering Isolate the hazard.	
is the second m	archy of Controls: nost effective methologing the work is	od of controlling a	a hazard. Engine	ering by isolat	ion is the nost of	e. tive, while	ard. Substitution e Administrative least effective		Administrative Change the work.	

						TIVE EQUIPM					
		Select the app	propriate PPL	abo suitak	ok for the equip	oment used or	the job task	being perfori	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	THE ARING STION	P _cCTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ients		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Inadequate training, Miscommunication		- Conduct comprehensive training sessions call personnel involved in the installation of helical piles to ensure they understand the procedures, originent, a safety protocols.  - Develop a clear communication plan outlining as unsibilities and lines of communication among team members, including emergency contacts.  - Use clear and consistent six age around the waysite as convey important information and warnings related to helical pile in tallatio.  - Implement a factly syste to ensure communication and support among workers, especially those who are networ less exprenced.  - School let regular safet uneetings before starting each shift to discuss the day's tasks, potential hazards, and to all mea.  - Proving subspects induction training for all workers entering the site, ensuring they are aware of particular rise and subty requirements.  - Use two ways action of other reliable communication devices to facilitate constant and effective consumentations and swift response to issues.  - Appoint dedicated safety officer or supervisor to oversee operations, ensuring adherence to safety a tocols and swift response to issues.  - Divelop detailed work instructions and standard operating procedures that include step-by-step guidance for safe operations and distribute them to all employees.  - Ensure all equipment operation manuals are accessible and that workers are trained on the specific equipment being used for pile installation.  - Create a visual aid, such as a diagram or flowchart, illustrating the installation process and associated hazards to improve understanding among workers.	
			and training to improve ongoing processes.  - Use personal protective equipment (PPE) appropriate for the task, such as hard hats, gloves, and eye protection, and ensure workers are trained on their use.  - Periodically review and update training materials and communication plans to incorporate new insights, technologies, and regulatory requirements.	
			- Conduct a thorough walk-through of the site to identify and mark any trip hazards, using cones or signs for clear visibility.	
2. Site Assessment	Trip hazards, Exposure to weather conditions, Poor visibility	2M	- Ensure all workers wear appropriate personal protective equipment, including high-visibility vests, hard hats, and sturdy footwear.	1L
			- Implement clear and designated pathways by removing unnecessary tools and materials from work areas to minimise trip risks.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Schedule work during times of favourable weather conditions when possible; consider early mornings or late afternoons during hot periods.	
			- Provide adequate sun protection measures, such a sunscreen, hats, and access to shaded rest areas for workers exposed to direct sunlight.	
			- Review weather forecasts regularly and part to resche the work in case of severe or unsafe conditions like storms or extreme heat.	
			- Use adequate lighting in dimly lit or foggy controls to improve visibility, particularly in early morning or late evening hours.	
			- Erect barriers or signs to warn a potential trip haz. How visibility areas, especially near trenches or other uneven grown.	
			- Assign a decated safet of ficer of am mover to monitor weather changes and enforce appropriate action plans.	
			- Trail comploy of the importance of maintaining situational awareness and effectively navigating potent in coards esite.	
			- Encological gular caks to maintain alertness, especially in challenging weather conditions that could impair volon a focus.	
			- tall to porally valkways or platforms over areas with significant trip hazards, ensuring they are stable and are marked for worker use.	
			- induct thorough pre-start checks on all equipment as per manufacturer's guidelines to ensure they are in safe working condition.	
			- Verify that only trained and competent personnel are assigned to operate helical pile installation equipment.	
			- Regularly service and maintain all equipment according to a maintenance schedule to prevent wear and tear that could lead to malfunction.	
			- Inspect all cables, wires, and connections for any signs of damage or fraying before each use, and replace if necessary.	
3. Equipment Check	Equipment malfunction, Injury from sharp edges	3H	- Ensure that all safety guards and shields are securely fitted and operational to prevent accidental contact with moving parts.	1L
			- Assemble a complete set of emergency tools and first-aid kits nearby in case of an unexpected equipment failure or injury.	
			- Use appropriate gloves and protective gear when handling equipment to protect against cuts and abrasions from sharp edges.	
			- Clearly mark and cordon off the work area to prevent unauthorised personnel from entering the equipment zone during operations.	
			- Implement a lockout/tag-out procedure during equipment servicing to prevent accidental start-ups while workers are inspecting or repairing machinery.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Ensure adequate lighting in the work area so operators can clearly see all equipment controls and operational markings.	
			- Train workers to recognise early warning signs quipment failure, such as unusual noises or vibrations, and instruct them to stop operation immediately upon detection.	
			- Store sharp tools and equipment secure, fter use, keeping them away from pedestrian paths and other high-traffic areas to minimise injury risks.	
4. Safety Briefing	Misunderstanding safety instructions	2M		1L
5. Position Helical Piles	Musculoskeletal injury from lifting,	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	IR INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RR RESIDUAL RISK
6. Set up drilling rig	Crushing or trapping injuries, Noise exposure	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Drilling Process	Hand-arm vibration	4A		3H
8. Installation of helical piles	Manual handling injuries, Caught between equipment	3Н		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Monitoring of Installation progress	Incorrect placement of piles, Unstable work surface	3Н		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Quality Inspection	Non-compliance with standards, Fault equipment			1L
11. Removing drilling rig	Struck by moving vehicle, Noise exposure	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Cleaning of workplace	Slippery surfaces, Contact with harmful substances	3H		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Final Inspection	Inadequate inspection process, Overlooking potential is thes	2M		1 1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Reporting and Documentation	Inaccurate reporting, Failure to document risks	2M		1L
15. Debriefing and Cleanup	Tripping over equipment, Skin contact with contaminants	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
				-
	1			
				-
16. Post-Installation Review	Inadequate feedback, Oversking potential improvements	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUA RISK
		<u> </u>		



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. IN ANY STAFF THAT ARE NOT APPLICABLE

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practive

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/leg

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library.

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 201

Work Health and Safety (National Uniform Legislation) Regulations 26

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/prkplate fety-layers

Codes of Practice NT: https://worksafe.nt.gov.a/

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (S

Legislation for SA: https://www.safework.sa.gov.au/resources\_gislation

Codes of Practice for SA: https://www.safework.sa.gov.au/w/wplaces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Ocupational Health Safety A 2004

Oct ational Health an Safet regulations 2017

Legis ion VIC: https://www.orksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des of actice V/ attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): <a href="https://www.safeworkaustralia.gov.au/law-and-regulation">https://www.safeworkaustralia.gov.au/law-and-regulation</a> Model Codes of Practice: <a href="https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice">https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice</a>

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK IN 'THIS 'S' ITEM ON MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remain effect, and must be reviewed (and revised if necessary) if relevant control measures are revised. The view should be carried out in consultation with workers (including contractors as an intractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBD mest ensure the advised that a revision has been made and how they can accept the revised SWMS, including all persons who will need to change a work procedure or system as a remotified the review are advised of the changes in a way that will enable them to implement their duties the child with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SV. 5.		
SWMS initial risk (IR) column as well as residual risk (RR) column ampleted.		
Check control measures added to the SWMS are the most effective sections.		
Responsible person is assigned and listed on the high centary of control measures.		
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.		
SWMS identifies plant and equipment to be		
Details of inspection checks required for any equipment lister are noted on the SWMS.		
Describes any mandatory qualifications, experience, ang or skills required to perform the work.		
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.		
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REVIE	WED
SIGNATURE	DATE COMPL	ETED