

Liquefied Petroleum Gas	LPG SAFE WORK METH	OD STATEMENT (SWMS)	
TASK OF	R ACTIVITY: Liquefied Petroleum	Gas LPG	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E vil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY 1	THE PL J OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	eting a business or undertaking (N 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ompliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A COMUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions of the conditions are or conditions.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			


Version 2.5 Authorised by Review # Date of Issue: Review Date: 1



		CLI	ENT OR PRINCIPAL	CONTRACTOR D	DETAILS				
Client:						SCOPE OF WORKS			
Project Name:					Provide a detailed description	n of the specific work being	carried out (otherwise		
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	nature:								
Date SWMS supplie	d to Project Manager:								
		ANY HIGH-	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
☐ involves a risk of a pe	erson falling more than 2 m	neters.		is carried out on or near pressurised gas mains or piping.					
is carried out on a tel	ecommunication tower.		$H \cap H$	☐ is carried out on	or near chemical, fuel or refrig	erant lines.			
☐ involves demolition o	f an element of a structure	that is load-be n.		is carried out on or near energised electrical installations or services.					
☐ involves demolition o	f an element related to the	physical integrit of a str	9	is carried out in an area that may have a contaminated or flammable atmosphere.					
☐ involves, or is likely to	o involve, disturbing a	tos.		involves tilt-up or precast concrete.					
involves structural alt	eration or repair that re	inporal, upp to p	prevent collapse.	is carried out on	, in or adjacent to a road, railw	ay, shipping lane or other to	raffic corridor.		
is carried out in or ne	ar a confined space.			is carried out in	an area of a workplace where	there is any movement of p	owered mobile plant.		
is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvin	ng use of explosives.	is carried out in	areas with artificial extremes o	f temperature.			
is carried out in or ne	ar water or other liquid tha	t involves a risk of drowning	ng.	☐ involves diving v	vork.				
		ANY HI	IGH-RISK MACHINEF	RY OR EQUIPMEN	NT NEARBY				
Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loade	r Boom Lift	□ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	☐ Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	Other -			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2





PER NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	PROTE	SPIRATORY P STECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
			A								

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Manual handling, Exposure to hazardous substances	2M	 Conduct a pre-start safety briefing to discuss the work scope, potential hazards, and safe work practices for workers handling Liquefier. Petroleum Gas (LPG). Provide appropriate manual handling training and workers, including proper lifting techniques and ergonomic principles. Assess and plan the task to minimise manu, handlift by using mechanical aids such as trolleys, hand trucks, and gas bottle literatives. Wear suitable PPE, such at a afety glasses, glove, and classe-toe shoes, to protect from hazardous substates while handling to 3 considers. Ensure that all Liferage, cars are learly labelled with correct identification and hazard information. Inspect LPG blinders before use to assess they are free from damage, corrosion, or let Store the cylino of upright in a well-ventilated, designated storage area away from ignitio ources and harmful substances. Implement a cumel of cylinder inspection and maintenance programme to lidress hamage levear, and leakage. Manufit lear access to emergency equipment such as fire extinguishers, vewas, butions, and spill containment kits. Dement a procedure for reporting incidents, spills, or leaks involving LPG, ensuring workers are aware of their responsibilities. Provide Material Safety Data Sheets (MSDS) for LPG and ensure workers understand the associated risks and control measures. Conduct regular toolbox talks and refresher training on safe LPG handling, storage, and emergency response. Clearly communicate and enforce a no-smoking policy in areas where LPG is being handled or stored. Regularly review and update SWMS as needed based on work conditions, procedures, and the introduction of new technologies. 	1L	
2. Cylinder Inspection	Leakages, Damaged valves	2M	 Regular thorough inspection of LPG cylinders by qualified professionals, ensuring the detection of any possible leaks or damaged valves. Replacement of damaged or outdated cylinders with new, properly maintained units from reputable suppliers. Storage of LPG cylinders in well-ventilated areas away from sources of heat, ignition, and any flammable materials or substances. Developing and maintaining clear procedures for handling and transporting LPG cylinders to minimise risk of damage to the valves or container. 	1L	



5

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Ensuring that employees receive training in safe LPG cylinder handling practices, as well as information on identifying potential hazards.		
			- Utilising proper tools and equipment specifically signed for LPG cylinder handling and transportation, such as cylinder trollies or		
			- Applying leak detection solutions, spray, coapy water tring inspections to detect any leakage around cylinder connection and connections.		
			- Monitoring and scheduling regular maintenance necks for LPC systems and related equipment, including ses, regulators, as burners		
			- Implementing strict usage rule such as not dropp, anders or leaving them in unsecured position and hey hard be knocked over or suffer a fall.		
			- Ensuring the Pressure R of Devi (PRD are present on LPG cylinders and are functionin, dequately		
			- Estating an ency response plan, including evacuation procedures and first all necessary sets also be taken in the event of a detected leak or damaged cylinder.		
			- Maint ping log of linder inspections and results, including relevant dates, personn linve ed, and my necessary follow-up actions required.		
			- utine check g the valve caps for any signs of erosion, wear, or damage, and replaced em when necessary.		
			Providing additional protective gear for employees handling LPG cylinders, such as stygloves, goggles, and appropriate footwear, to help prevent injury while managing cylinders effectively.		
			- Provide manual handling training to all employees involved in the handling and transportation of LPG cylinders, focusing on correct lifting techniques and using appropriate tools or equipment.		
			- Ensure that all vehicles used for the transportation of LPG cylinders are regularly serviced, maintained, and comply with Australian safety standards.		
			- Establish a loading and unloading procedure, including guidelines on proper stacking and securing of LPG cylinders during transport.		
3. Cylinder Transportation	Manual handling, Vehicle accident	2M	- Limit the maximum weight of cylinders carried by an individual employee, in accordance with safe manual handling limits.	1L	
·			- Equip transport vehicles with suitable securing mechanisms (e.g. straps, tie-downs, or chains) to prevent movement or rolling of cylinders during travel.		
			- Implement a pre-travel checklist for drivers to follow, including fuel levels, tyre pressure, brakes, and other essential safety checks.		
			- Develop a route planning strategy to minimise travel time and reduce potential exposure to hazards such as traffic congestion or difficult manoeuvring situations.		
			- Implement a regular inspection and maintenance schedule for any equipment (e.g. cylinder trolleys, lifting aids) involved in the transportation process.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Instruct drivers on defensive driving practices, such as maintaining a safe distance from other vehicles and being aware of their surroundings at all times.		
			- Have an emergency response plan in place, including procedures for reporting vehicle accidents and dealing with LPG leaks pills during transport.		
4. Storage area setup	Poor ventilation, Unaccure expronment	.vi		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Cylinder Installation	Incorrect connectic synadequate training	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Leak testing	Ineffective sealing, Exposure to LPG fumes	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. System Commissioning	Uncontrolled gas release, Fire hazard	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Equipment maintenance	Wear and tear, Faulty parts	SM.		1L	
9. Emergency equipment check	Missing or expired items, Untrained employees	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Worker training	Inadequate knowledge, Poor safety awareness	21		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Monitoring and supervision	Non-compliance, Communication breakdown			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Cylinder changeover	Gas release, Manual candling	J. VI		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
13. Spill containment	Inadequate cleanur procedures, Environmental da la ige	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
14. Decommissioning	Unsafe removal, Exposure to LPG fumes			1L	



POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1				
Incorrect procedure	PM.		11	
incorrect procedure damping	500			
		HAZARDS THAT MAY ARISE INITIAL RISK	HAZARDS THAT MAY ARISE INITIAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	HAZARDS THAT MAY ARISE INITIAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS RESIDUAL RISK R



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
16. Incident Reporting	Late or inaccurate reporting, Failure to learn from incidents	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
17. Safety audits and reviews	Inadequate follow-up actions, Non-compliance	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
18. Policy review and update	Obsolete information, Poor communication	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
19. Continuous improovement	Resistance to change, Complacency	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
20. Public awareness	Community concerns Community concerns damage			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health all Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Supe	ervisor	
				Date:				
				Date				
				L te:				
				Date:				
				Date:				
				Date:				
				Date:				
		SAF WO A	STATEMENT	MONITORING AND R	EVIEW			
The SWMS must be reviewed regularly to the sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure and subcontract is to we process should be carried out in consultation with workers (including contractors and subcontract is) who may be affected by the operation of the SWMS and their health and safety representatives who receive esented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.				The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.				
REVIEW NUMBER	<u> </u>	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								

Version 2.5 Authorised by Review # Date of Issue: Review Date: 26



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	- P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWI			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting sections.			
Responsible person is assigned and listed on the SWMS for the imperent of contameasures.			
Permit requirements specified, such as Hot Work, Verat Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed at noted on the SWMS.			
Describes any mandatory qualifications, experience reining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	

Version 2.5 Authorised by Review # Date of Issue: Review Date: 27