

Maintain Radio Or Phone Contact Fo	or Emergencies   SAFE WC	ORK METHOD STATEMENT	(SWMS)
TASK OR ACTIVITY:	: Maintain Radio Or Phone Conta	ct For Emergencies	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROV D BY	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduthe proposed work starts.	cting a business or und thing (Pu V) is	required to element that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:	NY	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliant e of the SWIL as well as re	views and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	IEL WHO HAVE BEEN CONSULTED AND ( THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in accorde with legislative requirements to first identify any site hazards, to continuing the those hazards and then to further take steps to either eliminate or conditional leach hazard.			
If an incident or a near miss occurs, all work must stead dately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTOR	ON WC & BEIN C & RIED OUT
involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-hearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical interrity structure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing as	☐ involves tilt-up or precast concrete
involves structural alteration or repair the requires to rary so port to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper an or tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
is carried out in or near water or other liquid that involves a risk of drowning.	involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	ACTION		Elimination Remoy e the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolation Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and records		Engineering Isolate the hazard.	
is the second m	archy of Controls: nost effective methologing the work is	od of controlling a	a hazard. Engine	ering by isolat	ion is the nost of	e. tive, while	ard. Substitution e Administrative least effective		Administrative Change the work.	

						TIVE EQUIPM					
		Select the app	propriate PPL	abo suitak	ok for the equip	oment used or	the job task	being perfori	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	THE ARING STION	P _cCTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ients		Mandatory Qualifications and Training					




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Tripping over equipment, Electrical hazards from radio or phone	2M	- Ensure all cables and equipment are new organised to prevent tripping.  - Use cable covers or secure cables with tax to ke camem off the ground.  - Implement housekeeping measures to keep and areas clean and free of clutter.  - Conduct regular inspections to identify and mit attention areas.  - Provide training on the electrical practices for all travers.  - Use only test and tage of electrical equipment meeting Australian standards.  - Keep radios and phone away from a color other conductive materials to avoid electrical hazards.  - Ensured electrical areas vices have proper grounding and insulation.  - Implement housekeeping measures to keep and free of clutter.  - Equipment and tage of electrical incidents.  - Equipment and embedding steps for electrical incidents.  - Equipment and with presonal protective equipment (PPE) like insulated gloves when handling electrical levices.	1L
2. Squelch Setting	Volume too high causing hearing damage, Incorrect setting leading missing emergency calls	ЗН	Conderisk assessment to identify potential noise hazards  - see ear protection if volume needs to be higher due to external noise conditions  - Set the volume at the lowest level where the call can still be clearly heard  - Regularly check squat setting and radio functions before starting tasks  - Train workers on how to properly adjust volume settings to avoid hearing damage  - Perform routine maintenance checks on radios to ensure they are functioning correctly  - Ensure all staff are aware of the correct squelch settings for their specific equipment  - Place visual guides or instructions on radios for correct squelch settings  - Introduce a buddy system to verify each other's squelch settings and volume levels  - Provide training on recognising symptoms of hearing damage and appropriate response actions  - Establish protocols for immediate reporting when incorrect settings are identified  - Regularly monitor and review workers' adherence to set protocols and provide feedback  - Ensure access to spare batteries or power sources to avoid rushed, incorrect settings due to low battery alerts	1L
3. Frequency Setting	Exposure to strong electromagnetic fields, Incorrect frequency selection	2M	<ul> <li>Ensure all personnel are trained on the proper frequency setting procedures.</li> <li>Use only approved and correctly rated radios or phones that comply with relevant standards.</li> <li>Establish a clear protocol for selecting and verifying the correct frequency.</li> </ul>	1L



RESIDUAL RISK  NAZARDS THAT MAY ARISE  INTIAL RISK  Conduct regular checks and maintenance of communication devices to ensure they are functioning properly.  Implement shielding measures, such as distant winers, to minimise exposure to strong electromagnetic folds.  - Provide personal protective equipment (in_1) if require a reduce risks associated with electromagnetic folds.  - Label all communication devices clearly to promit incorrect seage.  - Include frequency settings here-start checks to here or whereing any work.  - Set up a seconder or system, on system as the winer or perfecting any work.  - Set up a seconder or system, on system to stranded and authorised personnel only.  - Resident or season and authorised personnel only.  - Resident or update is an apply red frequency as its readily accessible to all workers.  - Designate it, onsolibity in frequency as any of the transport of the and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised personnel only.  - Resident or season are season and authorised are seaso	JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
property, Implement shielding measures, such as distance variers, to minimise exposure to strong electromagnetic fields. Provide presonal protective equipment (in, ill frequire to reduce risks associated with electromagnetic fields). Label all communication devices clearly to prior in concreti tage. Include frequency settings's bre-start checks to live on whiching any work. Set up a secondary community on system as a thirty in case of primary system failure. Ensure an usual date lies is applyed frequency as it ready accessible to all workers. Designate recommended and untorised personnel only. Region upuda variety may request and procedures to reflect any changes in technology or regulations. Control of a asset, ments periodically to identify any new hazards related to frequency setting and adjust in this accordingly.  4. Checking Battery  Battery leakage, Electric shock  3. Helicitor shock and the strong process of the control of the co	SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE			
electromagnetic fields.  - Provide personal protective equipment (in 1) if required reduce risks associated with electromagnetic fields.  - Label all communication devices clearly to promit incorrect reage Include frequency settings here-start checks by the group incase of primary system failure Set up a seconds pruning on system as a by mup in case of primary system failure Ensure and produce the interpretation of the group in case of primary system failure Ensure and produce the proposed presented only Region typida, or any materials and procedures to reflect any changes in technology or regulations Conclusionator in the asset greats periodically to identify any new hazards related to frequency setting and adjust in its vaccor in gr.  4. Checking Battery  - Battery leakage, Electric shock  - SH  -					
fields.  Label all communication devices clearly to premit incorrect reage. Include frequency settings one-start checks to are or premicing any work.  Set up a second or crunic for system as a build in case of primary system failure.  Ensure and co-date list approved frequency setting accessible to all workers.  Designater in graphing or frequency and to trained and authorised personnel only.  Resign tup does using materials and procedures to reflect any changes in technology or regulations.  Conc. or consistency assessments periodically to identify any new hazards related to frequency setting and adjust in the Naccon Inty.  11.  4. Checking Battery  Battery leakage, Electric shock  3H  Electromagnetic radiation, Distraction  Battery leakage, Electric radiation, Distraction					
Include frequency settings in ore-start checks to the colorencing any work.  Set up a secondar in munit, on system as a bundly in case of primary system failure.  Ensure any ordate list apply ad frequency as its readily accessible to all workers.  Designate ric possibility in frequency and put trained and authorised personnel only.  Region update using materials and procedures to reflect any changes in technology or regulations.  Condicating sasses ments periodically to identify any new hazards related to frequency setting and adjust until vaccoly right.  4. Checking Battery  Battery leakage, Electric shock  3H  Electromagnetic radiation, Distraction  Electromagnetic radiation, Distraction  Electromagnetic radiation, Distraction					
Set up a seconds to municipal procession of primary system failure.  Ensure an Mondate list is applyed frequencies is readily accessible to all workers.  Designate it, ponsibility of frequency and to trained and authorised personnel only.  Reg vupds using materials and procedures to reflect any changes in technology or regulations.  Confuse it assess ments periodically to identify any new hazards related to frequency setting and adjust in the vaccological processing and adjust in the va					
Ensure any to e-date list in approved frequencies is readily accessible to all workers.      Designate it is onsibility in frequent using to trained and authorised personnel only.      Reg. 19 upda a roung materials and procedures to reflect any changes in technology or regulations.      Conk on it is assessments periodically to identify any new hazards related to frequency setting and adjust init. Naccol. Init. N					
Designate it consibility in frequency awing to trained and authorised personnel only.      Reg. of vupda, using materials and procedures to reflect any changes in technology or regulations.      Ond, or it is asset ments periodically to identify any new hazards related to frequency setting and adjust in the accordingly.  4. Checking Battery  Battery leakage, Electric shock  3H  Electromagnetic radiation, Distraction  Electromagnetic radiation, Distraction  At the second short of the procedures to reflect any changes in technology or regulations.  - Cond. or it is asset ments periodically to identify any new hazards related to frequency setting and adjust in the accordingly.  1L					
Reg. A upday owing materials and procedures to reflect any changes in technology or regulations.      Cond. ch. Ix assis ments periodically to identify any new hazards related to frequency setting and adjust initing acconcility.  4. Checking Battery  Battery leakage, Electric shock  3H  Electromagnetic radiation, Distraction  At a set of periodically to identify any new hazards related to frequency setting and adjust initing acconciling the periodically to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting and adjust initing acconciling to identify any new hazards related to frequency setting acconciling to identify any new hazards related to frequency setting acconciling to identify any new hazards related to frequency setting acconciling to identify any new hazards related					
4. Checking Battery  Battery leakage, Electric shock  3H  Electromagnetic radiation, Distraction  4. Tation Reaction  Electromagnetic radiation, Distraction  Annual Control of Assessments periodically to identify any new hazards related to frequency setting and adjust in the accordingly.  1L					
4. Checking Battery  Battery leakage, Electric shock  3H  Electromagnetic radiation, Distraction  Electromagnetic radiation, Distraction					
F. Tastian Bassation   Electromagnetic radiation, Distraction   2M					
	4. Checking Battery	Battery leakage, Electric shock	ЗН		1L
	5. Testing Reception		2M		1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Emergency call test	Miscommunication, Panic attacks due to fake emergencies	2M		1L
8. Cleaning Equipment	Chemical exposure from cleaning agents, Skin irritations	2M		1 1 1 1



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Equipment Storage	Musculoskeletal injuries from improper lifting techniques, Tripping hazards	ЗН		1L
10. Equipment Maintenance	Risk of electric shock during repair, Burns from soldering iron	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Regular Checks	Mental stress, Fatigue from long hours	2M		1L
12. Training on usage	Incorrect procedure follow up, Psychological stress for new employee	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Review of Procedure	Overlooking important details, Ment fatigue	2M		1L
14. Updating Emergency Contacts	Entering wrong information, Misplacement of contact list document	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Restocking Equipment	Injury due to heavy lifting inhalation in storage room	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Documentation	Paper cuts, Eye strain from computer work	1L		1 1L
17. Reporting Hazards	Risk of ongoing hazards not being addressed, Stress from perceived lack of response	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
18. Debriefing staff	Miscommunication leading to incor t procedure follow up, Ne ligence safety measures	ЗН		1L
	sarety measures			



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Hardware Upgrades	Risk of electric shock during installation, Incorrect hardware setup causing system crash	ЗН		1L
20. Software Updates	Risk of program errors, System downtime leading to non-availability of emergency contact	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•



### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. N ANY STATEMENT ARE NOT APPLICABLE

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations
Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

Codes of Practice ACT: https://www.worksare.act.gov.au/iaws-and-compliance/codes-of-practic

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library.

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 201

Work Health and Safety (National Uniform Legislation) Regulations 26

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/prkplate fety-lay

Codes of Practice NT: https://worksafe.nt.gov.av and-reso per des ractice

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (S

Legislation for SA: https://www.safework.sa.gov.au/resources gislation

Codes of Practice for SA: https://www.safework.sa.gov.au/w/wplaces/codes-of-practice#COPs

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

### Victoria

Ocupational Health Safety A 2004

Octational Health an Safe\* regulations 2017

- Legis ion VIC: https://www.fksafe.vic.gov.au/occupational-health-and-safety-act-and-
- des of actice VI attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): <a href="https://www.safeworkaustralia.gov.au/law-and-regulation">https://www.safeworkaustralia.gov.au/law-and-regulation</a> Model Codes of Practice: <a href="https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice">https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice</a>

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

### SAFE WORK IN 'THIS 'S' ITEM ON MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remain effect, and must be reviewed (and revised if necessary) if relevant control measures are revised. The view should be carried out in consultation with workers (including contractors as an intractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBD mest ensure the advised that a revision has been made and how they can accept the revised SWMS, including all persons who will need to change a work procedure or system as a remotified the review are advised of the changes in a way that will enable them to implement their duties the thing with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SV. 5.		
SWMS initial risk (IR) column as well as residual risk (RR) column ampleted.		
Check control measures added to the SWMS are the most effective sections.		
Responsible person is assigned and listed on the high centary of control measures.		
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.		
SWMS identifies plant and equipment to be		
Details of inspection checks required for any equipment lister are noted on the SWMS.		
Describes any mandatory qualifications, experience, ang or skills required to perform the work.		
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.		
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REVIE	WED
SIGNATURE	DATE COMPL	ETED