
| Metal Plate Shearing Ma | chine SAFE WORK METH | OD STATEMENT (SWMS) | | | | | | | |
|---|--|--|-------------------------------------|--|--|--|--|--|--|
| TASK O | R ACTIVITY: Metal Plate Shearing | g Machine | | | | | | | |
| Business Name: [Company Name] | | ABN: [ABN] | SWMS# | | | | | | |
| Business Address: [Company Address] | | | | | | | | | |
| Contact Person: | Phone: [Phone] | E Ail: | | | | | | | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | THE PL J OF THE PROJECT | | | | | | | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts. | ucting a business or undertaking (K 3U) is | required to thurs at a safe work method s | statement (SWMS) is prepared before | | | | | | |
| Full Name: | | | | | | | | | |
| Signature: | | Title: | Date: | | | | | | |
| Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, well as reviews and modifications of the SWMS. | | | | | | | | | |
| Full Name: | | Title: | Phone: | | | | | | |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED | N TE AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO | LL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND | | | | | | |
| Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conduct unica those hazards and then to further take steps to either an are or contained and hazard. | NAME | SIGNATURE | DATE | | | | | | |
| If an incident or a near miss occurs, all work must succurately. Depending on the severity of the incident, a meeting will be called with all workers to amend | | | | | | | | | |
| the SWMS if required. The meeting may also be an educational opportunity. | | | | | | | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and | | | | | | | | | |
| communicated to all relevant personnel. | | | | | | | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable | | | | | | | | | |
| incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | | | | | | | |



| CLIENT OR PRINCIPAL CONTRACTOR DETAILS | | | | | | | | | | |
|--|---------------------------------|-------------------------------|-------------------------|--|---|---------------|------------|--|--|--|
| Client: | | | | | SCOPE OF WORKS | | | | | |
| Project Name: | | | | | Provide a detailed description of the specific work being carried out (otherwis | | | | | |
| Project Address: | | | | | known as cope of works) | | | | | |
| Project Manager: | | | | | | | | | | |
| Contact Phone: | | | | | | | | | | |
| Project Manager | Signature: | | | | | | | | | |
| Date SWMS supp | olied to Project Manag | er: | | | | | | | | |
| | | | | | | | | | | |
| involves a risk of | a person falling more than | 2 meters. | | is carried out on c | r near pressurised gas mair | ns or piping. | | | | |
| is carried out on a | a telecommunication tower | | | ☐ is carried out on or near chemical, fuel or refrigerant lines. | | | | | | |
| involves demolition | on of an element of a struct | ure that is load-be | | ☐ is carried out on or near energised electrical installations or services. | | | | | | |
| involves demolition | on of an element related to | the physical integrit of a s | tr e. | is carried out in an area that may have a contaminated or flammable atmosphere. | | | | | | |
| involves, or is like | ely to involve, disturbing a | estos. | | involves tilt-up or precast concrete. | | | | | | |
| involves structura | al alteration or repair that re | mporal, upp to | o prevent collapse. | is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor. | | | | | | |
| is carried out in o | r near a confined space. | | | is carried out in an area of a workplace where there is any movement of powered mobile plant. | | | | | | |
| is carried out in/n | ear a shaft or trench deepe | er than 1.5m or tunnel invol- | ving use of explosives. | is carried out in areas with artificial extremes of temperature. | | | | | | |
| is carried out in o | r near water or other liquid | that involves a risk of drow | ning. | involves diving wo | ork. | | | | | |
| | | ANY | HIGH-RISK MACHINI | ERY OR EQUIPMEN | FNEARBY | | | | | |
| Forklift | Crane/s | ☐ Hoist/s | Excavator | Backhoe/Loader | Boom Lift | EWP | Genie Lift | | | |
| Trencher | Drilling Rig | Trucks | Formwork | Bobcat | Flammable Gas | Fuel | Dozer | | | |
| High Voltage | Mulcher | Tilt-up Panels | Roller | Scissor Lift | Tractor | Other - | | | | |







| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|---|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Ensure all workers are properly trained on the machine's usage, including how to set it up correctly. This includes theoretical and practical training. | | |
| | | | - Incorporate regular refresher courses to ensure the workers' knowledge about machine operations and safety measures in upt up-to-date. | | |
| | | | - Use clearly laid out instructions for machine http, any visible for each worker using the machine. | | |
| | | | - Implement a process of rousine checks before, doing, and the coperation to confirm that the machine has a on set up correctly. | | |
| 1. Preparation | Incorrect machine setup, lack of training | ЗH | - Enforce the use the set of productive equipment (PLE), such as gloves, safety glasses, and so actoe boot while the reating or that any up the machine. | 2M | |
| | | | - Regularly review and upone risk associations of the machine setup process to identify my new pagar control measure improvements. | | |
| | | | - Give a vity to perienced workers or supervisors to stop operation if they suspect that he may he hasn't been set up correctly. | | |
| | | | - Encouring a support communication environment where concerns about safety or the of transing a subscription be openly addressed without fear of retribution. | | |
| | | | - Ensure pergency stop mechanisms are fully functioning and everyone operating the mach sunderstands how to use them. | | |
| | | | - intain a strict maintenance program for the shearing machine to catch any mechanical issues in the early stages, enhancing reliability and safety. | | |
| | | | Ensure proper and regular training for workers who operate the shearing machine. Training should include correct operation procedures, use of personal protective equipment (PPE), and emergency response protocols. | | |
| | | | Implement a strict maintenance schedule for the machine to guarantee that it consistently functions at optimal safety standards. Regular inspections can help identify any potential mechanical issues before they become major hazards. | | |
| 2. Machine Operation | Entanglement, crushed fingers | 4A | Provide workers with appropriate PPE, including safety gloves, eyewear, and footwear to protect against entanglement or crushed fingers during machine operation. | 2M | |
| | | | Install guards around the machine's moving parts to minimise exposure to moving components and reduce the risk of entanglement or crushing injuries. | | |
| | | | - Use lockout/tagout procedures when servicing or cleaning the machine to prevent any unexpected start-up. | | |
| | | | - Keep work areas clean and free from clutter to reduce slipping, tripping, or falling hazards. | | |
| | | | - Establish and enforce guidelines on loose clothing, long hair or jewellery which may pose entanglement risk in machine operation. | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Implement policies for reporting and promptly addressing hazardous conditions related to the machine operation. Encourage workers to report unsafe conditions without fear of reprisal. | | |
| | | | - Consider implementing cut resistant gloves to potect against shearing injuries specifically. | | |
| | | | - Use a machine with an emergency stop but with each of operators, allowing for quicker response times in case of emergen. | | |
| | | | - Promote safe work practice, such as not forcing, a machine or using tools for jobs they weren't designed for. Reput dioperators to alweek the machine while it's increasing tools. | | |
| | | | - Utilise isolation procedure, when perturbing maintenance activities, this includes locking but and agging to machine, exchang it is disconnected from its power source of fore comparing any maintenance work. | | |
| | | | - Reguer, spect shearing machine to identify any visible signs of wear, tear or damag that ay post risk. | | |
| | | | Implement a set time maintenance schedule for the shearing machine in accordance we main acture accordance we main acture accordance which should include regular cleaning and lubration | | |
| | | | Ensure only trained and competent individuals perform maintenance tasks on the number of understanding both theoretical and practical aspects. | | |
| | | | - During maintenance, there should be adequate lighting to avoid mishaps due to poor visibility. | | |
| 3. Maintenance | Electrical hazard, ing e | зн | - Use proper personal protective equipment such as safety gloves, safety glasses, and safety shoes during the maintenance process. | 1L | |
| | | | - For heavy parts of the machine, employ mechanical aids or seek assistance to manually handle them to prevent injury from falling equipment. | | |
| | | | - Mandate the use of insulated tools for work on electrical components to provide added protection against electrical hazards. | | |
| | | | - Do not rush maintenance tasks. Allow sufficient time to complete tasks properly and safely. | | |
| | | | Practice good housekeeping around the machine after maintenance, ensuring all tools are accounted for and that no stray items remain that could interfere with the machine's operation or cause accidents. | | |
| | | | - Following maintenance, review and verify functionality of the machine operation prior to turning back over for production. Conduct a small test run to ensure that the machine works correctly and safely. | | |
| 4. Loading Materials | Strains and sprains, falling materials | ЗH | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|------------------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 5. Unloading Materials | Crushed fingers, falling materials | ЗН | | 2M | |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 6. Housekeeping | Slips, trips and falls, unsafe workplace | 2М | | 1L | |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-------------------------|---|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 7. Fault Identification | Electric shocks, but is from hot surfaces | 44 | | 2М | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|-------------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 8. Cutting Process | Flying debris, noise exposure | 44 | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 9. Waste Disposal | Cuts from sharp quects, hazardous substances exposite | 44 | | 2М | |
| 10. Breakdown Procedures | Sudden release of stored energy, electrical hazards | 4A | | 2M | |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------------|---|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 11. Emergency Response | Fire, explosion risks, Failure to properly shutdown | ЗН | | 1L | |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 12. Quality Checks | Eye strains from intense tocus, resultive | 2M | | 1L | |
| | motion injuries | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------------------|---|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 13. Tool Exchange | Cutting, pinching injuries, sudden machine movement | 3H | | 2М | |
| 14. Transportation of Material | Manual handling injuries, collision | 2M | | 1L | |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------------|---|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 15. Shutdown Procedures | Sudden release of stored energy, trip and fall hazards | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------------------|---|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 16. Report and Documentation | Eyestrain from computer screens, repetitive strain injuries | 2М | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |
| | S | | | | |

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REF | ERENCES | | | | | | | |
|--|---|--|--|--|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE | | | | | | | | |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice | Victoria Occupational Health an Safety Act word Occupational Health and a fetty or gulations 2017 Legis from VIC: https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- oulations Index of what the safety of th | | | | | | | |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> | | | | | | | |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo Codes of Practice NT: https://worksafe.nt.gov.au/laws-and-compliance/wo Codes of Practice NT: https://worksafe.nt.gov.au/laws-and-compliance/wo Software Software Soft | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice | | | | | | | |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> Tasmania | Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace | | | | | | | |
| Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> | Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination | | | | | | | |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work | | | | | | | |

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Position | Signature | Date | Time | Supervisor |
|-------------|----------|-----------|-------|------|------------|
| | | | Date: | | |
| | | | Datu | | |
| | | | ı te: | | |
| | | | Date: | | |

SAL WO A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to revised if necessary) if relevant control measure are revised if necessary) if relevant control measure are revised if necessary if relevant control measure are revised of the SWMS and their health and safety representatives who reworkplace.

ke sure it remains effective and must be reviewed (and are subcontractions) who may be affected by the operation sentatives who received that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS |
|---|-----------|------------|----------|
| | | | |
| The company details have been entered, including the project name and address. | | | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | | P | |
| Name, signature, position and date signed of the person approving the SWMS. | | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | – | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | | |
| Adequate risk assessment of any identified hazards has been completed. | | | |
| Foreseeable hazards are identified and documented for each step. | | | |
| Any hazards listed in any site risk assessments have been added to the SWN | | | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | | | |
| Check control measures added to the SWMS are the most effecting sections. | | | |
| Responsible person is assigned and listed on the SWMS for the impement of continue measures. | | | |
| Permit requirements specified, such as Hot Wrock Electrical Work, Volume at Heights etc. | | | |
| SWMS identifies plant and equipment to be used. | | | |
| Details of inspection checks required for any equipment listed ar noted on the SWMS. | | | |
| Describes any mandatory qualifications, experience paining skills required to perform the work. | | | |
| Applicable personal protective equipment is selected on the SWMS. | | | |
| Lists any required permits or licenses. | | | |
| Reflects and documents any legislative references and/or Australian Standards. | | | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | | | |
| | | | |
| REVIEWED BY | DATE RI | EVIEWED | |
| SIGNATURE | DATE CO | MPLETED | |