Mounting Gate Into Position SAFE WORK METHOD STATEMENT (SWMS)						
TASK O	R ACTIVITY: Mounting Gate Into	Position				
Business Name:		ABN:	SWMS#			
Business Address:						
Contact Person:	Phone:	E ail:				
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT				
Under the Work Health and Safety Regulation (WHS Regulation), a person condu the proposed work starts.	icting a business or under thing (Pu-U) is	required to entry that a safe work method	statement (SWMS) is prepared before			
Full Name:						
Signature:		Title:	Date:			
Details of the person(s) responsible for ensuring implementation, monitorin	compliance of the SWI, was well as re	eviews and modifications of the SWMS.				
Full Name:		Title:	Phone:			
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS HAVE THE FOLLOWING COMMUNICATED	NACE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	NEL WHO HAVE BEEN CONSULTED AND C	COMMUNICATED TO IN THE			
Safety meetings or toolbox talks will be schedued in according e with egislative requirements to first identify any site hazards, to control of built te those hazards and then to further take steps to either eliminate or control leach hazard.						
If an incident or a near miss occurs, all work must successful adiately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.						
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.						
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.						



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	☐ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



					RISK	MATRIX			
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC		ACTION	HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.	Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ recorde	Engineering Isolate the hazard.	
Notes on Hierarchy of Controls: Elimination methods are the most effective and preferrance en course, g a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the interpost en tive, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Prote ive shuipment) is the least effective Substitution Isolate the hazard. PPE PPE									

	PERS_NAL_TECTIVE EQUIPMENT (PPE) Select the appropriate PPL about suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	lequired:					_					
	Pe	ermit or Lice	nses Requiren	nents			Ma	andatory Qua	ifications and	Training	




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Manual handling, exposure to hazardous material, slip and trip	3H, 2M	 Conduct a risk assessment to identify periodal manual handling hazards before beginning the task. Use mechanical aids, such as trolleys or nexts, to thrand move heavy materials whenever possible. Ensure that workers are trained in proper manual handling techniques to reduce the risk of injury. Wear appropriate personal potective equipment (PPE) such as gloves and dust masks, to avoid exposure to hazardous material. Keep the workers a cleanand are of debris to minimise slip and trip hazards. Clearly material cordon of any are swhere there is a risk of slipping or tripping. Proven adequite licitating to ensure unbility and reduce the risk of trips and falls. Organis and stantools and materials in a manner that prevents clutter in the work area. Ensule the area for wet or slippery surfaces and take steps to dry or mark these hazards. A workar inspect equipment and machinery to ensure they are in good working order to prevent accide. 	2M, 1L
2. Measuring and marking	Power tools misuse, incorrect measuring causing repeated work, eye injury	3Н, 2М	 Ensure all workers have received proper training in the use of power tools before commencing work. Inspect power tools before use to confirm they are in good working condition, with no visible damage or wom-out parts. Wear appropriate personal protective equipment (PPE) such as safety goggles and gloves when operating power tools. Use laser or spirit levels to enhance accuracy in measuring and mark accordingly to reduce errors. Conduct a double-check system where a second worker verifies measurements before final marking on surfaces. Implement a clear communication process for reporting and correcting measurement discrepancies promptly. Keep work areas well-lit to ensure accurate visibility for precise measuring and avoiding unnecessary mistakes. Secure materials firmly using clamps or vices while measuring to prevent slips or movement during the process. Adhere to manufacturer instructions for power tool operation to avoid misuse and potential injury. 	2M, 1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Provide adequate rest breaks to workers to prevent fatigue-related errors during detailed measuring tasks.	
			- Equip workers with correct measuring tools such thap e measures and squares to ensure precision and efficiency.	
			- Utilise proper manual handling techniques, ich as unding the knees and keeping the load close to the body, to minimise the risk of back injury.	
			- Ensure workers are trained on lifting technique, and aware or their physical limits before engaging in lifting tasks.	
			- Use mechanical composition rolle, or hoists to lift and move heavy gate parts where feasible.	
			- Provide page nal protecting equipment (PPT we gloves to prevent cuts from sharp edges and protect against hand, furies.	
			- Very set all to be a equipment used for assembly are well-maintained and appropriate for the task to reduce the tisk of scidents.	
	3. Gate assembly Finger or hand crush, back injury from lifting heavy parts, sharp edge cuts		- Asses the sight a dimensions of the gate parts before lifting to determine if team lifting or additional assistance is unuired.	
3. Gate assembly		4A, 2M	- inducia pre-tick safety briefing emphasising hazard awareness and safe work practices relevant to gate the bly.	3H,1L
			mplement engineering controls, such as padding or covering sharp edges of gate parts, to minimise cut h, ards.	
			Use purpose-built supports or stands to hold gate components steady during assembly, reducing the risk of crush injuries.	
			- Organise the workspace to ensure it is free from obstacles and trip hazards, allowing for safe movement while handling materials.	
		v	- Rotate tasks among team members to avoid repetitive strain and fatigue during extended periods of lifting or holding items in position.	
			- Schedule regular breaks and encourage hydration to maintain worker concentration and physical capability.	
			- Monitor environmental conditions such as lighting and weather, ensuring they are conducive to safe manual handling and assembly tasks.	
	Flying debris, improper use or failure of			
4. Drilling holes	power tools, loud noise	4A, 3H		2M, 1L

Version 2.5

















JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Testing/ Operating newly installed gate	Unexpected operation, crushing or shear points, muscular-skeletal stress.	3Н, ЗН		2M, 1L





Version 2.5





EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES							
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLA	RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY STOCHAT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Acceded Occupational Health and Safety Acceded Legislation VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gularies</u> Ides of Practice VI- <u>actips://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>						
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 2c Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance</u> , orkplate fety-lay Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance</u> , orkplate fety-lay Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance</u> , orkplate fety-lay	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>						
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S Legislation for SA: <u>https://www.safework.sa.gov.au/wexplaces/codes-of-practice#COPs</u> Tasmania Wealth and O feter Act 2010	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces						
Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	 Managing the fisk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 						
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	- Managing the work environment and facilities - How to manage work health and safety risks - Managing risks of plant in the workplace - Construction work						

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\boxtimes	
Check control measures added to the SWMS are the most effective sections.	\boxtimes	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	\boxtimes	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be	\boxtimes	
Details of inspection checks required for any equipment lister are noted on the SWMS.	\square	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\square	
Applicable personal protective equipment is selected on the SWMS.	\square	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REVI	EWED
SIGNATURE	DATE COMP	LETED