

## Nailing Tools | SAFE WORK METHOD STATEMENT (SWMS)

### TASK OR ACTIVITY: Nailing Tools

Business Name: [Company Name]

ABN: [ABN]

SWMS#

Business Address: [Company Address]

Contact Person:

Phone: [Phone]

Email:

### THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:

Signature:

Title:

Date:

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, as well as reviews and modifications of the SWMS.

Full Name:

Title:

Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

NAME AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then communicate those hazards and then to further take steps to either eliminate or control each hazard.

If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.

Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.

The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

NAME

SIGNATURE

DATE

## CLIENT OR PRINCIPAL CONTRACTOR DETAILS

Client:	SCOPE OF WORKS  Provide a detailed description of the specific work being carried out (otherwise known as scope of works).
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Project Manager Signature:	
Date SWMS supplied to Project Manager:	

## ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

<input type="checkbox"/> involves a risk of a person falling more than 2 meters.	<input type="checkbox"/> is carried out on or near pressurised gas mains or piping.
<input type="checkbox"/> is carried out on a telecommunication tower.	<input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines.
<input type="checkbox"/> involves demolition of an element of a structure that is load-bearing.	<input type="checkbox"/> is carried out on or near energised electrical installations or services.
<input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure.	<input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere.
<input type="checkbox"/> involves, or is likely to involve, disturbing asbestos.	<input type="checkbox"/> involves tilt-up or precast concrete.
<input type="checkbox"/> involves structural alteration or repair that requires temporary support to prevent collapse.	<input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.
<input type="checkbox"/> is carried out in or near a confined space.	<input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant.
<input type="checkbox"/> is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives.	<input type="checkbox"/> is carried out in areas with artificial extremes of temperature.
<input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning.	<input type="checkbox"/> involves diving work.

## ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

<input type="checkbox"/> Forklift	<input type="checkbox"/> Crane/s	<input type="checkbox"/> Hoist/s	<input type="checkbox"/> Excavator	<input type="checkbox"/> Backhoe/Loader	<input type="checkbox"/> Boom Lift	<input type="checkbox"/> EWP	<input type="checkbox"/> Genie Lift
<input type="checkbox"/> Trencher	<input type="checkbox"/> Drilling Rig	<input type="checkbox"/> Trucks	<input type="checkbox"/> Formwork	<input type="checkbox"/> Bobcat	<input type="checkbox"/> Flammable Gas	<input type="checkbox"/> Fuel	<input type="checkbox"/> Dozer
<input type="checkbox"/> High Voltage	<input type="checkbox"/> Mulcher	<input type="checkbox"/> Tilt-up Panels	<input type="checkbox"/> Roller	<input type="checkbox"/> Scissor Lift	<input type="checkbox"/> Tractor	<input type="checkbox"/> Other -	

## RISK MATRIX

LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE			<b>Elimination</b> Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED	<b>Substitution</b> Replace the hazard.
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	<b>Isolation</b> Isolate People from the hazard
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	<b>Engineering</b> Isolate the hazard.
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	Monitor and keep records	<b>Administrative</b> Change the work. <b>PPE</b>

**Notes on Hierarchy of Controls:** Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

## PERSONAL PROTECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	EYE PROTECTION	RESPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
											
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS; and,
3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Exposure to noise, improper work clothing	2M	<ul style="list-style-type: none"> <li>- Conduct a thorough risk assessment before commencing work to identify potential noise hazards and the required safety controls.</li> <li>- Implement appropriate measures to reduce noise exposure, such as installing noise barriers or acoustic enclosures around nailing tools.</li> <li>- Utilise low-noise equipment and well-maintained nailing tools to minimise excessive noise production.</li> <li>- Limit the duration of exposure to noise by planning and scheduling work efficiently, allowing for regular breaks away from loud environments.</li> <li>- Ensure that workers receive proper training and instructions on the safe use of nailing tools in accordance with manufacturer guidelines and Australian WHS regulations.</li> <li>- Clearly communicate the importance of personal protective equipment (PPE) and require employees to wear appropriate hearing protection (i.e. earmuffs or earplugs) when working with or near nailing tools.</li> <li>- Regularly inspect and maintain PPE to ensure its effectiveness in protecting against noise exposure.</li> <li>- Provide comfortable, well-fitting and functional work clothing suitable for the task, ensuring it does not impede movement or safety while operating nailing tools.</li> <li>- Encourage an open line of communication amongst team members to report concerns related to noise exposure or improper work clothing.</li> <li>- Establish a system for monitoring employees' exposure to noise over time, adjusting work practices if necessary to prevent long-term damage.</li> <li>- Carry out periodic training and reminders for employees regarding correct usage of PPE and suitable work attire.</li> <li>- Keep emergency contact information easily accessible on-site, so that assistance can be sought promptly in case of accidents or injuries involving nailing tools.</li> <li>- Develop an ongoing commitment to WHS improvements, including regularly reviewing and updating safety policies related to noise exposure and proper work clothing.</li> </ul>	1L	
2. Work area set-up	Trip hazards, insufficient lighting	3H	<ul style="list-style-type: none"> <li>- Clearly identify and signpost the designated work area, ensuring that it is segregated from pedestrian or vehicle traffic, where possible.</li> <li>- Remove any trip hazards, such as loose cables or debris, from the work zone and pathways leading to the area before commencing any tasks.</li> <li>- Use highly visible hazard warning tape to mark off potential trip hazards that cannot be removed entirely.</li> <li>- Conduct regular inspections throughout the work shift to ensure work area remains free of potential trip hazards.</li> </ul>	2M	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<ul style="list-style-type: none"> <li>- Utilise cordless nailing tools, where applicable, to reduce the risk of accidents caused by trailing cords and connections in the work space.</li> <li>- Provide sufficient artificial lighting if natural lighting levels are not adequate, ensuring even light distribution across the entire workspace.</li> <li>- Regularly inspect and maintain all lighting equipment, promptly replacing burnt out bulbs or malfunctioning equipment.</li> <li>- Ensure that workers have access to necessary personal protective equipment (PPE), including high-visibility vests or clothing, especially when working in low-light conditions.</li> <li>- Provide training to all employees on proper lifting techniques and the safe handling of materials to minimise the risk of accidents during set-up and packing up processes.</li> <li>- Implement clear communication protocols amongst team members, enforcing the use of appropriate hand signals when manoeuvring around the work area or operating machinery.</li> <li>- Establish a strict housekeeping policy for the worksite, requiring workers to keep their immediate work area clean and tidy, with tools and materials stored appropriately when not in use.</li> </ul>		
3. Tool inspection	Faulty tools, lack of proper maintenance	2M	<ul style="list-style-type: none"> <li>- Regularly inspect and clean nailing tools to identify any signs of wear, damage or malfunction.</li> <li>- Implement a preventive maintenance programme to ensure timely servicing of tools according to the manufacturer's guidelines.</li> <li>- Train workers on proper nailing tool handling procedures to reduce the likelihood of accidents caused by faulty tools.</li> <li>- Keep a logbook for each nailing tool that records any defects and repairs made, ensuring transparency in tool maintenance.</li> <li>- Clearly label damaged tools as "out-of-service", and store them separately from functional tools until they can be repaired or replaced.</li> <li>- Provide necessary personal protective equipment (PPE), such as gloves and protective eye wear, to help minimise injuries caused by malfunctioning tools.</li> <li>- Ensure spare parts for nailing tools are readily available on site, allowing for prompt repair of damaged tools when required.</li> <li>- Encourage workers to report any concerns regarding the condition of nailing tools through an open communication policy.</li> <li>- Utilise tags that display the date of the most recent inspection, to demonstrate ongoing monitoring and compliance with workplace health and safety requirements.</li> </ul>	1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			<ul style="list-style-type: none"> <li>- Conduct toolbox talks on a regular basis, discussing potential hazards related to nailing tools and their proper use, in order to reinforce safe work practices among workers.</li> <li>- Frequently review the tool inventory to assess overall conditions of tools and remove any outdated or non-compliant equipment.</li> <li>- Provide ongoing training sessions that include risk assessments and hazard identification exercises, to help workers build a strong understanding of the importance of proper tool inspection and maintenance in minimizing risks.</li> </ul>		
4. Material Handling	Manual handling injuries, dropped objects	3H	<p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>	2M	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Power source connection	Electric shock, improper grounding			1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Nailing process	Accidental nail discharge, hand injuries	4A		4A	

SAMPLE



rs, incom

11

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
8. Rest period regulation	Fatigue, postural stress	2M	[REDACTED]	2M	
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		

zards, equi 3H

unsecured platform

4A

Country	Year	Population (M)	GDP (B\$)	Unemployment (%)	Inflation (%)	Interest Rate (%)	Exchange Rate (USD/Local)	FDI Inflow (B\$)	Debt to GDP (%)
USA	2019	328	21.5	3.8	1.8	2.4	1.37	45.2	125.5
China	2019	1412	14.3	5.7	2.1	3.5	6.45	132.8	62.3
Germany	2019	83	4.0	5.3	0.4	0.0	1.93	18.5	68.2
Japan	2019	126	5.0	2.4	0.0	0.0	151.49	10.2	245.1
UK	2019	67	3.0	4.4	0.0	0.1	0.79	15.8	98.7
France	2019	68	3.0	7.5	0.7	0.0	0.92	18.2	102.5
India	2019	1380	2.9	5.7	4.7	6.0	74.56	41.5	65.8
South Korea	2019	51	1.7	2.7	0.6	1.5	1193.7	12.5	45.2
Canada	2019	38	1.7	6.1	0.1	2.5	0.74	18.8	92.1
Italy	2019	60	1.7	10.3	0.0	0.0	1.36	12.5	135.2
Spain	2019	46	1.4	12.1	0.0	0.0	1.67	10.2	115.8
Sweden	2019	10	0.5	6.1	0.0	0.0	9.46	2.5	45.2
Norway	2019	5	0.4	4.2	0.0	0.0	8.46	1.2	35.1
Denmark	2019	5.6	0.4	5.7	0.0	0.0	6.46	1.0	30.2
Finland	2019	5.5	0.3	6.8	0.0	0.0	6.46	0.8	25.1
Poland	2019	38	0.4	6.1	0.0	0.0	4.05	0.5	20.1
Czech Republic	2019	4.7	0.2	2.7	0.0	0.0	24.76	0.2	15.1
Slovakia	2019	5.4	0.2	2.7	0.0	0.0	24.76	0.1	10.1
Hungary	2019	10	0.2	5.7	0.0	0.0	24.76	0.1	10.1
Greece	2019	11.5	0.2	15.7	0.0	0.0	2.04	0.1	150.2
Portugal	2019	10.6	0.2	7.1	0.0	0.0	2.04	0.1	100.2
Ireland	2019	4.7	0.2	5.7	0.0	0.0	0.78	0.1	100.2
Netherlands	2019	17.1	0.2	5.7	0.0	0.0	1.67	0.1	100.2
Belgium	2019	11.3	0.2	6.1	0.0	0.0	1.67	0.1	100.2
Austria	2019	9.0	0.2	5.7	0.0	0.0	1.36	0.1	100.2
Switzerland	2019	8.5	0.2	2.7	0.0	0.0	0.93	0.1	100.2
Luxembourg	2019	0.6	0.0	5.7	0.0	0.0	6.46	0.1	100.2
Malaysia	2019	32.2	1.0	5.7	0.0	0.0	4.38	0.1	100.2
Thailand	2019	66.0	0.5	1.7	0.0	0.0	36.56	0.1	100.2
Vietnam	2019	95.8	0.4	2.7	0.0	0.0	23.34	0.1	100.2
Philippines	2019	109.0	0.4	6.1	0.0	0.0	54.86	0.1	100.2
Indonesia	2019	270.0	1.0	5.7	0.0	0.0	15.84	0.1	100.2
South Africa	2019	60.0	0.4	27.1	0.0	0.0	15.74	0.1	100.2
Brazil	2019	215.0	1.0	13.7	0.0	0.0	5.50	0.1	100.2
Argentina	2019	45.0	0.4	10.3	0.0	0.0	35.40	0.1	100.2
Chile	2019	19.0	0.2	10.3	0.0	0.0	80.00	0.1	100.2
Colombia	2019	51.0	0.2	10.3	0.0	0.0	1600.00	0.1	100.2
Peru	2019	33.0	0.2	10.3	0.0	0.0	3.76	0.1	100.2
Ecuador	2019	17.0	0.2	10.3	0.0	0.0	1.00	0.1	100.2
Venezuela	2019	28.0	0.2	10.3	0.0	0.0	20.97	0.1	100.2
Russia	2019	146.0	1.0	5.7	0.0	0.0	74.56	0.1	100.2
Ukraine	2019	45.0	0.2	10.3	0.0	0.0	29.36	0.1	100.2
Poland	2019	38.0	0.2	6.1	0.0	0.0	4.05	0.1	100.2
Czech Republic	2019	4.7	0.2	2.7	0.0	0.0	24.76	0.1	100.2
Slovakia	2019	5.4	0.2	2.7	0.0	0.0	24.76	0.1	100.2
Hungary	2019	10.0	0.2	5.7	0.0	0.0	24.76	0.1	100.2
Greece	2019	11.5	0.2	15.7	0.0	0.0	2.04	0.1	100.2
Portugal	2019	10.6	0.2	7.1	0.0	0.0	2.04	0.1	100.2
Ireland	2019	4.7	0.2	5.7	0.0	0.0	0.78	0.1	100.2
Netherlands	2019	17.1	0.2	5.7	0.0	0.0	1.67	0.1	100.2
Belgium	2019	11.3	0.2	6.1	0.0	0.0	1.67	0.1	100.2
Austria	2019	9.0	0.2	5.7	0.0	0.0	1.36	0.1	100.2
Switzerland	2019	8.5	0.2	2.7	0.0	0.0	0.93	0.1	100.2
Luxembourg	2019	0.6	0.0	5.7	0.0	0.0	6.46	0.1	100.2
Malaysia	2019	32.2	1.0	5.7	0.0	0.0	4.38	0.1	100.2
Thailand	2019	66.0	0.5	1.7	0.0	0.0	36.56	0.1	100.2
Vietnam	2019	95.8	0.4	2.7	0.0	0.0	23.34	0.1	100.2
Philippines	2019	109.0	0.4	6.1	0.0	0.0	54.86	0.1	100.2
Indonesia	2019	270.0	1.0	5.7	0.0	0.0	15.84	0.1	100.2
South Africa	2019	60.0	0.4	27.1	0.0	0.0	15.74	0.1	100.2
Brazil	2019	215.0	1.0	13.7	0.0	0.0	5.50	0.1	100.2
Argentina	2019	45.0	0.4	10.3	0.0	0.0	35.40	0.1	100.2
Chile	2019	19.0	0.2	10.3	0.0	0.0	80.00	0.1	100.2
Colombia	2019	51.0	0.2	10.3	0.0	0.0	1600.00	0.1	100.2
Peru	2019	33.0	0.2	10.3	0.0	0.0	3.76	0.1	100.2
Ecuador	2019	17.0	0.2	10.3	0.0	0.0	1.00	0.1	100.2
Venezuela	2019	28.0	0.2	10.3	0.0	0.0	20.97	0.1	100.2
Russia	2019	146.0	1.0	5.7	0.0	0.0	74.56	0.1	100.2
Ukraine	2019	45.0	0.2	10.3	0.0	0.0	29.36	0.1	100.2
Poland	2019	38.0	0.2	6.1	0.0	0.0	4.05	0.1	100.2
Czech Republic	2019	4.7	0.2	2.7	0.0	0.0	24.76	0.1	100.2
Slovakia	2019	5.4	0.2	2.7	0.0	0.0	24.76	0.1	100.2
Hungary	2019	10.0	0.2	5.7	0.0	0.0	24.76	0.1	100.2
Greece	2019	11.5	0.2	15.7	0.0	0.0	2.04	0.1	100.2
Portugal	2019	10.6	0.2	7.1	0.0	0.0	2.04	0.1	100.2
Ireland	2019	4.7	0.2	5.7	0.0	0.0	0.78	0.1	100.2
Netherlands	2019	17.1	0.2	5.7	0.0	0.0	1.67	0.1	100.2
Belgium	2019	11.3	0.2	6.1	0.0	0.0	1.67	0.1	100.2
Austria	2019	9.0	0.2	5.7	0.0	0.0	1.36	0.1	100.2
Switzerland	2019	8.5	0.2	2.7	0.0	0.0	0.93	0.1	100.2
Luxembourg	2019	0.6	0.0	5.7	0.0	0.0	6.46	0.1	100.2
Malaysia	2019	32.2	1.0	5.7	0.0	0.0	4.38	0.1	100.2
Thailand	2019	66.0	0.5	1.7	0.0	0.0	36.56	0.1	100.2
Vietnam	2019	95.8	0.4	2.7	0.0	0.0	23.34	0.1	100.2
Philippines	2019	109.0	0.4	6.1	0.0	0.0	54.86	0.1	100.2
Indonesia	2019	270.0	1.0	5.7	0.0	0.0	15.84	0.1	100.2
South Africa	2019	60.0	0.4	27.1	0.0	0.0	15.74	0.1	100.2
Brazil	2019	215.0	1.0	13.7	0.0	0.0	5.50	0.1	100.2
Argentina	2019	45.0	0.4	10.3	0.0	0.0	35.40	0.1	100.2
Chile	2019	19.0	0.2	10.3	0.0	0.0	80.00	0.1	100.2
Colombia	2019	51.0	0.2	10.3	0.0	0.0	1600.00	0.1	100.2
Peru	2019	33.0	0.2	10.3	0.0	0.0	3.76	0.1	100.2
Ecuador	2019	17.0	0.2	10.3	0.0	0.0	1.00	0.1	100.2
Venezuela	2019	28.0	0.2	10.3	0.0	0.0	20.97	0.1	100.2
Russia	2019	146.0	1.0	5.7	0.0	0.0	74.56	0.1	100.2
Ukraine	2019	45.0	0.2	10.3	0.0	0.0	29.36	0.1	100.2
Poland	2019	38.0	0.2	6.1	0.0	0.0	4.05	0.1	100.2
Czech Republic	2019	4.7	0.2	2.7	0.0	0.0	24.76	0.1	100.2
Slovakia	2019	5.4	0.2	2.7	0.0	0.0	24.76	0.1	100.2
Hungary	2019	10.0	0.2	5.7	0.0	0.0	24.76	0.1	100.2
Greece	2019	11.5	0.2	15.7	0.0	0.0	2.04	0.1	100.2
Portugal	2019	10.6	0.2	7.1	0.0	0.0	2.04	0.1	100.2
Ireland	2019	4.7	0.2	5.7	0.0	0.0	0.78	0.1	100.2
Netherlands	2019	17.1	0.2	5.7	0.0	0.0	1.67	0.1	100.2
Belgium	2019	11.3	0.2	6.1	0.0	0.0	1.67	0.1	100.2
Austria	2019	9.0	0.2	5.7	0.0	0.0	1.36	0.1	100.2
Switzerland	2019	8.5	0.2	2.7	0.0	0.0	0.93	0.1	100.2
Luxembourg	2019	0.6	0.0	5.7	0.0	0.0	6.46	0.1	100.2
Malaysia	2019	32.2	1.0	5.7	0.0	0.0	4.38	0.1	100.2
Thailand	2019	66.0	0.5	1.7	0.0	0.0	36.56	0.1	100.2
Vietnam	2019	95.8	0.4	2.7	0.0	0.0	23.34	0.1	100.2
Philippines	2019	109.0	0.4	6.1	0.0	0.0	54.86	0.1	100.2
Indonesia	2019	270.0	1.0	5.7	0.0	0.0	15.84	0.1	100.2
South Africa	2019	60.0	0.4	27.1	0.0	0.0	15.74	0.1	100.2
Brazil	2019	215.0	1.0	13.7	0.0	0.0	5.50	0.1	100.2
Argentina	2019	45.0	0.4	10.3	0.0	0.0	35.40	0.1	100.2
Chile	2019	19.0	0.2	10.3	0.0	0.0	80.00	0.1	100.2
Colombia	2019	51.0	0.2	10.3	0.0	0.0	1600.00	0.1	100.2
Peru	2019	33.0	0.2	10.3	0.0	0.0	3.76	0.1	100.2
Ecuador	2019	17.0	0.2	10.3	0.0	0.0	1.00	0.1	100.2
Venezuela	2019	28.0	0.2	10.3	0.0	0.0	20.97	0.1	100.2
Russia	2019	146.0	1.0	5.7	0.0	0.0	74.56	0.1	100.2
Ukraine	2019	45.0	0.2	10.3	0.0	0.0	29.36	0.1	100.2
Poland	2019	38.0	0.2	6.1	0.0	0.0	4.05	0.1	100.2
Czech Republic	2019	4.7	0.2	2.7	0.0	0.0	24.76	0.1	100.2
Slovakia	2019	5.4	0.2	2.7	0.0	0.0	24.76	0.1	100.2
Hungary	2019	10.0	0.2	5.7	0.0	0.0	24.76	0.1	100.2
Greece	2019	11.5	0.2	15.7	0.0	0.0	2.04	0.1	100.2
Portugal	2019	10.6	0.2	7.1	0.0	0.0	2.04	0.1	100.2
Ireland	2019	4.7	0.2	5.7	0.0	0.0	0.78	0.1	100.2
Netherlands	2019	17.1	0.2	5.7	0.0	0.0	1.67	0.1	100.2
Belgium	2019	11.3	0.2	6.1	0.0	0.0	1.67	0.1	100.2
Austria	2019	9.0	0.2	5.7	0.0	0.0	1.36	0.1	100.2
Switzerland	2019	8.5	0.2	2.7	0.0	0.0	0.93	0.1	100.2
Luxembourg	2019	0.6	0.0	5.7	0.0	0.0	6.46	0.1	100.2
Malaysia	2019	32.2	1.0	5.7	0.0	0.0	4.38	0.1	100.2
Thailand	2019	66.0	0.5	1.7	0.0	0.0	36.56	0.1	100.2
Vietnam	2019	95.8	0.4	2.7	0.0	0.0	23.34	0.1	100.2
Philippines	2019	109.0	0.4	6.1	0.0	0.0	54.86	0.1	100.2
Indonesia	2019	270.0	1						

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		
12. Waste management	Injuries from sharp objects, trip hazards	2M	[REDACTED]	1L	

age, tool wear

2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
14. Tool disconnection	Electric shock, unexpected activation	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
15. Equipment storage	Incorrect storage, injury during transport	1L		1L	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			[REDACTED]		
			[REDACTED]		
			[REDACTED]		

SAMPLE

## EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

## LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

### Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

### Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

### New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

### Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

### Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

## SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		
			Date:		

## SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

**The SWMS must be reviewed regularly** to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are needed. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

**The SWMS must be monitored regularly** for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 7
NAME							
INITIALS							
DATE							

## SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.	<input type="checkbox"/>	<input type="checkbox"/>	
Names and signatures of all relevant personnel consulted during the development of the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Name, signature, position and date signed of the person approving the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Specific personnel and qualifications, experience is noted in the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Provides a step-by-step process of tasks required to carry out the activity or task.	<input type="checkbox"/>	<input type="checkbox"/>	
Adequate risk assessment of any identified hazards has been completed.	<input type="checkbox"/>	<input type="checkbox"/>	
Foreseeable hazards are identified and documented for each step.	<input type="checkbox"/>	<input type="checkbox"/>	
Any hazards listed in any site risk assessments have been added to the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.	<input type="checkbox"/>	<input type="checkbox"/>	
Check control measures added to the SWMS are the most effective solutions.	<input type="checkbox"/>	<input type="checkbox"/>	
Responsible person is assigned and listed on the SWMS for the implementation of control measures.	<input type="checkbox"/>	<input type="checkbox"/>	
Permit requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.	<input type="checkbox"/>	<input type="checkbox"/>	
SWMS identifies plant and equipment to be used.	<input type="checkbox"/>	<input type="checkbox"/>	
Details of inspection checks required for any equipment listed are noted on the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Describes any mandatory qualifications, experience, training, skills required to perform the work.	<input type="checkbox"/>	<input type="checkbox"/>	
Applicable personal protective equipment is selected on the SWMS.	<input type="checkbox"/>	<input type="checkbox"/>	
Lists any required permits or licenses.	<input type="checkbox"/>	<input type="checkbox"/>	
Reflects and documents any legislative references and/or Australian Standards.	<input type="checkbox"/>	<input type="checkbox"/>	
Identifies any hazardous substances used with specific control measures in line with any SDS.	<input type="checkbox"/>	<input type="checkbox"/>	
REVIEWED BY		DATE REVIEWED	
SIGNATURE		DATE COMPLETED	