Nibbler SAFE WORK METHOD STATEMENT (SWMS)								
	TASK OR ACTIVITY: Nibbler							
Business Name: [Company Name]		ABN: [ABN]	SWMS#					
Business Address: [Company Address]								
Contact Person:	Phone: [Phone]	E ail:						
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE P OF THE PROJECT						
Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (F 3U) is required to surregular a safe work method statement (SWMS) is prepared before the proposed work starts.								
Full Name:								
Signature:		Title:	Date:					
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.						
Full Name:		Title:	Phone:					
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. TE AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND					
Safety meetings or toolbox talks will be sched ed in accordance with rgislative requirements to first identify any site hazards, conditioned in inicial those hazards and then to further take steps to either contact or contact each hazard.	NAME	SIGNATURE	DATE					
If an incident or a near miss occurs, all work must study unately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.								
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.								
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.								



CLIENT OR PRINCIPAL CONTRACTOR DETAILS											
Client:					SCOPE OF WORKS						
Project Name:							rk being carried out (otherwise				
Project Address:				k	nown as scope of works).						
Project Manager:											
Contact Phone:											
Project Manager	Signature:										
Date SWMS supp	olied to Project Manag	er:									
		ANY HIG	H-RISK CON YUCI	N. JRK BEING	ARRIED OUT						
involves a risk of	a person falling more than	2 meters.		is carried out on or	near pressurised gas main	s or piping.					
is carried out on a	a telecommunication tower.			☐ is carried out on or near chemical, fuel or refrigerant lines.							
involves demolition	on of an element of a struct	ure that is load-be		☐ is carried out on or near energised electrical installations or services.							
involves demolition	on of an element related to	the physical integrit of a s	17 e.	is carried out in an area that may have a contaminated or flammable atmosphere.							
involves, or is like	ely to involve, disturbing a	estos.		involves tilt-up or precast concrete.							
involves structura	al alteration or repair that re	mporal upp to	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
is carried out in o	r near a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.							
is carried out in/n	ear a shaft or trench deepe	er than 1.5m or tunnel involv	ving use of explosives.	is carried out in areas with artificial extremes of temperature.							
is carried out in o	r near water or other liquid	that involves a risk of drow	ning.	involves diving wo	k.						
		ANY	HIGH-RISK MACHINE	RY OR EQUIPMENT	NEARBY						
Forklift	Crane/s	☐ Hoist/s	Excavator	Backhoe/Loader	Boom Lift	EWP	Genie Lift				
Trencher	Drilling Rig	Trucks	Formwork	Bobcat	Flammable Gas	Fuel	Dozer				
High Voltage	Mulcher	Tilt-up Panels	Roller	Scissor Lift	Tractor	Other -					







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Slips, trips and falls, Manual handling injuries	2М	 Proper Housekeeping: Ensure the work area is clean, tidy, and free from clutter or obstructions that may cause slips, trips, and falls. Surface Inspection: Regularly inspect walking braces for potential hazards, such as wet floors or uneven ground before comparising work. Signage and Barricades: Install appropriate comparison of the work area to alert workers and visite to out potential slip and trip hazards. Provide Adequate Lighting: Ensure that the work area benedificient lighting to help workers see any potential bazard and maintain clean unofility during tasks. Anti-Slip Flooring: Where uplicate install appropriate fororing materials to reduce the risk of slippilities in wet or still ery sunces. Provide Footware Ensure age the use of slip-resistant shoes or boots to mitigate the risk or an and the use of alter variations. Provide J. Award use: Provide regular training sessions on proper manual handling tech ingues at the risks associated with poor practices. Reinforce this nowled is three in ongoing awareness campaigns. Use of thing And. Implement the use of appropriate lifting aids or equipment, such as for a construction and Breaks: Schedule periodic breaks and redistribute manual pandling tasks amongst team members to minimise the risk of overexertion and injury. Load Assessment: Conduct clear assessments of loads before lifting, including their weight, dimensions, and centre of gravity, to allow for safe and secure handling. Two-Person Lifts: Encourage a practice of two-person lifts where necessary for larger or awkwardly shaped items to distribute the weight evenly and lessen the strain on individual workers. 	1L	
2. Inspection	Exposure to noise, struck by objects	2M	 Provide regular inspections and maintenance of the Nibbler equipment to ensure its proper functioning and reduce any excessive noise generation. Encourage workers to use appropriate Personal Protective Equipment (PPE) such as earplugs or earmuffs to mitigate noise exposure during the inspection process. Implement Job Safety Analysis (JSA) and pre-start meetings to identify potential hazards, assess risks and implement relevant control measures prior to commencing work. 	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON		
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON		
			 Establish exclusion zones around the inspection area and use barriers and signage to restrict unauthorised access to avoid instances of being struck by objects. 				
			- Ensure adequate lighting around the inspection struor better visibility, helping workers identify hazards and respond promptive				
			- Train workers in safe working procedures, cluding process handling and storage of materials and equipment used during the instant stion meass.				
			- Store tools and equipment appropriately when the risk of dropped objects or trip haza.				
			 Provide workers with clear concurrication devices and y can alert others of potential hazards and pp. shing, viects and coordinate their movements accordingly. Conduct percent ic noise an essments and not review noise levels, ensuring 				
			they ain with the eptable range or workplace health and safety standards. - Sche built stagge, breaks for workers to allow them the opportunity to step away				
			from https://www.second.mitigate the effects of prolonged noise exposure. - Implement accided system during the inspection process so that workers look out seach ther's fety and are closely supervised, especially when navigating hat reduct situations.				
						Regulate view and update Safe Work Method Statements (SWMS) as needed, orporating any new hazards, control measures, or changes to existing procedures to mintain a safe work environment.	
			 Ensure all electrical equipment is properly inspected and tested before use, with up-to-date safety tags attached. 				
			- Keep all power cords and electrical cables clear of walkways and work areas to reduce tripping hazards.				
			- Use only approved and correctly rated extension leads and avoid overloading plug sockets or power boards.				
3. Setup	Electrical hazards, Falling objects	ЗН	- Implement a lockout/tagout procedure for any electrical equipment that is damaged or malfunctioning until repairs can be completed.	2M			
			- Make sure proper grounding procedures are followed, including the use of Ground Fault Circuit Interrupters (GFCIs) where necessary.				
			- Train all personnel in correct safe lifting techniques to prevent muscle strains and back injuries while setting up equipment.				
			- Regularly inspect and maintain ladders, scaffolds, and other access equipment to ensure their safety and stability.				
			- Set up exclusion zones around work areas where falling objects could pose a risk, and use appropriate signage to warn others to stay away.				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Utilise personal protective equipment (PPE) such as hard hats, safety boots, and high-visibility clothing when working in areas with potential falling object hazards.		
			- Secure all tools, materials, and equipment at here with tethers or other devices to prevent them from falling.		
			- Perform regular housekeeping throughous a day to keep the work area clean and free of obstacles that could contribute to slips, creatings, cr		
			- Develop an emergency response plan that increas procedure for handling electrical incidents, falls, or a vidents involving far in object		
			- Conduct daily toolbox talks an unafety briefings to here on the importance of safety measures during the set in process and reinforce the meed for vigilance.		
			- Encouragement communication by seen encoyees and management about safety concern and promise a culture from work and shared responsibility for creations safety rk enconment.		
4. Operation	Entanglement with machinery, cuts and abrasions	ЗН		2М	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Maintenance	Contact with hazardous substance unre risks	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Cleaning	Exposure to chemicals, slips and falls	ЗН		2М	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Storage	Manual handling injuries, misplaced equipment	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Transport	Vehicle collisions and pedestrian accidents	ЗH		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Assembly	Pinch points, crushing injuries			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Disassembly	Dropping heavy parts, wapped finge	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Waste Removal	Exposure to hazardous waske, sharps injuries	ЗН		2М	

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Final Checks	Missing safety guards, faulty equipment	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE F	REFERENCES					
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Action 04 Occupational Health and Safety Action 04 Degis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulan</u> is Unles on vactice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes ract. Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes ract.	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/workplace-servelaws Codes of Practice NT: https://worksafe.nt.gov.au/formersection stressection st	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u>	Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes					
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work 					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 					

- Any required documents.



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Datu		
			ı te:		
			Date:		

SAF WC A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to revised if necessary) if relevant control measure are subcontract of the SWMS and their health and safety representatives who reworkplace.

ke sure it remains effective and must be reviewed (and acception of the process should be carried out in s any subcontract s) who may be affected by the operation esentatives who recented that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effectine sections.			
Responsible person is assigned and listed on the SWMS for the impement of continue measures.			
Permit requirements specified, such as Hot Work, Electrical Work, Vortat Heights etc.			
SWMS identifies plant and equipment to be up t.			
Details of inspection checks required for any equipment listed at noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
			·
REVIEWED BY	DATE RI	EVIEWED	
SIGNATURE	DATE CO	MPLETED	