

Oil Filter Crusher	SAFE WORK METHOD ST	ATEMENT (SWMS)	
TA	SK OR ACTIVITY: Oil Filter Crus	her	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE POST THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (N 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ompliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are or conditional talks.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must steam ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



		CLI	ENT OR PRINCIPAL	CONTRACTOR D	ETAILS				
Client:						SCOPE OF WORKS			
Project Name:					Provide a detailed description of the specific work being carried out (otherwise				
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	nature:								
Date SWMS supplie	d to Project Manager:								
		ANY HIGH-	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
☐ involves a risk of a pe	erson falling more than 2 m	neters.		is carried out on or near pressurised gas mains or piping.					
is carried out on a tel	ecommunication tower.	`	M + M	is carried out on or near chemical, fuel or refrigerant lines.					
☐ involves demolition o	f an element of a structure	that is load-be n.		is carried out on or near energised electrical installations or services.					
☐ involves demolition o	f an element related to the	physical integrit of a str	3.	is carried out in an area that may have a contaminated or flammable atmosphere.					
☐ involves, or is likely to	o involve, disturbing a	tos.		involves tilt-up or precast concrete.					
involves structural alt	eration or repair that re	upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
is carried out in or ne	ar a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.					
is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvin	g use of explosives.	is carried out in a	areas with artificial extremes of	temperature.			
is carried out in or ne	ar water or other liquid tha	t involves a risk of drowning	ng.	☐ involves diving w	vork.				
		ANY HI	IGH-RISK MACHINER	RY OR EQUIPMEN	IT NEARBY				
Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	☐ Boom Lift	☐ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	☐ Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	Other -			





PERL NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PPOTECTION	PROTE	SPIRATORY P STECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
			A								

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Equipment malfunction, Slipping or tripping	2M	 Conduct thorough equipment inspections and maintenance checks before each operation to ensure the oil filter crusher is in optimal arking condition. Ensure the oil filter crusher is placed on a solf level surface that can support the weight of the equipment and any applied for a during the crushing process. Provide adequate lighting to illuminate the lock area or workers to easily navigate around the oil filter crusher and reduce the risk larges and trips. Keep the work area clean a lockear of debris to mimise transazards. Require workers to wear appromiate non-slip footive or provide adequate traction while working around the oil filter lisher. Train emplores on proper pading and operation of the oil filter crusher to prevent overloading a nother mal actions the lock are lead to accidents. Endows regard the aksiduring crusher operation to help reduce ergonomic strain on entrologists, who can lead to injuries from slips and trips. Establish a notocon of what to do in the event of an equipment malfunction or incident volverslip to hip, including a clear chain of notification and responsibility steam lembs. Clear to reland communicate all emergency stop buttons and shut-off switches, quaring solves are aware of their locations and functionality. Invelop standard operating procedures (SOPs) for the preparation phase, detailing the required steps, safety considerations, and personal protective equipment requirements. Regularly monitor and review the effectiveness of control measures, adjusting and modifying them as needed based on new information or site conditions. Post warning signs around the work area to make others aware of potential hazards and inform them of proper safety measures. Consider employing spill containment systems, such as drip trays or temporary barriers, designed to contain any spills or leaks that might occur during the filter crusher. Supply workers with appropriate pe	1L	
2. Position Crusher	Crushing injuries, Pinch points	ЗН	Regularly inspect and maintain the oil filter crusher to ensure it is in proper working condition, reducing the risk of malfunctions that could lead to crushing injuries or pinch points. Position the crusher on level ground to provide a stable base and eliminate unnecessary movement while crushing.	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Clearly mark out designated work zones around the oil filter crusher with safety barriers or signs to prevent unauthorised or accidental access during operation.		
			- Ensure all personnel involved in the crushing process are adequately trained in the use, maintenance, and potential hazards associated with the oil filter crusher.		
			- Provide and enforce the use of appropriate Personal Procedure Equipment (PPE) such as safety gloves, goggles, and steel-to-crosser or workers operating the crusher or handling crushed filters.		
			- Install and use an emergen stop button or systa, allowing personnel to quickly shut down the crusher in case any emergencies and ected hazards.		
			- Implement a lock trace typical tree for the oil filter crusher to ensure it remains powered down tille neces by management formed, preventing accidental activation.		
			- Keccands, he ers a loose clothing away from any moving parts or pinch points to be oil he wisher, and remain vigilant when positioning the filter.		
			- Follo, m. facture instructions and guidelines regarding maximum weight and capacit, limit of avoid verloading the crusher, which could increase the risk of rushing njurit or pinor points.		
			- composition per lifting techniques when positioning the filter, avoiding strains or sprain. could result from improper lifting or carrying heavy objects.		
			eep the work area well-lit to reduce shadows and allow better visibility of potential hands around the oil filter crusher.		
			Establish a two-person operation for larger or heavier filters to minimise strain from handling cumbersome objects and ensure crushing takes place promptly and effectively.		
			- Conduct regular safety meetings to reinforce safe working practices and to address any concerns or incidents related to the use of the oil filter crusher, fostering a strong safety culture within the workplace.		
			- Inspect all electrical connections, wires, and equipment regularly to ensure they are in good condition and do not pose a risk for electrocution.		
			- Always turn off the power supply before operating any electrical control switches or buttons, minimising the risk of electric shock.		
3. Operate Controls	Electrocution, Entrapment	2M	- Attach warning labels on the controls panel to alert operators about the potential hazards of electrocution and entrapment during operation.	1L	
			- Equip the oil filter crusher with emergency stop buttons that can be easily accessed by the operator in case of an unexpected event.		
			- Provide lockout/tag-out procedures to ensure the oil filter crusher is isolated from its power source when it's not in use or during maintenance services.		



POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
		- Train all operators on proper working procedures in operating oil filter crushercontrols, focusing on safety measures to prevent electrocution and entrapment hazards.		
		- Conduct regular safety briefings and refresher emphasising key risks such as electrocution and entrapment, and ensuring that operators are aware of necessary control measures.		
		- Install appropriate guarding around moving particle oil filter crusher to prevent accidental contact and entrapment during operations.		
		- Ensure that all control switch, and buttons are extra uch and operate, reducing the need for paters place themselves azardous positions while working.		
		- Keep the way space organised and the of the y clutter, which could cause employees to the fall, or a croach into the ardous areas during operation.		
		- Per egular exenance checks on the oil filter crusher and its components to identify an eigns of ear or malfunction that could lead to hazards.		
		- Development of the property		
		her barnurs to protective equipment (PPE) such as gloves, safety glasses, or her barnurs to protect operators from potential contact with electrical components convoing parts during operation.		
		Implement an incident review and reporting system to identify patterns and trends in hazards, enabling continuous improvement of safety measures and additional training as needed.		
Hand injuries, Repetitive strain injury	2M		1L	
-		HAZARDS THAT MAY ARISE RISK	- Train all operators on proper working procedures in operating oil filter crushercontrols, focusing on safety measures to prevent electrocution and entrapment hazards. - Conduct regular safety briefings and refreshers emphasising key risks such as electrocution and entrapment, and ensuring that operators are aware of necessary control measures. - Install appropriate guarding around moving pure the oil filter crusher to prevent accidental contact and entrapment during opera. - Ensure that all control switch, and buttons are explored and operate, reducing the need for mators valace themselves to exardous positions while working. - Keep the Williams of the cross of the oil filter crusher and its components to identify an igns of ear or malfunction that could lead to hazards. - Devel man implement clear workplace policies and protocols for reporting and address of hair desired and a serious areas and protocols for reporting and address of hair desired and protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves, safety glasses, or her barnus to protective equipment (PPE) such as gloves.	RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONNICT, ITERISKS RISK Train all operators on proper working procedures in operating oil filter crushercontrols, focusing on safety measures to prevent electrocution and entrapment hazards. - Conduct regular safety briefings and refresher pemphasising key risks such as electrocution and entrapment, and ensuring at operators are aware of necessary control measures. - Install appropriate guarding around moving program exists of the province of the control of the program of the province of the control of the co



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Crush Oil Filter	Explosion, Flying debris	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Remove Crushed Filter	Sharp edges, Pinch points	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Clean Work Area	Slips, trips, and falls, Chemical exposure	1L		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Disposal of Waste Material	Environmental contamination, Infectious material exposure	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Maintenance and Inspection	Unexpected movement, Crushing injuries	3Н		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL	NAME OF PERSON
10. Emergency Stop Procedure	Panic, Ineffective communication	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Storage and Transport	Falling object, Manual handling injuries	1L		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Decontamination Process	Chemical burns, Allergic reactions	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

<u>Julai.</u>

des of actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
			Date:					
			Date:					
				Date:				
	Date:							
		SAF WC A	STATEMENT	MONITORING AND	REVIEW			
The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure and such a review process should be carried out in consultation with workers (including contractors and subcontract is) who may be affected by the operation of the SWMS and their health and safety representatives who recessented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.				The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.				
REVIEW NUMBER	<u> </u>	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	